# ICEQUAKE LIDOCAINE ANALGESIC- lidocaine hydrochloride liquid Southern Sales & Service, Inc.

-----

## **IceQuake Lidocaine Analgesic**

## **Drug Facts**

## **Active ingredient**

Lidocine HCI 4%

## **Purpose**

Topical anesthetic

### Use

Temporarily relieves minor pain

## Warnings

For external use only

#### Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

## When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to area of use

#### Do not use

- on large areas of the body or on cut, irritatred or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

## condition worsens Stop use and ask a doctor if

• symptoms persist for more than 7 days or clear up and occur again within a few days

#### **Flammable**

keep away from fire or flame

## If pregnant or breast-feeding

ask a health professional before use.

## Keep out of reach of children

and pets. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

• adults and children over 12 years:

apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period


children 12 years or younger: ask a doctor

## **Inactive ingredients**

Disodium EDTA, isopropyl alcohol, glycerin, methylparaben, polysorbate 20, propylparaben, purified water, xanthan gum.

## IceQuake Lidocaine Topical Analgesic Liquid 74ml







Roll

Maximum Strength



DISTRIBUTED BY:

SOLUTION SELECTION OF THE PROPERTY OF THE PRO

Haoanne Topical Analgesic Liquid

ACTIVIE I Lidocaine

IDIRUUGI IFA LUFT LAND

Drug Facts
Active ingredient  Purpose Lidocaine HCI 4%.  Topical anesthetic
Use Temporarity relieves minor pain
Warnings For external use only
Do not use  ■ on large areas of the body or on out, irritated or swollen skin ■ on puncture wounds  ■ for more than one week without consulting a doctor
When using this product  use only as directed. Read and follow all directions and warnings on this label.  do not allow contact with the eyes  do not bandage or apply local heat (such as heating pads) to area of use
Stop use and ask a doctor if condition worsens  symptoms persist for more than 7 days or clear up and occur again within a few days
Flammable = keep away from fire or flame
If pregnant or breast-feeding ask a health professional before use.  Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.
Directions

## **ICEQUAKE LIDOCAINE ANALGESIC**

lidocaine hydrochloride liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69822-430
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	

GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A218C7HI9T)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69822-430- 03	74 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/01/2022	

## Labeler - Southern Sales & Service, Inc. (013114906)

Registrant - Southern Sales & Service, Inc. (013114906)

Revised: 11/2023 Southern Sales & Service, Inc.