

**LORATADINE ALLERGY RELIEF- loratadine tablet**  
**NuCare Pharmaceuticals, Inc.**

-----  
**Drug Facts**

**ACTIVE INGREDIENT(S)**

Loratadine USP, 10 mg

**PURPOSE**

Antihistamine

**USE(S)**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**WARNINGS**

**Do not use**

If you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

Liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

Do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

An allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

Ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver and kidney disease	ask a doctor

## OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

## INACTIVE INGREDIENTS

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

## QUESTIONS?

Call **1-800-406-7984**

## PRINCIPAL DISPLAY PANEL -

**NuCare Pharmaceuticals, Inc.**

NDC: 68071-5049-9

**Loratadine 10mg #90 Tablets**

Each tablet contains:  
Loratadine, USP 10mg.....Antihistamine

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.

Round White Tablet Debossed: "RX 526" on one side

Product #: P0653090

Loratadine 10mg  
Lot: 000000 NDC: 68071-5049-09  
MFR NDC: 51660-526-53 Exp.: 00-00  
Serial# 00000000002

Loratadine 10mg  
Lot: 000000 NDC: 68071-5049-09  
MFR NDC: 51660-526-53 Exp.: 00-00  
Serial# 00000000002

GTIN 00368071504996  
Serial# 00000000002  
Exp. Date 00-00  
LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

STORE AT CONTROLLED TEMPERATURE 68-77°F.

Product #: P0653090

WARNING: KEEP OUT OF REACH OF CHILDREN

Rev 01/01/19

## LORATADINE ALLERGY RELIEF

loratadine tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68071-5049(NDC:51660-526)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg

**Inactive Ingredients**

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

**Product Characteristics**

Color	white (White to Off White)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-5049-9	90 in 1 BOTTLE; Type 0: Not a Combination Product	09/05/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	11/01/2017	

**Labeler** - NuCare Pharmaceuticals, Inc. (010632300)**Establishment**

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	repack(68071-5049)

Revised: 2/2021

NuCare Pharmaceuticals, Inc.