

**JUNIOR STRENGTH ADVIL- ibuprofen tablet, chewable  
Proficient Rx LP**

-----  
**Junior Strength Advil (Ibuprofen) Chewables**

**DRUG FACTS**

**ACTIVE INGREDIENT (IN EACH TABLET)**

Ibuprofen 100 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

**PURPOSE**

Fever reducer/Pain reliever

**USES**

temporarily:

- reduces fever
- relieves minor aches and pains due to the common cold, flu, sore throat, headaches and toothaches

**WARNINGS**

**Allergy alert:**

Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

**Stomach bleeding warning:**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if the child

- has had stomach ulcers or bleeding problems
- takes a blood thinning (anticoagulant) or steroid drug
- takes other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- takes more or for a longer time than directed

## **Heart attack and stroke warning**

NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

## **Sore throat warning:**

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor.

## **Do not use**

- if the child has ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

## **Ask a doctor before use if**

- stomach bleeding warning applies to the child
- child has problems or serious side effects from taking pain relievers or fever reducers
- child has a history of stomach problems, such as heartburn
- child has high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- child has not been drinking fluids
- child has lost a lot of fluid due to vomiting or diarrhea
- child is taking a diuretic

## **Ask a doctor or pharmacist before use if the child is**

- under a doctor's care for any serious condition
- taking any other drug

## **When using this product**

- take with food or milk if stomach upset occurs

## **Stop use and ask a doctor if**

- child experiences any of the following signs of stomach bleeding:
  - feels faint
  - vomits blood
  - has bloody or black stools
  - has stomach pain that does not get better
- child has symptoms of heart problems or stroke:
  - chest pain
  - trouble breathing
  - weakness in one part or side of body
  - slurred speech

- leg swelling
- child does not get any relief within first day (24 hours) of treatment
- fever or pain gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- any new symptoms appear

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find right dose on chart. If possible, use weight to dose; otherwise use age.
- repeat dose every **6-8 hours**, if needed
- do not use more than **4 times a day**

**Dosing Chart**

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (tablets)</b>
under 24 lb	under 2 yr	ask a doctor
24-35 lb	2-3 yr	1 tablet
36-47 lb	4-5 yr	1 ½ tablets
48-59 lb	6-8 yr	2 tablets
60-71 lb	9-10 yr	2 ½ tablets
72-95 lb	11 yr	3 tablets

**OTHER INFORMATION**

- **Phenylketonurics:** contains phenylalanine 4.2 mg per tablet
- one dose lasts 6-8 hours
- store at 20-25°C (68-77°F)
- see side of box for lot number and expiration date

**INACTIVE INGREDIENTS**

aspartame, cellulose, colloidal silicon dioxide, D&C red no. 30 aluminum lake, FD&C blue no. 2 aluminum lake, gelatin, magnesium stearate, mannitol, microcrystalline cellulose, modified corn starch, natural and artificial flavors, sodium starch glycolate

**QUESTIONS OR COMMENTS?**

call toll-free **1-800-88-ADVIL** or ask your pharmacist, doctor or health care professional

**PRINCIPAL DISPLAY PANEL - 100 mg Tablet Bottle Label**

Junior Strength  
Advil®

Ibuprofen Tablets, 100 mg  
Pain Reliever/  
Fever Reducer (NSAID)

READ AND KEEP CARTON

Grape Flavor  
24 CHEWABLE TABLETS

Relabeled by:

Proficient Rx LP

Thousand Oaks, CA 91320



NDC 71205-425-24

Lot #:00000  
Exp. 00/00/00  
SN# MASTER

## Junior Strength Advil 100mg

### #24 Chewable Tablets

Each tablet contains: Ibuprofen 100 mg (NSAID)\*  
Pain reliever/ fever reducer \*nonsteroidal  
anti-inflammatory drug

*Purple (light purple), round, scored tablet with imprint code (Advil 100). Grape flavor*

Product ID: SA042524 **For Ages 2-11**

Mfr. For: Pfizer, Madison, NJ 07940 USA  
Store at 20°-25°C (68°-77°F)

Keep medication out of the reach of children

Relabeled By Proficient Rx LP  
Thousand Oaks, CA 91320

Junior Strength Advil 100mg #24 Chewable Tablets Lot #:00000 SN# MASTER NDC 71205-425-24 Exp:00/00/00
Junior Strength Advil 100mg #24 Chewable Tablets Lot #:00000 SN# MASTER NDC 71205-425-24 Exp:00/00/00
Junior Strength Advil 100mg #24 Chewable Tablets Lot #:00000 SN# MASTER NDC 71205-425-24 Exp:00/00/00

## JUNIOR STRENGTH ADVIL

ibuprofen tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71205-425(NDC:0573-0179)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IBUPROFEN (UNII: WK2XY110QM) (IBUPROFEN - UNII:WK2XY110QM)	IBUPROFEN	100 mg

### Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CELLACEFATE (UNII: F2O5O2O19F)	

<b>SILICON DIO XIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

### Product Characteristics

<b>Color</b>	PURPLE (light purple)	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND (mottled round purple tablet)	<b>Size</b>	10mm
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	Advil;100
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71205-425-24	1 in 1 CARTON	03/11/2020	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020944	06/01/2011	

**Labeler** - Proficient Rx LP (079196022)

### Establishment

Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	REPACK(71205-425) , RELABEL(71205-425)

Revised: 3/2020

Proficient Rx LP