

CHILDRENS ASPIRIN- aspirin tablet, chewable
Cardinal Health, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Low Strength Aspirin (NSAID) 81 mg

Drug Facts

HOSPAK® UNIT DOSE PRODUCTS

LOW STRENGTH ASPIRIN (NSAID)

81 mg

ORANGE FLAVORED, CHEWABLE TABLETS

FOR INSTITUTIONAL USE ONLY

Active ingredient (in each tablet)

Aspirin 81 mg (NSAID*)

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Keep Out of Reach of Children

Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Uses

Temporary relief of minor aches and pains or as recommended by your doctor to reduce fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause a severe allergic reaction which may include hives, facial swelling, asthma (wheezing), shock.

Stomach Bleeding Warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ·are age 60 or older ·have had stomach ulcers or bleeding problems ·take a blood thinning (anticoagulant) or steroid drug ·take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ·have 3 or more alcoholic drinks every day while using this product ·take more or for a longer time than directed.

Do not use -if you are allergic to aspirin or any other pain reliever/fever reducer -this product for at least 7 days after tonsillectomy or oral surgery unless directed by doctor.

Ask a doctor before use if -stomach bleeding warning applies to you -you have a history of stomach problems, such as heartburn -you have high blood pressure, heart disease, liver cirrhosis, or kidney disease -you are taking a diuretic -you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for ·gout ·diabetes ·arthritis

Stop use and ask a doctor if ·an allergic reaction occurs. Seek medical help right away ·you experience any of the following signs of stomach bleeding ; feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better ·pain gets worse or lasts for more than 10 days ·redness or swelling is present ·new symptoms occur ·ringing in the ears or loss of hearing occurs ·**You may report side effects to 1-888-952-0050.**

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Directions

·Drink a full glass of water with each dose ·adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by doctor ·children under 12 years: consult a doctor

Inactive ingredients

dextrates, FD&C yellow #6, flavor, saccharin sodium, starch

Storage

Store at room temperature. Do not use if packet is torn, cut or opened.

Questions? 1-847-458-5308

Mfg. by: Allegiant Health, Deer Park, NY 11729

Dist. By: Hospak® Unit Dose Products, Huntley, IL 60142

Hospak is a trademark owned by its respective owner.

Distributed By:

Cardinal Health

Dublin, OH 43017

L40737140818

Rev. 08/17

Principal Display Panel

Low Strength Aspirin (NSAID) 81 MG

10 Flavored Chewable Tablets



NDC 55154-6752-0

P65

LOW STRENGTH ASPIRIN (NSAID) 81mg
10 FLAVORED CHEWABLE TABLETS

ORANGE FLAVORED, CHEWABLE TABLETS

Drug Facts

Active Ingredient (in each tablet)	Purpose
Aspirin 81mg (NSAID*)	Pain reliever/fever reducer
*nonsteroidal anti-inflammatory drug	

See product insert for prescribing information, precautions and warnings.

Uses • temporary relief of minor aches and pains or as recommended by your doctor • to reduce fever

Inactive ingredients dextrates, FD&C yellow #6, flavor, saccharin sodium, starch

STORAGE: Store at room temperature.

WARNINGS: Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Do not use if packet is torn, cut or opened

Questions? 1-847-458-5308

Mfg. by: Allegiant Health, Deer Park, NY 11729
Dist. By: Hospak® Unit Dose Products, Huntley, IL 60142
Distributed by Cardinal Health
Dublin, OH 43017
L40737140818

LOT #: XXXXXXXXXX EXP. DATE: XX/XX/XX

CHILDRENS ASPIRIN

aspirin tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-6752(NDC:66553-002)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength

DEXTRATES (UNII: G263MI44RU)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	PINK (Peach)	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	AZ;013
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-6752-0	10 in 1 BAG	06/02/2011	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		06/02/2011	

Labeler - Cardinal Health, Inc. (603638201)

Revised: 12/2019

Cardinal Health, Inc.