

TEMPORARY FIBROMYALGIA PAIN AND DISCOMFORT RELIEF- aconitum napellus, atropa belladonna, causticum, magnesium phosphate, dibasic, strychnos nux-vomica seed, toxicodendron pubescens leaf tablet, multilayer

TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Temporary Fibromyalgia Pain and Discomfort Relief

Homeopathic Purpose

Aconitum Napellus	6c/12c/18c	Acute Pain, Inflammation
Belladonna	6c/12c/18c	Chronic Pain, Headache
Causticum	6c/12c/18c	Muscle and Nerve Pain
Magnesium Phos	6c/12c/18c	Cramping Pain, Fatigue
Nux Vomica	6c/12c/18c	Sleeplessness, Irritable bowels
Rhus Toxicodendron	6c/12c/18c	Joint and Soft Tissue Pain

Active Ingredients

Aconitum Napellus	6c/12c/18c
Belladonna	6c/12c/18c
Causticum	6c/12c/18c
Magnesium Phos	6c/12c/18c
Nux Vomica	6c/12c/18c
Rhus Toxicodendron	6c/12c/18c
Magnesium Ascorbate	200 mg
Thiamine Hydrochloride	1 mg
Riboflavin	1 mg
Niacinamide	20 mg
Pyridoxine Hydrochloride	1 mg
Folic Acid	400 mcg
Cyanocobalamin	400 mcg
Biotin	200 mcg
Calcium Pantothenate	5 mg
Magnesium Ascorbate	75 mg
Magnesium Oxide	75 mg
Selenium	100 mcg
Sedum Roseum Root	200 mg

Inactive Ingredients

Microcrystalline cellulose
Polyvinyl Alcohol
Talc
Macrogol/PEG 3350

Polysorbate 80
Sodium Carboxymethylcellulose
Dextrin
Dextrose Monohydrate
Lecithin
Sodium Citrate
Stearic Acid
Croscarmellose
Magnesium Stearate
Silicon Dioxide
Sucralose

Uses

According to homeopathic indications these ingredients provide temporary relief from symptoms of Fibromyalgia such as:

- Muscle Pain
- Fatigue
- Nerve/Soft Tissue Pain
- Headache
- Multiple Tender Points

Warnings

- Consult with your doctor prior to use if you are pregnant or nursing.
- Initial worsening of symptoms may occur.
- If symptoms persist or worsen, consult your doctor.
- Anyone experiencing widespread pain as with Fibromyalgia should see a doctor to determine if a specific treatment is needed or to make sure that it is not a sign of a serious underlying condition.

Keep this and all medicines out of reach of children.

Do not use

If tamper evident seal is broken.

Stop Use and See A Doctor If

If Symptoms persist for more than 7 days or worsen or if new symptoms occur or if redness or swelling is present because these could be a sign of a serious illness.

Directions

Take 1 caplet, morning and evening, 5 minutes before or 20 minutes after a meal. Let the homeopathic external shell dissolve in your mouth until the sweetness is gone (approx. 20-40 seconds), then swallow the remaining vitamin enriched core with water. For faster results take 1 caplet 3 times per day. For best results, use for at least 6 months. After desired results are achieved, reduce dosing to 1 caplet 2 times per day.

Other Information

If an initial worsening (healing aggravation) of symptoms occurs stop use until the aggravations subsides, then continue taking the caplets.

TRP Company
1575 Delucchi Lane #115
Reno, NV 89502
888-969-6855
www.trpccompany.com

Drug Facts

Active Ingredients..... Purpose
Aconitum Napellus 6c (1/2c) ... Acute pain, Headache
Belladonna 6c (1/2c) ... Cramping Pain, Headache
Caulacum 6c (1/2c) ... Muscle and Nerve Pain
Magnesium Phos. 6c (1/2c) ... Cramping Pain, Fatigue
Nux Vomica 6c (1/2c) ... Sleeplessness, Irritable bowels
Phis. Todescoferens 6c / 12c / 18c ... Joint and Soft Tissue Pain

Uses
According to homeopathic indications these ingredients provide temporary relief from symptoms of Fibromyalgia such as: • Muscle Pain • Fatigue • Nerve / Soft Tissue Pain • Headache • Multiple Tender Points

Warnings
Consult your doctor prior to use if you are pregnant or nursing. Initial worsening of symptoms may occur. If symptoms persist or worsen, consult your doctor. Keep this and all medicines out of reach of children. Anyone experiencing persistent or severe symptoms of Fibromyalgia should see a doctor to determine if a specific treatment is needed or to make sure that it is not a sign of a serious underlying condition.

Do Not Use
If tamper evident seal is broken.

Stop Use and See A Doctor If
Symptoms persist for more than 7 days or worsen. If new symptoms occur or if redness or swelling is present because these could be a sign of a serious illness.

Dosage & Instructions
Take 1 caplet, morning and evening, 5 minutes before or 20 minutes after a meal. Let the homeopathic external shell dissolve in your mouth until the sweetness is gone (approx. 20-40 seconds). Then swallow the remaining vitamin enriched core with water. For faster results take 1 caplet 3 times per day. For best results, use for at least 6 months. After desired results are achieved, reduce dosing to 1 caplet 2 times per day.

Other Information
If an initial worsening (healing aggravation) of symptoms occurs stop use until the aggravations subsides, then continue taking the caplets.

Supplement Facts

Amount Per Serving	% Daily Value
Vitamin C (as magnesium ascorbate)	400 mg 666%
Thiamine (Vitamin B-1) (as thiamine hydrochloride)	2 mg 134%
Riboflavin (Vitamin B-2)	2 mg 118%
Niacin (as niacinamide)	40 mg 200%
Vitamin B-6 (as pyridoxine HCl)	2 mg 100%
Folic Acid (as folium)	800 mcg 200%
Vitamin B-12 (as cyanocobalamin)	800 mcg 1334%
Biotin	400 mcg 134%
Pantothenic Acid (as calcium pantothenate)	10 mg 100%
Magnesium (as magnesium ascorbate)	300 mg 76%
Iron (as ferrous citrate)	200 mcg 286%
Rhodiola rosea root powder	400 mg *

* Percent Daily Values are based on a 2000 calorie diet.
Daily Value not established.

Other ingredients: Microcrystalline cellulose, coating (polyvinyl alcohol-part hydrolyzed, talc, macrogol PEG 3350, polyorbital 80, sodium calcium methylcellulose, dextrose, sucrose, lactose, ascorbic acid, citric acid, stearic acid, croscarmellose, magnesium stearate, silicon dioxide, sucrose. Does not contain artificial colors.

* This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Do not use if tamper evident seal is broken or missing.

Patent Pending © 2005
All rights reserved. TRP Company, Inc.
Manufactured exclusively for:
TRP 1575 Delucchi Lane, #115, Reno, NV 89502
Phone: 888-969-6855 • www.trpccompany.com

For more information and to order related products go to: www.trpccompany.com

THE Relief Products™ NDC # 17312-004-12



Temporary Fibromyalgia

Pain and Discomfort Relief®

Homeopathic Medicines and Dietary Supplements



Temporary Relief for:

- Muscle pain
- Headache
- Fatigue
- Soft Tissue Pain
- Multiple Tender Points

60 Caplets

Fibromyalgia is a condition characterized by pain in your muscles, joints, ligaments and tendons. Associated symptoms include discomfort, headache, fatigue, disturbed sleep and multiple tender points. Tender points are places on your body where slight pressure causes pain.

This product is for the temporary relief of pain and discomfort of Fibromyalgia after diagnosis by a doctor who has ruled out any serious underlying condition and the need for other specific treatment.

The Fibromyalgia Relief Dual Delivery caplet not only stimulates the body's natural ability to alleviate these symptoms, but also provides the necessary nutrients to carry out this process*.

The oral homeopathic external shell is best absorbed through the mouth, while its vitamin enriched core should be absorbed via the digestive tract. (see directions)

Dual Delivery Caplets



Directions:

Take 1 caplet, morning and evening, 5 minutes before or 20 minutes after a meal.

Let the homeopathic external shell dissolve in your mouth until the sweetness is gone (approx. 20-40 seconds), then swallow the remaining vitamin enriched core with water.

For faster results take 1 caplet 3 times per day. For best results, use for at least 6 months. After desired results are achieved, reduce dosing to 1 caplet 2 times per day.



TEMPORARY FIBROMYALGIA PAIN AND DISCOMFORT RELIEF

aconitum napellus, atropa belladonna, causticum, magnesium phosphate, dibasic, strychnos nux-vomica seed, toxicodendron pubescens leaf tablet, multilayer

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-004
Route of Administration	Oral		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Aconitum Napellus (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD)	Aconitum Napellus	6 [hp_C]
Atropa Belladonna (UNII: WQZ3G9PF0H) (Atropa Belladonna - UNII:WQZ3G9PF0H)	Atropa Belladonna	6 [hp_C]
Causticum (UNII: DD5FO1WKFU) (Causticum - UNII:DD5FO1WKFU)	Causticum	6 [hp_C]
Magnesium Phosphate, Dibasic Trihydrate (UNII: HF539G9L3Q) (Magnesium Cation - UNII:T6V3LHY838)	Magnesium Phosphate, Dibasic Trihydrate	6 [hp_C]
Strychnos Nux-Vomica Seed (UNII: 260XTH120Y) (Strychnos Nux-Vomica Seed)		

Strychnos nux-vomica Seed (UNII: 269XH13919) (Strychnos nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-Vomica Seed	6 [hp_C]
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	6 [hp_C]
Magnesium Ascorbate (UNII: 0N1G678593) (Magnesium Ascorbate - UNII:0N1G678593)	Magnesium Ascorbate	200 mg
Thiamine Hydrochloride (UNII: M572600E5P) (Thiamine Ion - UNII:4ABT0J945J)	Thiamine Hydrochloride	1 mg
Riboflavin (UNII: TLM2976OFR) (Riboflavin - UNII:TLM2976OFR)	Riboflavin	1 mg
Niacinamide (UNII: 25X51I8RD4) (Niacinamide - UNII:25X51I8RD4)	Niacinamide	20 mg
Pyridoxine Hydrochloride (UNII: 68Y4CF58BV) (Pyridoxine - UNII:KV2JZ1BI6Z)	Pyridoxine Hydrochloride	1 mg
Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	400 ug
Cyanocobalamin (UNII: P6YC3EG204) (Cyanocobalamin - UNII:P6YC3EG204)	Cyanocobalamin	400 ug
Biotin (UNII: 6SO6U10H04) (Biotin - UNII:6SO6U10H04)	Biotin	200 ug
Calcium Pantothenate (UNII: 568ET80C3D) (Calcium Pantothenate - UNII:568ET80C3D)	Calcium Pantothenate	5 mg
Magnesium Ascorbate (UNII: 0N1G678593) (Magnesium Ascorbate - UNII:0N1G678593)	Magnesium Ascorbate	75 mg
Magnesium Oxide (UNII: 3A3U0GI71G) (Magnesium Oxide - UNII:3A3U0GI71G)	Magnesium Oxide	75 mg
Selenium (UNII: H6241UJ22B) (Selenium - UNII:H6241UJ22B)	Selenium	100 ug
Sedum Roseum Root (UNII: 3S5ITS5ULN) (Sedum Roseum Root - UNII:3S5ITS5ULN)	Sedum Roseum Root	200 mg

Inactive Ingredients

Ingredient Name	Strength
Cellulose, Microcrystalline (UNII: OP1R32D61U)	
Polyvinyl Alcohol (UNII: 532B59J990)	
Talc (UNII: 7SEV7J4R1U)	
Polyethylene Glycol 3350 (UNII: G2M7P15E5P)	
Polysorbate 80 (UNII: 6OZP39ZG8H)	
Carboxymethylcellulose Sodium (UNII: K679OBS311)	
Icodextrin (UNII: 2NX48Z0A9G)	
Dextrose Monohydrate (UNII: LX22YL083G)	
Egg Phospholipids (UNII: 1Z74184RGV)	
Sodium Citrate (UNII: 1Q73Q2JULR)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Croscarmellose (UNII: 029TFK992N)	
Magnesium Stearate (UNII: 70097M6I30)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Sucralose (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (Tablet)	Size	9mm
Flavor		Imprint Code	None
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-004-12	1 in 1 Package		

1

60 in 1 Bottle

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/01/2010	

Labeler - TRP Company (105185719)

Revised: 5/2012

TRP Company