FORTICEPT MAXI WASH- benzalkonium chloride liquid Lidan, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active Ingredient

Benzakonium Chloride......0.13%

Inactive ingredients:

Detergents, botanical extracts, and preservatives.........99.87%

Uses

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa and some viruses. Rapid acting with a moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only * Not for human use * Keep out of reach of children

When using this product- avoid eye contact.

Stop use and ask a veterinarian if condition worsens, symptoms last more than 7 days or clear up and occur again within a few days.

Directions for use:

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling:

Keep container closed when not in use. Do not store below 32°F/0°C or above 95°F/35°C for extended periods of time. In case of spill, flood with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

118 mL Label



VIUXI VVUSI

ANTIMICROBIAL SKIN & WOUND TREATMENT

Powered by Polymer Technology



Helps with Itching & Hot Spots

Helps Control infection

Cleans wounds & promotes healing

For Animal Use Only

4 FL.OZ. (118ml)









DRUG FACTS

Active Ingredient

Benzalkonium Chloride.......0.13%

Innactive Ingredients

Detergents, botanical extracts, and

preservatives......99.87%

Uses

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact **Stop use** and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within a few days

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

First Aid

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept^o is Registered Trademark of Lidan, Inc. All rights reserved 2016

+1 212-709-8133 , INC 30 WALL ST, 8TH FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM



ANTIMICROBIAL SKIN & WOUND

TREATMENT

Powered by Polymer Technology







Helps with Itching & Hot Spots Helps Control infection

Cleans wounds & promotes healing

For Animal Use Only 4 FL.OZ. (118ml)





DRUG FACTS **Active Ingredient**

Benzalkonium Chloride....

Innactive Ingredients

Detergents, botanical extracts, and

preservatives......99.87%

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

ST, 8TH FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

INC 30 WALL

+1 212-709-8133

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact Stop use and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept[®] is Registered Trademark of Lidan, Inc. All rights reserved 2016

240 mL Label





ANTIMICROBIAL SKIN & WOUND TREATMENT

Powered by Polymer Technology



Helps with Itching & Hot Spots Helps Control infection Cleans wounds & promotes healing

For Animal Use Only

8 FL.OZ. (240ml)









IDAN, INC 30 WALL ST, 8TH FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM +1 212-709-8133

DRUG FACTS

Active Ingredient

Benzalkonium Chloride.....

Innactive Ingredients

Detergents, botanical extracts, and preservatives.....

.....99.87%

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact Stop use and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within a few days.

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

Eye contact: In case of contact, immediately flush eyes with

cool running water.

Skin contact: Wash the skin with water and soap. Wash

clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept^e is Registered Trademark of Lidan, Inc. All rights reserved 2016



Maxi-Wash™

(Benzalkonium Chloride 0.13%)

ANTIMICROBIAL SKIN & WOUND TREATMENT

Powered by Polymer Technology



Helps with Itching & Hot Spots Helps Control infection

Cleans wounds & promotes healing

For Animal Use Only 8 FL.OZ. (240ml)









IDAN, INC 30 WALL ST, 8TH FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM +1 212-709-8133

DRUG FACTS

Active Ingredient

Benzalkonium Chloride.....

Innactive Ingredients

Detergents, botanical extracts, and

preservatives.....99.87%

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact Stop use and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within a few days.

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept® is Registered Trademark of Lidan, Inc. All rights reserved 2016

473 mL Label





ANTIMICROBIAL SKIN & WOUND TREATMENT

(Benzalkonium Chloride 0.13%)
Based on proprietary Polyacrylate Polymer Technology



- Topical Antiseptic •
- · Effective Against Bacteria & Fungi ·
 - Cleans Wounds
 - · Promotes Healing ·

With natural extracts of Chamomile & Yarrow

For Veterinary Use Only

16 FL.OZ. (473 ml)









DRUG FACTS

Active Ingredient

Benzalkonium Chloride......0.13

Innactive Ingredients

Detergents, botanical extracts, and

preservatives......99.87%

Uses

FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

212-709-8133

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact **Stop use** and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within a few days.

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

First Aid

. INC 30 WALL ST.

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept™ is Registered Trademark of Lidan, Inc. All rights reserved 2016



ANTIMICROBIAL SKIN & WOUND TREATMENT

(Benzalkonium Chloride 0.13%)
Based on proprietary Polyacrylate Polymer Technology



- Topical Antiseptic •
- Effective Against Bacteria & Fungi
 - Cleans Wounds
 - · Promotes Healing ·

With natural extracts of Chamomile & Yarrow

For Veterinary Use Only

16 FL.OZ. (473 ml)









DRUG FACTS

Active Ingredient

Benzalkonium Chloride......0.13

Innactive Ingredients

Detergents, botanical extracts, and

preservatives......99.87%

Uses

FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

212-709-8133

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact **Stop use** and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within a few days.

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apphy 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

First Aid

. INC 30 WALL ST.

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept™ is Registered Trademark of Lidan, Inc. All rights reserved 2016

946 ml Label



ANTIMICROBIAL SKIN & WOUND TREATMENT

(Benzalkonium Chloride 0.13%) Based on proprietary Polyacrylate Polymer Technology



- Topical Antiseptic · Effective Against Bacteria & Fungi ·
 - · Cleans Wounds ·
 - Promotes Healing


With natural extracts of Chamomile & Yarrow

For Veterinary Use Only

32 FL.OZ. (946 ml)









+1 212-709-8133

8TH FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

IDAN, INC 30 WALL ST,

DRUG FACTS

Active Ingredient

Benzalkonium Chloride......0.13%

Innactive Ingredients

Detergents, botanical extracts, and preservatives......99.87%

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Warnings

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact Stop use and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within a few days.

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

First Aid

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept™ is Registered Trademark of Lidan, Inc. All rights reserved 2016





ANTIMICROBIAL SKIN & WOUND TREATMENT

(Benzalkonium Chloride 0.13%) Based on proprietary Polyacrylate Polymer Technology



- Topical Antiseptic •
- Effective Against Bacteria & Fungi
 - · Cleans Wounds ·
 - Promotes Healing


With natural extracts of Chamomile & Yarrow

For Veterinary Use Only

32 FL.OZ. (946 ml)









8TH FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM +1 212-709-8133

Innactive Ingredients Detergents, botanical extracts, and preservatives......99.87%

Helps remove dirt and debris. Can be used in the treatment of wounds, superficial minor skin irritations. Effective against both gram-negative and gram-positive bacteria, ringworm, protozoa, and some viruses. Rapid acting with moderately long duration of action. Topical antiseptic to help decrease the risk of infection.

Benzalkonium Chloride......0.13%

Warnings

DRUG FACTS Active Ingredient

For external use only *Not for human use *Keep out of reach of children

When using this product - avoid eye contact Stop use and ask a veterenarian if condition worsens, symptomps last more than 7 days or clear up and occur again within a few days.

Directions for use

Spray on affected area or wound. Do not wash or wipe off. Apply 1-2 times per day or as needed until the area is healed. Will not burn, sting or irritate. For skin and wound areas that need to be cleaned apply treatment until you reach desired condition.

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods of time. In case of a spill, flood with water.

First Aid

INC 30 WALL ST.

Eye contact: In case of contact, immediately flush eyes with cool running water.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

Forticept™ is Registered Trademark of Lidan, Inc. All rights reserved 2016

FORTICEPT MAXI WASH

benzalkonium chloride liquid

Product Information OTC ANIMAL DRUG NDC:72127-0704 Product Type Item Code (Source) TOPICAL **Route of Administration**

Active Ingredient/Active Moiety Ingredient Name **Basis of Strength** Strength benzalkonium chloride (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) benzalkonium chloride 1.3 g in 1000 g

Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
1 NDC:72127-0704-0	118 g in 1 BOTTLE, SPRAY					
2 NDC:72127-0704-1	240 g in 1 BOTTLE, SPRAY					
3 NDC:72127-0704-2	473 g in 1 BOTTLE, SPRAY					
4 NDC:72127-0704-3	946 g in 1 BOTTLE, SPRAY					
	,					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved drug other		11/29/2016				

Labeler - Lidan, Inc. (014456716)

Registrant - Lidan, Inc. (014456716)

Establishment						
Name	Address	ID/FEI	Business Operations			
Cosco International, Inc.		016433141	api manufacture, manufacture, analysis, pack			

Establishment					
Name	Address	ID/FEI	Business Operations		
Pharmex Group, LLC.		365309015	manufacture, label, pack, repack		

Revised: 11/2020 Lidan, Inc.