

HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid
TARGET Corporation

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

first aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor dentist

Other information

- Keep tightly closed and in a dark place at room temperature.
- Do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Questions or comments?

Call **1-800-910-6874**

Principi Display Panel

hydrogen peroxide 3% USP

First Aid Antiseptic

Oral Debriding Agent

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

Dist. by Target Corporation

Minneapolis, MN 55403

Package Label

NDC 11673-268-32

Hydrogen Peroxide 3% USP

First Aid Antiseptic Oral Debriding Agent



32 FL OZ (1 QT) 946 mL

PLD-82200 LB069435

Drug Facts

*RISK FACTOR: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Active ingredient Hydrogen peroxide 3%	Purpose First aid antiseptic/oral debriding agent
Uses <ul style="list-style-type: none"> ■ first aid to help prevent the risk of infection in minor cuts, scrapes, and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth 	
Warnings For external use only.	
Do not use <ul style="list-style-type: none"> ■ in the eyes or apply over large areas of the body ■ longer than one week 	
Ask a doctor before use if you have <ul style="list-style-type: none"> ■ deep puncture wounds, animal bites or serious burns 	
Stop use and ask a doctor if <ul style="list-style-type: none"> ■ swelling, rash, or fever develops ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions For use as a first aid antiseptic: <ul style="list-style-type: none"> ■ clean affected area ■ if bandaged, let dry first ■ apply small amount of product on affected area 1-3 times a day ■ may be covered with a sterile bandage For use as an oral debriding agent (oral rinse): <ul style="list-style-type: none"> ■ adults and children 2 years of age and over: <ul style="list-style-type: none"> ■ mix with an equal amount of water ■ swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow. ■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor ■ children under 12 years should be supervised in the use of this product ■ children under 2 years of age: consult a doctor or dentist 	
Other information <ul style="list-style-type: none"> ■ keep tightly closed and in a dark place at room temperature ■ do not shake bottle. Hold away from face when opening. 	
Inactive ingredient purified water	
Questions or comments? Call 1-800-910-6874	

Distributed by Target Corporation 245 87 8177 R00
Minneapolis, MN 55403 C-002262-01-035-0000
TM & ©2024 Target Brands, Inc. PLD-82200 LB069435



3 49580 26833 3

TARGET (up&up) First Aid Antiseptic

HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-268
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-268-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/31/2015	

Labeler - TARGET Corporation (006961700)

Revised: 11/2023

TARGET Corporation