

**ICY HOT ARM NECK LEG AND SMALL AREAS- menthol patch**  
**ICY HOT BACK AND LARGE AREAS- menthol patch**  
**ICY HOT XL BACK AND LARGE AREAS- menthol patch**  
**Chattem, Inc.**

-----  
**Icy Hot - Patch**

***Icy Hot® - Medicated Patch***

***ARM, NECK & LEG & SMALL AREAS***

***Active Ingredient***

Menthol 5%

***Purpose***

Topical analgesic

***Uses***

- temporarily relieves minor pain associated with:
  - arthritis
  - simple backache
  - bursitis
  - tendonitis
  - muscle strains
  - sprains
  - bruises
  - cramps

***Warnings***

**For external use only**

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged skin, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- a transient burning sensation may occur upon application but generally disappears in several days

**Stop use and ask a doctor if**

- condition worsens

- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

### **If pregnant or breast-feeding**

ask a health professional before use.

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

#### **adults and children over 12 years.**

- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- apply one patch to affected area
- wear one Icy Hot Patch up to 8 hours
- repeat as necessary, but no more than 3 times daily

**children 12 years or younger:** ask a doctor

### ***Inactive Ingredients***

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION FOR USAGE OF THE PRODUCT.

Distributed by Chattem, Inc.  
P.O. Box 2219  
Chattanooga, TN 37409-0219 USA  
©2020 www.icyhot.com  
Made in Japan.

***Icy Hot® - Medicated Patch***

***BACK & LARGE AREAS***

## **Active Ingredient**

Menthol 5%

## **Purpose**

Topical analgesic

## **Uses**

- temporarily relieves minor pain associated with:
  - arthritis
  - simple backache
  - bursitis
  - tendonitis
  - muscle strains
  - sprains
  - bruises
  - cramps

## **Warnings**

### **For external use only**

### **When using this product**

- use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged skin, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- a transient burning sensation may occur upon application but generally disappears in several days

### **Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

### **If pregnant or breast-feeding**

ask a health professional before use.

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

### **adults and children over 12 years.**

- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- apply one patch to affected area
- wear one Icy Hot Patch up to 8 hours
- repeat as necessary, but no more than 3 times daily

**children 12 years or younger:** ask a doctor

## ***Inactive Ingredients***

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION FOR USAGE OF THE PRODUCT.

Distributed by Chattem, Inc.  
P.O. Box 2219  
Chattanooga, TN 37409-0219 USA  
©2020 www.icyhot.com  
Made in Japan.

## ***Icy Hot® - Medicated Patch***

### ***XL BACK & LARGE AREAS***

## ***Active Ingredient***

Menthol 5%

## ***Purpose***

Topical analgesic

## ***Uses***

- temporarily relieves minor pain associated with:
  - arthritis
  - simple backache

- bursitis
- tendonitis
- muscle strains
- sprains
- bruises
- cramps

## ***Warnings***

### **For external use only**

#### **When using this product**

- use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged skin, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- a transient burning sensation may occur upon application but generally disappears in several days

#### **Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

#### **If pregnant or breast-feeding**

ask a health professional before use.

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

#### **adults and children over 12 years.**

- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- apply one patch to affected area
- wear one Icy Hot Patch up to 8 hours
- repeat as necessary, but no more than 3 times daily

**children 12 years or younger:** ask a doctor

***Inactive Ingredients***

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION FOR USAGE OF THE PRODUCT.

Distributed by Chattem, Inc.  
P.O. Box 2219  
Chattanooga, TN 37409-0219 USA  
©2020 www.icyhot.com  
Made in Japan.

***Principal Display Panel***

**ICY HOT®**  
**ORIGINAL**  
**Pain Relief Patch**  
**Menthol 5%**  
**ICY to DULL, HOT to RELAX**  
**Wear for up to 8 Hours**  
**Small Patch**  
**3-1/8" x 4-5/8" (8 cm x 12 cm) each**  
**ARM. NECK & LEG PATCH**  
**Contains 5 Patches in 1 Resealable Pouch**





**Principal Display Panel**

**ICY HOT®  
ORIGINAL  
Pain Relief Patch  
Menthol 5%  
ICY to DULL, HOT to RELAX  
Wear for up to 8 Hours  
XL PATCH  
5-1/2" x 9-3/4" (14 cm x 25 cm) each  
Contains 3 Patches In 1 Resealable Pouch**



MENTHOL 5%



MENTHOL 5%



**XL PATCH**  
FEEL IT WORKING INSTANTLY

For easy removal of embossed backing:



**TARGETED RELIEF FOR**



Simple Backache



Muscle Strains



Arthritis



Bruises

**XL PATCH**

**FEEL IT WORKING INSTANTLY**

- Powerful Targeted Relief
- Icy to Dull, Hot to Relax
- Comfortable Fabric
- Stays in Place



**Wear For Up To 8 Hours**

Contains 3 Patches in 1 Resealable Pouch  
5-1/2" x 9-3/4" (14 cm x 25 cm) each

**Drug Facts**

**Active ingredient** Menthol 5% **Purpose** Topical analgesic

**Uses** Temporarily relieves minor pain associated with: • arthritis • simple backache • burns • insect bites • muscle strains • sprains • bruises • cramps

**Warnings**  
**For external use only**  
• When using this product: • Use only as directed. Read and follow all directions and warnings on this carton.  
• Avoid contact with eyes and mucous membranes.  
• Skin cases of serious burns have been reported with products of this type.  
• Do not apply to wounds or damaged, broken or irritated skin.  
• Do not bandage tightly or apply local heat (such as heating pads) to the area of use.  
• A transient burning sensation may occur upon application but generally disappears in several days.  
**Stop use and ask a doctor if:** • symptoms worsen • redness is present • irritation develops  
• symptoms persist for more than 7 days or clear up and occur again within a few days  
• you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied  
**If pregnant or breast feeding, ask a health professional before use.**  
**Keep out of reach of children. If needed, get medical help or contact a Poison Control Center right away.**

**Directions**  
**adults and children over 12 years:**  
• remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle  
• carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area  
• once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area  
• wear one to two patches for up to 8 hours  
• repeat as necessary, but no more than 3 times daily  
**children 12 years or younger:** ask a doctor

**Inactive ingredients**  
aluminum hydroxide, cellulose gum, glycerin, isosorbide myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, neoprene-30, polyacrylic acid, polybutadiene-90, sodium polyacrylate, sorbitan trioleate, stearic acid, stearic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, wax

**KEEP CARTON AS IT CONTAINS IMPORTANT INFORMATION FOR USAGE OF THE PRODUCT.**

**CHATTEM** Div. of Chattem, Inc., a Sanofi Company  
P.O. Box 2918  
Chattanooga, TN 37409-0219 USA  
©2007 www.icyhot.com



Made in Japan



333-006  
0049808-03


**Principal Display Panel**

**ICY HOT®  
ORIGINAL  
Pain Relief Patch**

Cut Open Pouch and Remove Pad



For easy removal of embossed backing:



©2020 Chattem, Inc.

**Drug Facts**

**Active ingredient**

Menthol 5%

**Purpose**

Topical analgesic

**Uses**

temporarily relieves minor pain associated with: ■ arthritis ■ simple backache ■ bursitis ■ tendonitis ■ muscle strains ■ sprains ■ bruises ■ cramps

**Warnings**

For external use only

**When using this product** ■ use only as directed. Read and follow all directions and warnings on this label.  
■ avoid contact with eyes and mucous membranes ■ rare cases of serious burns have been reported with products of this type  
■ do not apply to wounds or damaged, broken or irritated skin  
■ do not bandage tightly or apply local heat (such as heating pads) to the area of use  
■ a transient burning sensation may occur upon application but generally disappears in several days

**Stop use and ask a doctor if** ■ condition worsens ■ redness is present ■ irritation develops  
■ symptoms persist for more than 7 days or clear up and occur again within a few days  
■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children over 12 years:

■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle  
■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area  
■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area  
■ wear one icy Hot patch for up to 8 hours ■ repeat as necessary, but no more than 3 times daily  
children 12 years or younger: ask a doctor

**Inactive ingredients**

aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, methyl acrylate/2-ethylhexyl acrylate copolymer, nonoxonyl-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, starch/acrylic acid graft copolymer sodium salt, talc, tartaric acid, titanium dioxide, water

333-006



Dist. by Chattem, Inc., a Sanofi Company  
P.O. Box 2219  
Chattanooga, TN 37409-0219 USA  
©2020 www.icyhot.com

0052639-01

Made in Japan.



LOT

EXP

**Principal Display Panel**

**ICY HOT®  
ORIGINAL  
Pain Relief Patch  
Menthol 5%**


MENTHOL 5%



**LARGE  
PATCH**

**FEEL IT WORKING  
INSTANTLY**

- ▶ Powerful Targeted Relief
- ▶ Icy to Dull, Hot to Relax
- ▶ Comfortable Fabric
- ▶ Stays in Place



**Wear For Up To 8 Hours**

Contains 1 Patch  
3-15/16" x 7-13/16" (10 cm x 20 cm)

## ICY HOT ARM NECK LEG AND SMALL AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0084
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	205.50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>ETHYLHEXYL ACETATE</b> (UNII: 2C7K8OA8SB)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0K0OR)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0084-1	1 in 1 CARTON	11/01/2000	
1		5 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/01/2000	

## ICY HOT BACK AND LARGE AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0843
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	428.50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>ETHYLHEXYL ACETATE</b> (UNII: 2C7K80A8SB)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0843-1	1 in 1 CARTON	03/01/2003	
1		5 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:41167-0843-7	3 in 1 CARTON	03/01/2003	
2		5 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:41167-0843-2	1 in 1 CARTON	03/01/2003	
3		6 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2003	

## ICY HOT XL BACK AND LARGE AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0847
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	750.00 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>ETHYLHEXYL ACETATE</b> (UNII: 2C7K80A8SB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: ORE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0847-1	1 in 1 CARTON	12/01/2007	
1		3 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:41167-0847-2	1 in 1 CARTON	03/10/2017	
2		4 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/01/2007	

**ICY HOT BACK AND LARGE AREAS**

menthol patch

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0073
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	428.50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>ETHYLHEXYL ACETATE</b> (UNII: 2C7K80A8SB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0073-8	2 in 1 CARTON	03/01/2003	
1		5 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2003	

## ICY HOT BACK AND LARGE AREAS

menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0083
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	428.50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLIC ACID</b> (UNII: J94PBK7X8S)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>ETHYLHEXYL ACETATE</b> (UNII: 2C7K80A8SB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYL ACRYLATE</b> (UNII: WC487PR91H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0083-2	1 in 1 POUCH; Type 0: Not a Combination Product	03/01/2003	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2003	

**Labeler** - Chattem, Inc. (003336013)