CAREONE COLD AND HOT- menthol patch American Sales Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Careone Cold & Hot Medicated Patch 5ct (Large) ZDP 2020

Active ingredient Purpose

Menthol 5%......Topical analgesic

Uses

- temporarily relieves minor aches and pains of muscles and joints associated with:
- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have

• redness over the affected area

When using this product

- use only as directed
- avoid contact with eyes or mucous membranes
- do not bandage tightly
- discontinue use at least 1 hour before a bath or shower
- do not use immediately after a bath or shower

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive skin irritation occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- open pouch and remove patch
- carefully peel off protective backing and apply sticky side to affected area
- adults and children 12 years of age and older:
- do not wear patch for more than 8 hours
- apply to affected area no more than 3 times daily

• children under 12 years of age: consult a doctor

Other information

• store at room temperature 20-25°C (68-77°F)

Inactive ingredients

alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, sorbitan monooleate, tartaric acid, titanium dioxide

Distributed by:

Foodhold U.S.A., LLC



CAREONE COLD AND F	101				
menthol patch					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:41520-181	
Route of Administration	TOPICAL				
Active Ingredient/Active Mai	4				
Active Ingredient/Active Moie	,				
Ingre		Basis of Strength		Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)			MENTHOL		0.05 mg

METHYLPAH FITANIUM D FARTARIC A SORBITAN M	ABEN (UN IO XIDE (U CID (UNII: IO NO O LI AL UMINU JNII: PDC6	Ingredient Name NII: 60ZP39ZG8H) III: A2I8C7HI9T) NII: 15FIX9V2JP) W48881119H) EATE (UNII: 06XEA2VD56) MAMINOACETATE ANHYDROUS (UNII: 1K713C61 A3C0OX)	5K)	Strength
METHYLPAH FITANIUM D FARTARIC A SORBITAN M DIHYDROXY GLYCERIN (ALCOHOL (ABEN (UN IO XIDE (U CID (UNII: IO NO O LI AL UMINU JNII: PDC6	III: A218C7H19T) INII: 15FIX9V2JP) W4888I119H) EATE (UNII: 06XEA2VD56) M AMINOACETATE ANHYDROUS (UNII: 1K713C61	5K)	
FITANIUM D FARTARIC A SORBITAN M DIHYDROXY GLYCERIN (ALCOHOL (IO XIDE (U CID (UNII: 10 NO O LI ALUMINU JNII: PDC6	NII: 15FIX9 V2JP) W48881119 H) EATE (UNII: 06 XEA2 VD56) M AMINO ACETATE ANHYDRO US (UNII: 1K713C61	5K)	
FARTARIC A SORBITAN M DIHYDROXY GLYCERIN (ALCOHOL (CID (UNII: IONOOLI ALUMINU JNII: PDC6	W4888I119H) E ATE (UNII: 06XEA2VD56) M AMINO ACETATE ANHYDRO US (UNII: 1K713C61	5K)	
SORBITAN M DIHYDROXY GLYCERIN (ALCOHOL (IONOOLI ALUMINU UNII: PDC6	EATE (UNII: 06XEA2VD56) M AMINO ACETATE ANHYDRO US (UNII: 1K713C61	5K)	
DIHYDROXY GLYCERIN (ALCOHOL (ALUMINU JNII: PDC6	M AMINO ACETATE ANHYDRO US (UNII: 1K713C61	.5K)	
GLYCERIN (ALCOHOL (UNII: PDC6	· · · · · · · · · · · · · · · · · · ·	15K)	
ALCOHOL (A3C0OX)		
	JNII: 3K99			
KAOLIN (UN		58 V9 0 M)		
	II: 24H4NW	/X5CO)		
PROPYLPAR	ABEN (UN	II: Z8IX2SC1OH)		
WATER (UNI	l: 059QF0F	(O0R)		
SO DIUM PO	LYACRYL	ATE (8000 MW) (UNII: 285CYO341L)		
Packaging				
# Item (Code	Package Description	Marketing Start Date	Marketing End Dat
NDC:41520	-181-05	1 in 1 BOX	10/28/2019	
1		5 in 1 PATCH; Type 0: Not a Combination Product		

Labeler - American Sales Company (809183973)

Revised: 4/2020

American Sales Company