# ACID RELIEF- famotidine tablet, film coated Rite Aid Corporation

-----

# Rite Aid Corporation Acid Relief Drug Facts

# Active ingredient (in each tablet)

Famotidine 10 mg

# **Purpose**

Acid reducer

### Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

# **Warnings**

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

# Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

# Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

# Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15
   to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- · protect from moisture

# Inactive ingredients

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

# **Questions or comments?**

1-800-719-9260

# **Principal Display Panel**

FREE FROM | GLUTEN FREE

SOY FREE

Compare to the active ingredient of Pepcid® AC Original Strength

ORIGINAL STRENGTH

**ACID RELIEF** 

Famotidine Tablets, 10 mg

Acid Reducer

Just one tablet prevents & relieves heartburn due to acid indigestion

ACTUAL SIZE

30 TABLETS



**DISTRIBUTED BY: RITE AID** 200 NEWBERRY COMMONS ETTERS, PA 17319 www.riteaid.com

### SATISFACTION GUARANTEE

**GLUTEN FREE** SOY FREE

NDC 11822-6141-0

Compare to the active ingredient of Pepcid® AC Original Strength\*

**ORIGINAL STRENGTH** 

# **ACID RELIEF**

Famotidine Tablets, 10 mg

Acid Reducer

Just one tablet prevents & relieves heartburn due to acid indigestion



tos for Managing





Drug Facts

Active ingredient (in each tablet) Purpose Farm otidine 10 mg......Acid reducer

### Uses

- relieves hear to urn asso diated with acid indigestion and sour stomach
- preventsheartbum associated with acid indigestion and sour stoma ch brough ton by eating or drinking certain food and beverages

### Warnings

Allengyalert: Donot use if you are alleng ic to fam otidine or other acid red ucers

- if you have trouble or pain swall owing food, vomiting with blood, or bloody or black stools. These maybe signs of a serious condition. See your doctor.
- with other acid reducers

### Ask adoctor before use if you have

- had heartburn over 3 months. This may be a sign of a more seriou scondition.
- heartburn with light head edness, sweating, ordizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to a rms, neck or should ers; or ligh theaded ness
- frequent che stpain
- frequent wheezing ,p articularly with heartburn
- une xplain ed w eight loss
- nau sea or vorniting
- stomach pain kid nev disease

#### Drug Facts (continued)

Ask a doctor or pharma cist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

### Stop us eand ask adoctorif

- your heartburn continues orworsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, askah ealth professional before use.

Kee p out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.(1-800-222-1222)

### Directions 5 4 1

- ad ults and children 1 2 years and over:
- to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
- toprevent symptoms, swallow 1 table twith a glass of water at anytime from 15 to 60 minutes before eating food or drinking beverages that cause heart burn ■ do not use more than 2 tablets in 24 hours
- children under 12 years; ask a doctor

#### Other in formation

- read the directions and warning sbefore use
- ke ep the carton. It con tains important information.
- store at 20°-25°C (68°-77°F) protect from mois ture

Inactive ingredien ts camauba wax, hypromellose, iron oxid e red ,iron oxide yell ow, magne sium stearate, microcrys tall ine cellulose, polydextros e, polyethyl ene glycol pregela tini zed starch, ta lc, ti taniu m di oxi de, triaceti n



Questions or comments?1-800-719-9260

\*This product is not manufactured or distributed by John son & John son Consum er Inc., distributor of



# **ACID RELIEF**

famotidine tablet, film coated

_	_	_
D	I £	
Product	Intorm	STION
<b>Product</b>		alivii

Product Type HUMAN OTC DRUG	Item Code (Source)	NDC:11822-6141
-----------------------------	--------------------	----------------

**Route of Administration** ORAL

## **Active Ingredient/Active Moiety**

, , , , , , , , , , , , , , , , , , ,		
Ingredient Name	Basis of Strength	Strength
<b>EAMOTIDINE</b> (LINII: 507.0151278) (EAMOTIDINE - LINII:507.0151278)	FAMOTIDINE	10 mg

## **Inactive Ingredients**

maran o mg. caronas	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

# **Product Characteristics**

FERRIC OXIDE YELLOW (UNII: EX43802MRT)

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L141
Contains			

# **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822- 6141-0	30 in 1 CARTON	02/28/2023	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822- 6141-2	2 in 1 CARTON	08/16/2023	

2	90 in 1 BOTTLE; Type 0: Not a Combination Product			
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA075400	02/28/2023		

# **Labeler -** Rite Aid Corporation (014578892)

Revised: 8/2023 Rite Aid Corporation