



POST RAYS UV PROTECT SUN BLOCK- zinc oxide, octinoxate, octisalate, titanium dioxide cream
Humex, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts
Active Ingredient Purpose





Zinc Oxide (5.006%)-----Sunscreen
Octinoxate (6.8%)-----Sunscreen
Octisalate (4%)-----Sunscreen
Titanium Dioxide (4.0014%)-----Sunscreen

Uses

Helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions


- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive Ingredients

water, cyclomethicone, methicone, aluminum hydroxide, dimethicone, dipropylene glycol, peg-10 dimethicone, glycerin, dicaprylyl carbonate, propanediol, saccharide hydrolysate (invert sugar), 1,2-hexanediol, salvia hispanica seed (chia seed) extract, curcuma longa (turmeric) root extract, caprylyl trisiloxane, disteardimonium hectorite, magnesium sulfate, dimethicone/vinyl dimethicone crosspolymer, caprylyl glycol, ethylhexylglycerin, glyceryl monocaprylate



Drug Facts

Active Ingredient	Purpose
Zinc Oxide (5.006%)	Sunscreen
Octinoxate (6.8%)	Sunscreen
Octisalate (4%)	Sunscreen
Titanium Dioxide (4.0014%)	Sunscreen

Uses Helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive Ingredients

water, cyclomethicone, methicone, aluminum hydroxide, dimethicone, dipropylene glycol, peg-10 dimethicone, glycerin, dicaprylyl carbonate, propanediol, saccharide hydrolysate (invert sugar), 1,2-hexanediol, salvia hispanica seed (chia seed) extract, curcuma longa (turmeric) root extract, caprylyl trisiloxane, disteardimonium hectorite, magnesium sulfate, dimethicone/vinyl dimethicone crosspolymer, caprylyl glycol, ethylhexylglycerin, glyceryl monocaprylate

Questions or Comments?

Call 1-714-741-0088
www.humexlab.com
Distributed by Humex, Inc.
Brea, CA 92821-4824
Made in Korea



Post Rays UV Protect Sun Block

SPF50+ PA+++

Post Rays UV Protect Sun Block SPF50+ PA+++ is specially formulated to protect your skin after it has undergone professional skin care treatment.

All skin types

e 50 g / 1.76 oz.

HUBISLAB
HUMAN BIO SCIENCE LAB

POST RAYS UV PROTECT SUN BLOCK

zinc oxide,octinoxate, octisalate,titamium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76344-8002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.8 g in 100 g
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	4.5 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	4.0014 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.006 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	1 g in 100 g
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	0.8 g in 100 g
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	0.8 g in 100 g
TURMERIC (UNII: 856YO1Z64F)	0.01 g in 100 g
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	0.1 g in 100 g
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	3 g in 100 g
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	0.1 g in 100 g
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	13 g in 100 g
DIPROPYLENE GLYCOL (UNII: E107L85C40)	3 g in 100 g
INVERT SUGAR (UNII: ED959S6ACY)	0.1 g in 100 g
SALVIA HISPANICA SEED (UNII: NU0OLX06F8)	0.01 g in 100 g
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	0.2 g in 100 g
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	0.5643 g in 100 g
PROPANEDIOL (UNII: 5965N8W85T)	0.1 g in 100 g
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	0.02 g in 100 g
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	2 g in 100 g
METHICONE (20 CST) (UNII: 6777U11MKT)	0.2084 g in 100 g
DIMETHICONE (UNII: 92RU3N3Y1O)	0.2565 g in 100 g
GLYCERIN (UNII: PDC6A3C0OX)	2 g in 100 g

Product Characteristics			
Color	white (Milky White)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76344-8002-2	1 in 1 BOX	12/01/2019	
1	NDC:76344-8002-1	50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/01/2019	

Labeler - Humex,Inc (017945311)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea		689512611	manufacture(76344-8002)

Revised: 1/2021

Humex,Inc