UDDER WASH 1.75% IODINE- iodine solution AgroChem Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Udder Wash 1.75% Iodine

Corrosive Liquid, N.O.S (Phosphoric Acid) 8, UN1760, PGll

1.75 % Titratable Iodine

WARNING: keep away from children. If accidentally swallowed or taken internally, contact physician immediately.

AgroChem Udder Wash is an aid in the prevention of orangisms which may cause mastitis.

INGREDIENTS:

Active Ingredient - Iodine 1.75%

DIRECTIONS FOR USE:

Udder Washing - Before Milking

- 1. Using plastic pail, prepare solution containing 1 ounce Iodine Udder Wash to 5 gallons of warm water.
- 2. About one minute before applying teat dip cups, dip a single service towel into solution. Wash and massage teats and udder thoroughly. Wring excess solution from towel and dry teats and udder. Do not dip towel back into solution. Discard towel.
- 3. Prepare fresh solution when the used solution becomes visibly contaminated.

 Iodine Udder Wash is not a Teat Dip

 Use recommended teat dip for post-milking treatment.

NAVOID FREEZING

IODINE UDDER WASH

Corrosive Liquid, N.O.S. (Phosphoric Acid) 8,UN1760, PGII

1.75 % Titratable lodine

WARNING: keep away from children. If accidentally swallowed or taken internally, contact physician immediately.

AgroChem Udder Wash is an aid in the prevention of organisms which may cause mastitis.


INGREDIENTS:

Active Ingredient - Iodine 1.75%

Lot#

Exp Date:

Container:



3 Duplainville Rd., Saratoga Springs, NY 12866 (518) 226-4850

DIRECTIONS FOR USE:

Udder Washing - Before Milking

- Using plastic pail, prepare solution containing 1 ounce lodine Udder Wash to 5 gallons of warm water.
- 2. About one minute before applying teat dip cups, dip a single service towel into solution. Wash and
- massage teats and udder thoroughly. Wring excess solution from towel and dry teats and udder. Do not dip towel back into solution. Discard towel.
- 3. Prepare fresh solution when the used solution becomes visibly contaminated.

lodine Udder Wash is not a Teat Dip Use a recommended teat dip for post-milking treatment.

AVOID FREEZING

UDDER WASH 1.75% IODINE

iodine solution

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:17307-4704

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthIODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)IODINE0.0175 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)	0.66 kg in 1 kg			
PHO SPHO RIC ACID (UNII: E4GA8884NN)	0.10 kg in 1 kg			
C10-16 PARETH-1 (UNII: 3Y76363WPB)	0.03 kg in 1 kg			
C9-11 PARETH-3 (UNII: 8O4974OMUO)	0.03 kg in 1 kg			

Packaging

	rackaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:17307-4704-1	19 kg in 1 CONTAINER						
2	NDC:17307-4704-2	57 kg in 1 DRUM						

3 NDC:17307-4704-3	208 kg in 1 DRUM				
4 NDC:17307-4704-4	1040 kg in 1 CONTAINER				
Marketing Information					
Marketing Category	Application Number or Monograph Citat	ion Marketing Start Date	Marketing End Date		
unapproved drug other		09/01/2013			

Labeler - AgroChem Inc (805427700)

Establishment				
Name	Address	ID/FEI	Business Operations	
Agro Chem Inc		805427700	api manufacture, manufacture	

Revised: 9/2013 AgroChem Inc