

**ALLERGY RELIEF D- loratadine, pseudoephedrine sulfate tablet, extended release**  
**Walgreen Company**

-----  
**Walgreen Co. Allergy Relief D Drug Facts**

**Active ingredients (in each tablet)**

Loratadine 10 mg

Pseudoephedrine sulfate 240 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease

- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product do not take more than directed.**

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- do not use if printed blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- protect from light and store in a dry place

**Inactive ingredients**

colloidal silicon dioxide, ferric oxide, hydrogenated vegetable oil, hypromellose, magnesium stearate, polyethylene glycol, polyethylene oxide, propylene glycol, titanium dioxide

**Questions or comments?**

**1-800-719-9260**

## Package/Label Principal Display Panel

Walgreens

WALGREENS ● PHARMACIST RECOMMENDED ●

Compare to the active ingredients in Claritin-D® 24 Hour Tablets

NON-DROWSY\*

Allergy Relief D

24 HOUR ALLERGY & CONGESTION

PSEUDOEPHEDRINE SULFATE 240 mg / NASAL DECONGESTANT

LORATADINE 10 mg / ANTIHISTAMINE

EXTENDED-RELEASE TABLETS

24 Hour

Indoor & Outdoor Allergies

● Relief of nasal & sinus congestion due to colds or allergies; sneezing; runny nose; itchy, watery eyes; itchy throat or nose due to allergies

15 TABLETS

15 DAYS OF RELIEF

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

ACTUAL SIZE

NDC 0363-2010-22

**Walgreens**

Compare to the active ingredients in  
Claritin-D® 24 Hour Tablets\*



**NON-DROWSY\***

# Allergy Relief D

**24 HOUR ALLERGY & CONGESTION**  
PSEUDOEPHEDRINE SULFATE 240 mg / NASAL DECONGESTANT  
LORATADINE 10 mg / ANTIHISTAMINE  
EXTENDED-RELEASE TABLETS

**24 Hour**

**Indoor & Outdoor Allergies**

- Relief of nasal & sinus congestion due to colds or allergies; sneezing; runny nose; itchy, watery eyes; itchy throat or nose due to allergies

**15**


**TABLETS**  
15 DAYS OF RELIEF

**\*WHEN TAKEN AS DIRECTED.  
SEE DRUG FACTS PANEL.**



ACTUAL SIZE

W3ORG1023-F  
REV-1023



## ALLERGY RELIEF D

loratadine, pseudoephedrine sulfate tablet, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2010
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LORATADINE</b> (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg
<b>PSEUDOEPHEDRINE SULFATE</b> (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII: 7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	240 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2010-22	15 in 1 CARTON	02/07/2024	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075989	02/07/2024	

**Labeler** - Walgreen Company (008965063)

Revised: 3/2024

Walgreen Company