

NITROUS OXIDE- nitrous oxide gas
PURITY CYLINDER GASES INC

Nitrous Oxide

NITROUS OXIDE USP
UN1070

Rx only. **WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a **POISON CENTER** or doctor/physician if you feel unwell. **IF ON SKIN:** That frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **WARNING:** This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. CAS: 10024-97-2
PURITY CYLINDER GASES, INC.
2580 28TH ST SW, WYOMING, MI 49519
616-532-2375



NITROUS OXIDE USP
UN1070

Rx only. **WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and

administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a **POISON CENTER** or doctor/physician if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **WARNING:** This product contains a chemical known for the state of California to cause birth defects or other reproductive harm. CAS: 10324-97-2
PURITY CYLINDER GASES, INC.
 2580 28TH ST SW, WYOMING, MI 49519
 616-532-2375



NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10927-102
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50 XQU1029) (NITROUS OXIDE - UNII:K50 XQU1029)	NITROUS OXIDE	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10927-102-09	246 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
2	NDC:10927-102-10	1232 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
3	NDC:10927-102-11	1725 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
4	NDC:10927-102-12	2464 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
5	NDC:10927-102-13	4928 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
6	NDC:10927-102-14	7392 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
7	NDC:10927-102-15	13798 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA209989	10/20/1938	

Labeler - PURITY CYLINDER GASES INC (065878860)**Establishment**

Name	Address	ID/FEI	Business Operations
PURITY CYLINDER GASES INC		120042374	manufacture(10927-102)

Revised: 10/2018

PURITY CYLINDER GASES INC