## OXYGEN- oxygen gas Maine Oxy-Acetylene Supply Company

-----

## Oxygen

OXYGEN, COMPRESSED USP UN1072 PRODUCED BY AIR LIQUIFACTION OXYGEN 2 WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENCIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

CONTENTS: LTRS CU. FT.

MAINE OXY 22 ALBISTON WAY . AUBURN, ME 04210 . 800-377-9433

IN CASE OF EMERGENCY: 1-800-535-5053



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 CONTENTS: LTRS: CU FT:

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this

container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

MAINE OXY 22 ALBISTON WAY . AUBURN, ME 04210 . 800-377-9433

IN CASE OF EMERGENCY: 1-800-535-5053

# REFRIGERATED LIQUI

OXYGEN, REFRIGERATED LIQUID USP

UN1073



	LTRS: L
CONTENTS:	CU FT:
CONTENTS.	

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGER-ATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUS-TIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

#### MAINE OXY

22 ALBISTON WAY . AUBURN, ME 04210 . 800-377-9433 IN CASE OF EMERGENCY: 1-800-535-5053 47136 (01/15)

## **Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:51887-720
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L	

			Marketing Start	Marketing End
#	Item Code	Package Description	Date	Date
1	NDC:51887- 720-01	42 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
2	NDC:51887- 720-02	103 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
3	NDC:51887- 720-03	149 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
4	NDC:51887- 720-04	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
5	NDC:51887- 720-05	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
6	NDC:51887- 720-06	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
7	NDC:51887- 720-07	414 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
8	NDC:51887- 720-08	573 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
9	NDC:51887- 720-09	676 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
10	NDC:51887- 720-10	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
11	NDC:51887- 720-11	1543 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
12	NDC:51887- 720-12	3138 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
13	NDC:51887- 720-13	3140 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
14	NDC:51887- 720-14	2160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
15	NDC:51887- 720-15	3184 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
16	NDC:51887- 720-16	4248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
17	NDC:51887- 720-17	3954 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
18	NDC:51887- 720-18	6350 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
19	NDC:51887- 720-19	9410 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1989	
20	NDC:51887- 720-20	130 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
	NDC:51887-	366 L in 1 DEWAR; Type 0: Not a Combination	01/01/1000	

21	720-21	Product	01/01/1202	
22	NDC:51887- 720-22	143 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
23	NDC:51887- 720-23	403 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
24	NDC:51887- 720-24	179 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
25	NDC:51887- 720-25	254 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
26	NDC:51887- 720-26	211 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	
27	NDC:51887- 720-27	846 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1989	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/1989	

# **Labeler -** Maine Oxy-Acetylene Supply Company (144263142)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Maine Oxy-Acetylene Supply Company		067053512	manufacture(51887-720)

Revised: 10/2023 Maine Oxy-Acetylene Supply Company