ULINE ASPIRIN- aspirin tablet, coated ULINE ASPIRIN- aspirin tablet, film coated ULINE

ULINE Aspirin

Drug Facts

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID*)

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

Temporarily relieves

- headache
- muscle pain
- minor pain of arthritis
- pain and fever of colds
- toothache
- menstrual pain

•

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcohol drinks every day while using this product
- take more or for a longer time than directed

Do not use if you are allergic to aspirin or to any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:

■ feel faint ■ vomit blood ■ have bloody or black stools ■ have stomach pain that does not get better

- pain gets worse or lasts more than 10 days
- fever lasts more than 3 days
- ringing in the ears or loss of hearing occurs
- redness or swelling is present
- any new symptoms occur

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• drink a full glass of water with each dose

Adults and children: (12 years and older)

Take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours

Children under 12 years:

consult a doctor.

Other information


- store at room temperature
- avoid excessive heat and humidity
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, polyethylene glycol, propylene glycol

Questions or comments? 1-800-295-5510

Uline Aspirin Label



ULINE

ASPIRIN

325 mg Aspirin (NSAID)*

* nonsteriodal anti-imflammatory drug

Tamper evident sealed packets;

Do not use if packet is open or torn.

This package is for households without young children

Pull to Open

- Pain Reliever
- Fever Reducer

50 Packets

2 Tablest Each

ULINE

ASPIRIN

325 mg Aspirin (NSAID)*

* nonsteriodal anti-imflammatory drug

Tamper evident sealed packets;

Do not use if packet is open or torn.

This package is for households without young children

Pull to Open

- Pain Reliever
- Fever Reducer

50 Packets

2 Tablest Each



ULINE ASPIRIN

aspirin tablet, coated

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69790-620

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) ASPIRIN 325 mg

Inactive Ingredients

Ingredient Name Strength
POVIDONE (UNII: FZ 989GH94E)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

STARCH, CORN (UNII: O8232NY3SJ)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	FR21

Contains

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:69790-620- 33	50 in 1 BOX	02/05/2021	04/20/2023		
1	2 in 1 PACKET; Type 0: Not a Combi Product					

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/05/2021	04/20/2023

ULINE ASPIRIN

aspirin tablet, film coated

_			
Droc	4116	Inform	ation
PIUL	JULL		alivii

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69790-616

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		

Product Characteristics				
Color white		Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	As pirin; 44; 157	
Contains				

Packaging		
	Markating Start	Markating End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69790-616- 33	50 in 1 BOX	07/20/2020	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Marketing En Date Date	
OTC Monograph Drug	M013	07/20/2020	

Labeler - ULINE (039612668)

Registrant - Unifirst First Aid Corpration (832947092)

Establishment			
Name	Address	ID/FEI	Business Operations
Prestige Packaging		080667761	pack(69790-616, 69790-620)

Revised: 1/2024 ULINE