FIRST AID ONLY POVIDONE-IODINE ANTISEPTIC- povidone-iodine swab Acme United Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

First Aid Only Povidone-Iodine Antiseptic Pads

Active Ingredient:

Povidone-Iodine Solution 10%

Purpose:

Antiseptic

Use:

First aid antiseptic to help prevent skin infection.

Warnings:

For external use only.

Do not use• in eyes • over large areas of the body • if allergic to any of the ingredients

• longer than 1 week unless directed by a doctor.

Ask doctor before use if you have • deep or puncture wounds • animal bites • serious burns.

Stop use and ask a doctor if • conditions worsen or clear up and then recur

• the condition persists for more than 7 days

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions:


Open packet and wipe affected area. Apply 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first..

Other Information:

Store at room temperature..

Inactive Ingredients:

alkyl glucoside, citric acid, glycerin, hydroxyethyl cellulose, nonoxynol-10, potassium iodide, purified water, sodium hydroxide





FIRST AID ONLY.

Povidone-lodine **Antiseptic Pads** 10 Pads, 10% Solution





12-015
ANTISEPTICS

Meets ANSI/ISEA Z308.1-2015 Standard

Manufactured for: Acme United Corporation 55 Walls Dr, Fairfield, CT 06824 www.FirstAidOnly.com Made in China © 2019 Acme United Corporation.

Void Aqueous Zone Does Not Print!



FIRST AID ONLY POVIDONE-IODINE ANTISEPTIC

povidone-iodine swab

| Product Information |
|---------------------|
| |
| |
| |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0924-8112(NDC:65517-0034)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength PO VIDO NE-IO DINE (UNII: 85H0 HZU99 M) (IO DINE - UNII:9679 TC07X4) **IODINE** 1 g in 100 mL

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | |
| HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZN16) | | | |
| NONOXYNOL-10 (UNII: K7O76887AP) | | | |
| ANHYDRO US CITRIC ACID (UNII: XF417D3PSL) | | | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | | | |
| WATER (UNII: 059QF0KO0R) | | | |
| POTASSIUM IO DIDE (UNII: 1C4QK22F9J) | | | |

| P | Packaging | | | | |
|---|------------------|--|-----------------------------|---------------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:0924-8112-01 | 10 in 1 CARTON | 01/07/2020 | | |
| 1 | | 0.5 mL in 1 POUCH; Type 0: Not a Combination Product | | | |
| 2 | NDC:0924-8112-00 | 0.5 mL in 1 POUCH; Type 0: Not a Combination Product | 0 1/0 7/20 20 | | |
| 3 | NDC:0924-8112-02 | 50 in 1 CARTON | 0 1/0 7/20 20 | | |
| 3 | | 0.5 mL in 1 POUCH; Type 0: Not a Combination Product | | | |
| 4 | NDC:0924-8112-03 | 100 in 1 CARTON | 01/07/2020 | | |
| 4 | | 0.5 mL in 1 POUCH; Type 0: Not a Combination Product | | | |

| Marketing Information | | | | |
|-------------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph not final | part333E | 01/07/2020 | | |
| | | | | |

Labeler - Acme United Corporation (001180207)

| Establishment | | | | |
|-------------------------|---------|-----------|---------------------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Acme United Corporation | | 045924339 | relabel(0924-8112), repack(0924-8112) | |

| Establishment | | | | |
|-------------------------|---------|-----------|---------------------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Acme United Corporation | | 080119599 | relabel(0924-8112), repack(0924-8112) | |

Revised: 1/2020 Acme United Corporation