

RUGBY GAS RELIEF - simethicone tablet, chewable
Rugby Laboratories

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rugby Extra Strength Gas Relief Chewable Tablets

ACTIVE INGREDIENT(in each tablet)

Simethicone 125 mg

PURPOSE

Anti-gas

USE(S)

relieves:

- pressure
- bloating
- symptoms referred to as gas

WARNINGS

.

KEEP OUT OF REACH OF CHILDREN

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

DIRECTIONS

- chew 1 to 2 tablets thoroughly as needed after meals and at bedtime
- do not exceed 4 tablets in a 24 hour period except under the advice and supervision of a physician

OTHER INFORMATION

- do not use if inner seal is broken
- store at room temperature
- avoid high humidity and excessive heat, above 40°C (104°F)

INACTIVE INGREDIENTS

compressible sugar, dextrose, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sorbitol.

QUESTIONS OR COMMENTS?

1 (800) 645-2158

PRINCIPAL DISPLAY PANEL

COMPARE TO ACTIVE INGREDIENT IN GAS-X® EXTRA STRENGTH*

NDC 0536-1223-08

Rugby

EXTRA STRENGTH

GAS

RELIEF

LACTOSE FREE

Simethicone 125 mg each

Antiflatulent

60 CHEWABLE TABLETS

Rugby®
NDC 0536-1223-08
COMPARE TO ACTIVE INGREDIENT IN GAS-X® EXTRA STRENGTH*

EXTRA STRENGTH
GAS
RELIEF
LACTOSE FREE

Simethicone 125 mg each
Antiflatulent

60 CHEWABLE TABLETS

Drug Facts

Active ingredient (in each tablet) Simethicone 125 mg.....	Purpose Anti-gas
Uses relieves: ■ pressure ■ bloating ■ symptoms referred to as gas	
Warnings Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.	
Directions ■ chew 1 to 2 tablets thoroughly as needed after meals and at bedtime ■ do not exceed 4 tablets in a 24 hour period except under the advice and supervision of a physician	
Other information ■ do not use if inner seal is broken ■ store at room temperature ■ avoid high humidity and excessive heat, above 40°C (104°F)	
Inactive ingredients compressible sugar, dextrose, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sorbitol.	

Questions or comments? 1 (800) 645-2158
*This product is not manufactured or distributed by Novartis Consumer Health, Inc., owner of the registered trademark Gas-X®.

Distributed by: Rugby Laboratories
17177 N Laurel Park Drive, Suite 233
Livonia, MI 48152
www.rugbylaboratories.com

LOT: EXP:

R300 Re-order No. 370078 MFR# 55041 REV1.2/18

3 0536 122308 3

RUGBY GAS RELIEF

simethicone tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1223
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	125 mg

Inactive Ingredients

Ingredient Name	Strength
SUGARCANE (UNII: 81H2R5AOH3)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	16mm
Flavor	PEPPERMINT	Imprint Code	GDC131
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1223-08	60 in 1 BOTTLE; Type 0: Not a Combination Product	04/29/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part332	04/29/2019	

Labeler - Rugby Laboratories (079246066)**Establishment**

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(0536-1223)

Revised: 1/2022

Rugby Laboratories