## WARTROL - antimoniom crudum, baptisia tinctoria, causticum, nitricum acidum, thuja occidentalis, spray Liddell Laboratories

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Wartrol

**ACTIVE INGREDIENTS:** Antimonium crudum 30C, Baptisia tinctoria 3X, Causticum 200C, Nitricum acidum 200C, Thuja occidentalis 200C.

**INDICATIONS:** Help reduce appearance and discomfort of warts on any area of the body.

**WARNINGS:** If you are pregnant or breast-feeding, seek the advice of a doctor before use. There is no known cure for genital herpes. This product will not stop the transmission of the herpes virus from one person to another.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal around neck of bottle is missing or broken.

**DIRECTIONS:** Adults and children over 12: Spray twice under tongue 3 times per day. Consult a doctor for use in children under 12 years of age. Wartrol can also be applied topically to increase effectiveness: one spray on the wart as desired, up to 6 times per day.

**INACTIVE INGREDIENTS:** Alcohol 20% v/v, Purified water.

**KEEP OUT OF REACH OF CHILDREN:** In case of overdose, get medical help or contact a Poison Control Center right away.

**INDICATIONS:** Helps reduce appearance and discomfort of warts on any area of the body.

Distributed By:

**Pacific Naturals** 

2049 North Lincoln Street

Burbank, CA 91540

Toll Free: 1-800-4120 Mon/Fri 9AM to 5PM PST


Wartrol

**Genital Wart Relief** 

**HOMEOPATHIC** 

1.0 FL. OZ. (30 ml)





**HOMEOPATHIC** 

1.0 FL OZ. (30 ml)

Alcohol 20%

N 8 LC:100008

WARTROL

antimoniom crudum, baptisia tinctoria, causticum, nitricum acidum, thuja occidentalis, spray

#### **Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:50845-0003

**Route of Administration** 

ORAL

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY - UNII:9IT35J3UV3)	ANTIMO NY TRISULFIDE	30 [hp_C] in 1 mL				
BAPTISIA TINCTORIA ROOT (UNII: 5EF0 HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0 HWI5WU)	BAPTISIA TINCTORIA ROOT	3 [hp_X] in 1 mL				
CAUSTICUM (UNII: DD5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)	CAUSTICUM	200 [hp_C] in 1 mL				
NITRIC ACID (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	200 [hp_C] in 1 mL				
THUJA O CCIDENTALIS LEAFY TWIG (UNII: 1NT28 V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28 V9397)	THUJA OCCIDENTALIS LEAFY TWIG	200 [hp_C] in 1 mL				

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				

### **Packaging**

# Ite	m Code	Package Description	Marketin	g Start Date	Marke	ting End Date
1 NDC:508	15-0003-1	30 mL in 1 BOTTLE, SPRAY				
Marketing Information						
Marketin	g Category	Application Number or Monogra	ph Citation	Marketing Start l	Date Ma	rketing End Date
unapproved	ho me o pathic			09/16/2010		

# Labeler - Liddell Laboratories (832264241)

Establishment						
Name	Address	ID/FEI	Business Operations			
Liddell Laboratories		832264241	manufacture			

Revised: 9/2010 Liddell Laboratories