ARNICARE- arnica montana ointment Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Ointment

Arnica montana 1X HPUS 4%

Temporarily relives muscle pain and stiffness due to minor injuries, overexertion and falls. Reduces symptoms of bruising such as pain, swelling, discoloration

Do not use if glued carton en flaps are open or if the tube seal is broken

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredient

Apply a thin layer of Arnicare Ointment to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.

Apply a thin layer of Arnicare Ointment to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Ointment.

Alcohol, purified water, petrolatum USP

1 oz tube

Arnica montana 1X ...trauma, muscle pain and stiffness, swelling from injuries, discoloration from bruising.

Store at 68-77 ^O F (20-25 ^O C)

Questions, Comments?

arnicare.com boironusa.com

info@boironusa.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc. Newtown Square, PA 19073-3267

Stop use and ask dotcor if condition persists for more than 3 days or worsens.

Symptoms clear up and occur again within a few days

Keep out of reach of children

avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin use only as directed

do not tightly wrap or bandage treated area

do not apply heat or ice to the treated area immediately before or after use

For external use only

Avoid contact with eyes and with open wounds.

If swallowed, get medical help or contact a Poison Control Center immediately

- i Homeopathic mother tincture made from Arnica montana fresh whole plant.
- *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
- *C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.



Drug Facts (continued)

Directions Apply a thin layer of Arnicare Ointment to affected area as soon as possible after minor injury, Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Amicare Ointment,

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken
- ■store at 68-77°F (20-25°C

Inactive ingredients

alcohol, purified water, white petrolatum USP

Questions or comments?

Arnicare,com BoironUSA,com Info@Boiron.com 1-800-B0|R0N-1 1-800-264-7661)

Made in France Distributed by Boiron Inc. Newtown Square, PA 19073

please recycle





From the French Mountains to You

Boiron Arnicare Ointment is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France.

The Boiron **Promise**

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Drug Facts

Active ingredient" Purpose*

Amica montana Relieves muscle pain & 1X HPUS 4% stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States

lises*

- temporarily relieves muscle pain and stiffness due to:
- minor injuries overexertion falls ■ reduces symptoms of bruising such as: ■ pain ■ swelling ■ discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin-
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms dear up and occur again within a few days.

Keep out of reach of children. If swallowed. get medical help or contact a Poison Control Center right away.

- Homeopathic mother tincture made from Arnica
- montana fresh whole plant, *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
- "C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Drug Facts (continued)

Inactive ingredients

alcohol, purified water, white petrolatum USP-NF

Questions or comments?

www.Arnicare.com www.BoironUSA.com info@boiron.com 1-800-BOIRON-1

(1-800-264-7661) Distributed by Boiron Inc. 6 Campus Boulevard Newtown Square, PA 19073-3267





NDC 0220-9023-51

Muscle Pain & Stiffness Swelling from Injuries Bruising*



- Unscented
- Paraben-Free
- Works Naturally with Your Body



arnica natural active ingredient

Use Arnicare at the First Sign of Pain

Arnicare Ointment is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It adheres to the skin to provide prolonged action for injuries that require a longer healing time. Arnicare is recommended by doctors, plastic surgeons and pharmacists, and used by professional athletes and savvy moms.

- Unscented
- Paraben-free

The Boiron Promise

At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing homeopathic medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

Drug Facts

Active ingredient**

Purpose*

discoloration from bruising The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses'

 temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
 reduces pain, swelling and

 reduces pain, swelling and discoloration from bruises

Warnings

For external use only.

Avoid contact with eyes, mucous membranes, damaged skin or wounds. **Do not use** if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product use only as directed to not bandage tightly or use a heating pad.

Stop use and ask a doctor if condition

Stop use and ask a doctor if condition persists for more than 3 days or worsens.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

ARNICA MONTANA

Apply a thin layer of Arnicare Ointment to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed.

Other information

■do not use if glued carton end flaps are open or if the tube seal is broken ■store at 68-77°F (20-25°C)

"These "Uses" have not been evaluated by the Food and Drug Administration. "C, K, CK, and X are homeopathic dilutions: see www.boironusa.com for details.

1 [hp_X] in 1 g

Arnicare Ointment Image

ARNICARE

arnica montana ointment

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-9023

Route of Administration CUTANEOUS

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

ARNICA MONTANA (UNII: 080TY208ZW) (ARNICA MONTANA -

UNII: O80TY208ZW)

UNII: U8U I 12U8Z W)

Inactive Ingredients

Ingredient Name Strength

ALCOHOL (UNII: 3K9958V90M)

WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	

l	P	ackaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:0220-9023- 51	30 g in 1 BOX; Type 0: Not a Combination Product	06/02/2007		

g Start Marketing End
e Date
C

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment						
Name	Address	ID/FEI	Business Operations			
Boiron		282560473	manufacture(0220-9023)			

Revised: 1/2023 Laboratoires Boiron