

DAILY SUNSCREEN BROAD SPECTRUM SPF 30- zinc oxide cream
S+

DAILY SUNSCREEN CREAM BROAD SPECTRUM SPF 30

Drug Facts

Active ingredient

Zinc oxide 15.5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

- Protect the product in this container from excessive heat and direct sun

Water (Aqua), C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Dimethicone, Glycerin, Ethylhexyl Palmitate, Propanediol, Shea Butter (*Butyrospermum Parkii*), Safflower (*Carthamus Tinctorius*) Oleosomes, Glyceryl Stearate Se, Polyhydroxystearic Acid, Sorbitan Isostearate, Cetyl Alcohol, Pentaerythrityl Tetraistearate, Phenyl Trimethicone, Silica, Inulin Lauryl Carbamate, Ethylhexylglycerin, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Hydroxyacetophenone, Polysilicone-11, Xanthan Gum, Gluconolactone, Trisodium Ethylenediamine Disuccinate, Sodium Citrate, Sodium Benzoate, Tocopherol, Citric Acid.

- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Water (Aqua), C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Dimethicone, Glycerin, Ethylhexyl Palmitate, Propanediol, Shea Butter (Butyrospermum Parkii), Safflower (Carthamus Tinctorius) Oleosomes, Glyceryl Stearate Se, Polyhydroxystearic Acid, Sorbitan Isostearate, Cetyl Alcohol, Pentaerythrityl Tetraistearate, Phenyl Trimethicone, Silica, Inulin Lauryl Carbamate, Ethylhexylglycerin, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Hydroxyacetophenone, Polydimethylsiloxane-11, Xanthan Gum, Gluconolactone, Trisodium Ethylenediamine Disuccinate, Sodium Citrate, Sodium Benzoate, Tocopherol, Citric Acid.

CREAM
BROAD SPECTRUM
SPF 30
15.5% ZINC OXIDE

INVISIBLE FINISH

+⁺
Unscented

1.7 fl oz (50 mL)

DISTRIBUTED BY
SEPHORA USA,
525 MARKET STREET,
32ND FLOOR,
SAN FRANCISCO,
CA 94105.
MADE IN USA



00000000000000

n° de lot
/ Batch number

date expiration
XX.XX.XX

BATCH NUMBER
DO NOT PRINT
This is just to inform

seal a

n° de lot
/ Batch number

EXP
MM/YYYY

SEPHORA

SPF
30

15.5% Zinc Oxide

DAILY SUNSCREEN
CREAM
BROAD SPECTRUM
SPF 30
15.5% ZINC OXIDE

INVISIBLE FINISH

+⁺
Unscented

1.7 fl oz (50 mL)

HOW TO USE



Apply generously as the last
step of your skincare routine
or instead of your daily
moisturizer.

THIS UNIT NOT LABELED FOR RETAIL SALE.

ACTIVE INGREDIENT ZINC OXIDE 15.5%

USES HELPS PREVENT SUNBURN. IF USED AS DIRECTED WITH OTHER SUN
PROTECTION MEASURES (SEE DIRECTIONS), DECREASES THE RISK OF SKIN CANCER
AND EARLY SKIN AGING CAUSED BY THE SUN.

WARNINGS FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN.
WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.
STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF
CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL
CENTER RIGHT AWAY.

DIRECTIONS APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY AT
LEAST EVERY 2 HOURS. USE A WATER RESISTANT SUNSCREEN IF SWIMMING OR
SWEATING. CHILDREN UNDER 6 MONTHS OF AGE: ASK A DOCTOR. **SUN
PROTECTION MEASURES.** SPENDING TIME IN THE SUN INCREASES YOUR RISK OF
SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A
SUNSCREEN WITH A BROAD SPECTRUM SPF VALUE OF 15 OR HIGHER AND OTHER
SUN PROTECTION MEASURES INCLUDING: LIMIT TIME IN THE SUN, ESPECIALLY FROM
10 A.M.-2 P.M.; WEAR LONG-SLEEVED SHIRTS, PANTS, HATS AND SUNGLASSES.

DISTRIBUTED BY SEPHORA USA
525 MARKET STREET, 32ND FLOOR
SAN FRANCISCO, CA 94105
MADE IN USA



5 mm

DAILY SUNSCREEN BROAD SPECTRUM SPF 30

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:31720-231
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	155 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
PROPANEDIOL (UNII: 5965N8W85T)	
SHEA BUTTER (UNII: K49155WL9Y)	
CARTHAMUS TINCTORIUS SEED OLEOSOMES (UNII: 9S60Q72309)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PENTAERYTHRITYL TETRAISOSTEARATE (UNII: 9D7IK5483F)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
INULIN LAURYL CARBAMATE (UNII: 48RFF58ESG)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:31720-231-10	1 in 1 BOX	11/15/2023	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/15/2023	

Labeler - S+ (572406531)

Revised: 2/2024

S+