CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride tablet Chain Drug Consortium, LLC

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Cetirizine HCl, USP 10 mg

PURPOSE

Antihistamine

USES

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

WARNINGS

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

adults and children 6	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24		
years and over	hours. A 5 mg product may be appropriate for less severe symptoms.		
adults 65 years and over	ask a doctor		
children under 6 years of	ask a de star		
age	ask a doctor		
consumers with liver or	ask a doctor		
kidney disease	ask a doctor		

OTHER INFORMATION

- * TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE. (for bottle cartons/stand-alone labels only)
- * TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING. (for blister cartons only)
- store between 20° to 25° C (68° to 77° F)

INACTIVE INGREDIENTS

corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, talc, titanium dioxide

QUESTIONS?

call 1-800-406-7984

Keep the carton. It contains important information.

See end panel for expiration date.

Distributed By: Pharmacy Value Alliance, LLC 407 East Lancaster Avenue, Wayne, PA 19087

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Bottle Carton

COMPARE TO THE ACTIVE INGREDIENT IN ZYRTEC®*

Original Prescription Strength

Premier Value®

24 Hour Allergy Relief

Cetirizine HCl Tablets, USP 10 mg

Antihistamine

Indoor & Outdoor Allergies

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

90 Tablets 10 mg Each

INDEPENDENTLY TESTED PV SATISFACTION GUARANTEED

Original Prescription Strength



24 Hour Allergy Relief

Cetirizine HCI Tablets, USP 10 mg

Antihistamine

Indoor & Outdoor Allergies



Tablets 10 mg Each



COMPARE TO THE ACTIVE INGREDIENT IN ZYRTEC®

Original Prescription Strength



on Varnish Area

24 Hour Allergy Relief

Cetirizine HCI Tablets, USP 10 mg

Antihistamine

Indoor & Outdoor Allergies

✓ Sneezing

√ Runny nose

✓ Itchy, watery eyes
✓ Itchy throat or nose

10 mg Each



Original Prescription Strength



24 Hour Allergy Relief

Cetirizine HCI Tablets, USP 10 mg

Antihistamine

Indoor & Outdoor Allergies



Tablets 10 mg Each

A# trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Zyrtec.

Keep the carton, it contains important information, See end panel for expiration date,

Questions? call 1-800-406-7984

Inactive ingredients

SIGNE DELIMINES TO SE'S C (68° TO 77° F) ■ TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS Other information

ask a doctor	consumers with liver or ddney disease	
ask a doctor	obilition under 6 years of age	
ask a doctor	adults 65 years and over	
less severe symptoms.		

But d A. shoot es ni teldes gm ut one 10 mg tablet once daily; do not take more than one adults and children

nedical help or contact a Poison Control Center right away if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get It press; feeding; not recommended to press; feeding;

Drug Facts (continued)

pe caretul when driving a motor vehicle or operating machinery ■ alcohol, sedatives, and tranquilizers may increase drowsiness avoid alcoholic drinks

a drowsiness may occur When using this product

tranquitzers or sedatives. Ask a doctor or pharmacist before use if you are taking

roduct occurs. Seek medical help right away.

Your doctor should determine if you need a different dose. Ask a doctor before use if you have liver or kidney disease

any of its ingredients or to an antitristamine containing hydroxyzine. Do not use if you have ever had an allergic reaction to this product or Warnings

Itching of the nose or throat sneezing itchy, watery eyes esou Auuni other upper respiratory allergies: nporarily relieves these symptoms due to hay tever or

etirizine HCL USP 10 m (in each tablet) Purpose Active ingredient

Drug Facts





Cetirizine HCI Tablets, USP 10 mg

Original Prescription Strengt

CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-939
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety			
l	Ingredient Name	Basis of Strength	Strength	
	CETIRIZINE HYDRO CHLO RIDE (UNII: 640047KTOA) (CETIRIZINE - UNII: YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg	

Inactive Ingredients				
Ingredient Name	Strength			
STARCH, CORN (UNII: O8232NY3SJ)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
LACTO SE MO NO HYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)				

Product Characteristics				
Color	white	Score	no score	
Shape	RECTANGLE (rounded-off)	Size	9 mm	
Flavor		Imprint Code	R152	
Contains				

F	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:68016-939-54	14 in 1 BLISTER PACK; Type 0: Not a Combination Product	12/27/2007		
2	NDC:68016-939-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2007		
3	NDC:68016-939- 60	60 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2007		
4	NDC:68016-939- 90	90 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2007		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077498	12/27/2007	

Labeler - Chain Drug Consortium, LLC (101668460)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		184769029	MANUFACTURE(68016-939)	

Revised: 8/2018 Chain Drug Consortium, LLC