# UP AND UP DAYTIME COLD AND FLU- acetaminophen, dextromethorphan hbr, phenylephrine hcl solution Target Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Target Corporation Daytime Cold and Flu Drug Facts**

#### Active ingredients (in each 15 mL)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

#### Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

#### Uses

- temporarily relieves common cold/flu symptoms:
- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

#### Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

• skin reddening

- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

### Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

### When using this product

### do not use more than directed

### Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

- take only as directed see Overdose warning
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	ask a doctor
children under 4 yrs	do not use

### Other information

- each 15 mL contains: sodium 7 mg
- store at 20-25°C (68-77°F)

#### Inactive ingredients

butylated hydroxyanisole, edetate disodium, FD&C yellow no. 6, flavor, glycerin, menthol, monobasic sodium phosphate, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sucrose, xanthan gum

#### Questions?

Call 1-888-547-7400

### **Principal Display Panel**

Compare to active ingredients in Vicks<sup>®</sup> DayQuil<sup>®</sup> Cold & Flu daytime cold and flu multi-symptom relief acetaminophen (pain reliever / fever reducer) dextromethorphan HBr (cough suppressant) phenylephrine HCl (nasal decongestant) aches, fever, sore throat, nasal congestion, cough non-drowsy

## alcohol free/antihistamine free up &up™ 12 FL OZ (355 mL)



### **UP AND UP DAYTIME COLD AND FLU**

acetaminophen, dextromethorphan hbr, phenylephrine hcl solution

Product Information						
Product Type	HUMAN OTC DRUG	HUMAN OTC DRUG Item Code (		NDC:11	C:11673-301	
Route of Administration	ORAL					
Active Ingredient/Active	e Moiety					
Ingredient Name			<b>Basis of Strength</b>		Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)			ACETAMINOPHEN		325 mg in 15 mL	
DEXTROMETHORPHAN HYDRO (DEXTROMETHORPHAN - UNII:735	DEXTROMETHORPHAN HYDROBROMIDE		10 mg in 15 mL			
PHENYLEPHRINE HYDROCHLO UNII:1WS297W6MV)	RIDE (UNII: 04JA59TNSJ) (PHE	NYLEPHRINE -	PHENYLEPHRINE HYDROCHLORIDE		5 mg in 15 mL	
Inactive Ingredients						
Ingredient Name					Strength	
BUTYLATED HYDROXYANISOL	(UNII: REK4960K2U)					
EDETATE DISODIUM (UNII: 7FLC	01 COCK)					

FD&C TELLOW NO	. 6 (UNII: H77VEI93A8)				
GLYCERIN (UNII: PD	C6A3C0OX)				
SODIUM PHOSPHA	TE, MONOBASIC, UNSPECIFIED F	<b>ORM</b> (UNII: 3980)	JIH2SW)		
POLYETHYLENE GL	YCOL, UNSPECIFIED (UNII: 3WJQ05	SDW1A)			
PROPYLENE GLYCO	L (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF	OKOOR)				
SACCHARIN SODIU	M (UNII: SB8ZUX40TY)				
SUCROSE (UNII: C15	1H8M554)				
XANTHAN GUM (UN	•				
MENTHOL, UNSPEC	CIFIED FORM (UNII: L7T10EIP3A)				
Product Chara	ctoristics				
Color ORANGE (clear)			Score		
Shape					
Flavor			Size		
	MENTHOL (with fruit)		Imprint Code		
Contains					
Packaging					
# Item Code	Package Descriptio	n ľ	Marketing Start Date	Marketing Date	End
	355 mL in 1 BOTTLE; Type 0: Not a ( Product	Combination 02,	/26/2015		
	c				
Marketing	nformation				
Harketing		anagraph	Marketing Start	Marketing	End
Marketing Category	Application Number or Mo Citation	bhograph	Date	Date	Enu

Labeler - Target Corporation (006961700)

Revised: 2/2023

Target Corporation