

**PAIN RELIEVER EXTRA STRENGTH- acetaminophen tablet  
EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient (in each caplet)**

**Acetaminophen 500 mg**

**Purpose**

**Pain reliever/fever reducer**

**Uses**

- temporarily relieves minor aches and pains due to
  - headache
  - the common cold
  - backache
  - minor arthritis pain
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

### **Ask a doctor before use if you have**

liver disease.

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see Overdose warning)**
- adults and children 12 years and over
  - take 2 caplets every 6 hours while symptoms last
  - do not take more than 6 caplets in 24 hours
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

### **Other information**

- store between 20-25°C (68-77°F)

### **Inactive ingredients**

corn starch, croscarmellose sodium\*, hypromellose\*, lactose monohydrate\*, magnesium stearate\*, maltodextrin\*, medium-chain triglycerides\*, mineral oil\*, polydextrose\*, polyethylene glycol\*, polyvinyl alcohol\*, povidone, purified water\*, sodium starch glycolate\*, stearic acid\*, talc\*, titanium dioxide

\*contains one or more of these ingredients

## **Questions or comments?**

Call **1-888-287-1915**

## **Principal Display Panel**

Compare to Tylenol® Extra Strength Active Ingredient†

EXTRA STRENGTH

Pain Reliever

**Acetaminophen** 500 mg

Pain reliever/Fever reducer

CAPLETS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

†This product is not manufactured or distributed by McNeil Consumer Healthcare,  
distributor of Tylenol® Extra Strength.

**DISTRIBUTED BY:**

**Wal-Mart Inc.,**

**Bentonville, AR 72716**

**Product Label**

Compare to Tylenol® Extra Strength active ingredient!

**EXTRA STRENGTH**

**Pain Reliever**

**Acetaminophen 500 mg**

Pain reliever/Fever reducer

500 mg 100 CAPLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Drug Facts**

**Active ingredient (in each caplet)** Purpose  
Acetaminophen 500 mg.....Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to  
■ headache ■ the common cold ■ backache ■ toothache  
■ minor pain of arthritis ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product  
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts (continued under label)**

Satisfaction guaranteed - For questions or comments please call 1-888-267-1915.

DISTRIBUTED BY: Wal-Mart Inc., Bentonville, AR 72716  
† This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® Extra Strength.

PLD-131080 25191080  
Lot / Exp.: 6 81131 666699 0  
PRODUCT OF

483574

PEEL HERE →

**Drug Facts (continued)**

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**Stop use and ask a doctor if** ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see Overdose warning) ■ adults and children 12 years and over ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours ■ do not take for more than 10 days unless directed by a doctor ■ children under 12 years: do not use

**Other information**  
■ store between 20-25°C (68-77°F)

**Inactive ingredients** corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, maltodextrin, medium-chain triglycerides, mineral oil, polydextrose, polyethylene glycol, polyvinyl alcohol, povidone, purified water, sodium starch glycolate, stearic acid, talc, titanium dioxide  
Contains one or more of these ingredients

**Questions or comments?**  
1-888-267-1915

## EQUATE Extra Strength Pain Reliever

## PAIN RELIEVER EXTRA STRENGTH

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-494
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MINERAL OIL (UNII: T5L8T28FGP)	

<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL341;AV;0821;P500
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-494-24	1 in 1 BOX	05/01/2014	01/31/2025
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:49035-494-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2014	01/31/2025

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/01/2014	01/31/2025

**Labeler -** EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC) (051957769)

Revised: 10/2022

EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)