

PLEO SAN GER- germanium citrate lactate solution/ drops
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

SANUMGERMAN®
Pleo™ San GER
DROPS 6X

Homeopathic Medicine

3.38 fl oz
(100 mL)

Indications

For temporary relief of chronic arthritis pain.

INGREDIENTS

100mL solution contains Di-potassium-germanium (IV)-citrate-L (+) lactate 6X in a base of purified water, alcohol 12.4% by volume.

Tamper evident

Do not use this product if tamper-evident seal on base of bottle cap is missing or broken.

Dosage

1–2 teaspoons, 1–3 times daily, before mealtime.

Warning

If symptoms persist more than a few days, contact a licensed practitioner. As with any other drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Made in Germany

Manufactured by:
SANUM-Kehlbeck GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1465 Slater Road,
Ferndale, WA 98248

Rev. 06/2009

PRINCIPAL DISPLAY PANEL - 100 mL Bottle Carton

SANUMGERMAN®

Pleo™ San GER

DROPS 6X

Homeopathic Medicine

The original

SANUM™

brand remedies

Indications: For temporary relief of chronic arthritis pain.

**3.38 fl oz
(100 mL)**



1002-2

SANUMGERMAN®
Pleo™ San GER
DROPS 6X

Homeopathic Medicine

The original
SANUM™
brand remedies

Indications: For temporary relief of chronic arthritis pain.

3.38 fl oz
(100 mL)

INGREDIENTS: 100mL solution contains Di-potassium-germanium (IV)-citrate-L (+) lactate 6X in a base of purified water, alcohol 12.4% by volume.

Tamper evident: Do not use this product if tamper-evident seal on base of bottle cap is missing or broken.

Made in Germany

Manufactured by:
SANUM-Kehlbeck GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1485 Slater Road,
Ferndale, WA 98248

Lot #:

Exp.:

Dosage: 1-2 teaspoons, 1-3 times daily, before meals.

Warning: If symptoms persist more than a few days, contact a licensed practitioner. As with any other drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. **Keep this and all medications out of the reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Rev. 06/2008

1002-2

7201760P3100J5893

PLEO SAN GER

germanium citrate lactate solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-1002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Germanium Citrate Lactate (UNII: 81O5YW46SY) (GERMANIUM CATION (4+) - UNII:TY8J0G7KOD)	Germanium Citrate Lactate	6 [hp_X] in 100 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
alcohol (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-1002-2	1 in 1 CARTON		
1		100 mL in 1 BOTTLE, DROPPER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		05/19/1999	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)