PETROLEUM- kerosene pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Petroleum 30X

Petroleum 30X

(**contains 0.443 mg of the active ingredient per pellet)

Chapped Or Cracked Fingertips*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.


*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



PETROLEUM							
kerosene pellet							
Product Information							
Product Type	HUMAN OTC DRUG		Item Code	(Source)	NDC:02	220-3976
Route of Administration	ORAL						
Active Ingredient/Active	Moiety						
Ingredient Name Basis of					of Strength		Strength
KEROSENE (UNII: 1C89KKC04E) (KEROSENE - UNII:1C89KKC04E) KI				KEROSENE		30 [hp_X]	
Inactive Ingredients							
-	gredient Name				Strength		
SUCROSE (UNII: C151H8M554)							9
LACTOSE (UNII: J2B2A4N98G)							
Product Characteristics							
	vhite	Score	2				
- mape	ROUND	Size				4	mm
Flavor		Impri	nt Code				

С	ontains				
P	ackaging				
#	ltem Code	Package Description		Marketing Start Date	Marketing End Date
1	NDC:0220-3976- 41	80 in 1 TUBE; Type 0: Not a Combination Product	03/03/1983		
M	larketing I	nformation			
	Marketing Category	Application Number or Monograp Citation		Marketing Start Date	Marketing End Date
	approved meopathic			03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron		282560473	manufacture(0220-3976)				

Revised: 3/2023

Boiron