

**TERPENICOL ANTIFUNGAL- undecylenic acid liquid**  
**Blaine Labs Inc.**

-----

**ACTIVE INGREDIENT**

**DRUG FACTS**

**ACTIVE INGREDIENT**

UNDECYLENIC (10-UNDECENOIC) ACID

**PURPOSE**

ANTIFUNGAL

**KEEP OUT OF REACH OF CHILDREN**

**KEEP OUT OF REACH OF CHILDREN.**

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**INDICATIONS**

- CURES MOST ATHLETE'S FOOT (TINEA PEDIS)
- CURES MOST JOCK ITCH (TINEA CRURIS) AND RELIEVES ITCHING, CRACKING, BURNING AND SCALING, WHICH ACCOMPANY THESE CONDITIONS
- PREVENTS MOST ATHLETE'S FOOT (TINEA PEDIS) WITH DAILY USE

**WARNINGS**

- DO NOT USE:
- ON CHILDREN UNDER 2 YEARS OF AGE UNLESS DIRECTED BY A PHYSICIAN
- IN OR NEAR THE MOUTH OR THE EYES
- FOR VAGINAL YEAST INFECTIONS

**WHEN USING THIS PRODUCT,**

AVOID CONTACT WITH THE EYES. IF EYE CONTACT OCCURS, WASH THOROUGHLY WITH WATER.

**STOP USE AND CONSULT A PHYSICIAN**

IF IRRITATION OCCURS OR IF THERE IS NO IMPROVEMENT WITHIN FOUR (4) WEEKS (FOR ATHLETE'S FOOT OR RINGWORM) OR WITHIN TWO (2) WEEKS (FOR JOCK ITCH)..

## **DIRECTIONS**

- WASH THE AFFECTED AREA WITH SOAP AND WATER, DRY THOROUGHLY, THEN APPLY A HEAVY LAYER OVER THE AFFECTED AREA. USE TWICE DAILY (MORNING AND NIGHT) OR AS DIRECTED BY A PHYSICIAN
- SUPERVISE CHILDREN IN THE USE OF THIS PRODUCT
- FOR ATHLETE'S: PAY SPECIAL ATTENTION TO SPACES BETWEEN TOES ; WEAR WELL-FITTING, VENTILATED SHOES AND CHANGE SOCKS AT LEAST ONCE, DAILY
- FOR ATHLETE'S FOOT AND RINGWORM, USE DAILY FOR FOUR (4) WEEKS. FOR JOCK ITCH, USE DAILY FOR TWO (2) WEEKS. IF CONDITION PERSISTS LONGER, CONSULT A PHYSICIAN
- WASH HANDS AFTER EACH USE

## **OTHER INFORMATION**

- STORE AT ROOM TEMPERATURE

## **INACTIVE INGREDIENTS OTHER INGREDIENTS**

CYMOPHENOL (CARVACROL), UREA, AQUA (WATER), ORGANIC VULGARE (WILD OREGANO) ESSENTIAL OIL, VITIT VINFER (GRAPE) SEED OIL, POLYSORBATE 20, GLYCERYL STEARATE, PROPYLENE GLYCOL, UREA, GLYCERIN, CETYL ALCOHOL, POLYETHYLENE GLYCOL COCOATE, SORBITAN LAURATE, POLYETHYLENE GLYCOL DICOCOATE, POLYETHYLENE GLYCOL, FATTY ACIDS, COCO, LAURETH-4, HYDROXYETHYLCELLULOSE, PHENOXYETHANOL CAPRYLY ALCOHOL, ETHYLHEXYL GLYCERIN, HEXYLENE GLYCOL

## **TERPENICOL PRODUCT LABEL LABEL BOX**

DISPENSED EXCLUSIVELY BY PHYSICIANS

NDC 63347-600-01

**BLAINE LABS®**

**TERPENICOL™**

## **ANTIFUNGAL SOLUTION**

10-UNDECENOIC ACID

IN A SOLUTION CONTAINING CYMOPHENOL AND UREA

37.5 mL (1.25 FL OZ)

SEE OPPOSITE PANEL FOR MORE INFORMATION.

**\* MADE IN THE U.S.A.**

**PLEASE RECYCLE!** THIS PACKAGE IS MADE FROM RECYCLABLE MATERIALS.

TEPENICOL ANTIFUNGAL

SOLUTION IS BACKED BY BLAINE LABS®

100 PERCENT, PATIENT-DIRECT, MONEY-BACK GUARANTEE. CALL THE NUMBER BELOW FOR MORE INFORMATION.

**QUESTIONS OR COMMENTS?**

CALL (800) 307-8818, M-F, 8:00 AM - 5:00 pm (PST)

**MANUFACTURED BY:**

BLAINE LABS, INC.  
11037 LOCKPORT PLACE  
SANTE FE SPRINGS, CA 90670

31000-P-BX01

REV20140217

**USES:** Cures most athlete's foot (tinea pedis), most jock itch (tinea cruris) and most ringworm (tinea corporis).  
**WARNINGS:** Do not use on children under two years of age unless directed by a physician. For external use only. Avoid contact with eyes. If irritation occurs or if there is no improvement within four (4) weeks (for athlete's foot or ringworm) or within two (2) weeks (for jock itch), discontinue use and consult a physician. Keep this and all drugs out of reach of children. In case of accidental ingestion, seek professional assistance or contact a poison control center immediately.

DISPENSED EXCLUSIVELY BY PHYSICIANS

NDC 63347-511-02



**TERPENICOL™**  
ANTIFUNGAL SOLUTION

37.5 mL (1.25 FL OZ)

**DIRECTIONS:** Wash the affected area with soap and water and dry thoroughly. Apply sparingly over affected area twice daily (morning and night), or as directed by a physician. For athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for four (4) weeks. For jock itch, use daily for two weeks. If condition(s) persists longer, consult a physician.  
**Blaine Labs, Inc., Santa Fe Springs, CA 90670**  
**(800) 307-8818**  
31000-P-LBL01 REV20140114

DISPENSED EXCLUSIVELY BY PHYSICIANS	
<p><b>DRUG FACTS</b></p> <p><b>ACTIVE INGREDIENT</b> ..... <b>PURPOSE</b> UNDECYLENIC (10-UNDECENOIC) ACID 25% .... ANTIFUNGAL</p> <p><b>OTHER INGREDIENTS</b> CYMOPHENOL (CARVACROL), UREA</p> <p><b>INDICATIONS</b></p> <ul style="list-style-type: none"> <li>• CURES MOST ATHLETE'S FOOT (TINEA PEDIS)</li> <li>• CURES MOST JOCK ITCH (TINEA CRURIS) AND RELIEVES ITCHING, CRACKING, BURNING AND SCALING, WHICH ACCOMPANY THESE CONDITIONS</li> <li>• PREVENTS MOST ATHLETE'S FOOT (TINEA PEDIS) WITH DAILY USE</li> </ul> <p><b>WARNINGS</b></p> <ul style="list-style-type: none"> <li>• DO NOT USE:</li> <li>• ON CHILDREN UNDER TWO YEARS OF AGE UNLESS DIRECTED BY A PHYSICIAN</li> <li>• IN OR NEAR THE MOUTH OR THE EYES</li> <li>• FOR VAGINAL YEAST INFECTIONS</li> </ul> <p>WHEN USING THIS PRODUCT, AVOID CONTACT WITH THE EYES. IF EYE CONTACT OCCURS, WASH THOROUGHLY WITH WATER.</p> <p>STOP USE AND CONSULT A PHYSICIAN IF IRRITATION OCCURS OR IF THERE IS NO IMPROVEMENT WITHIN FOUR (4) WEEKS (FOR ATHLETE'S FOOT OR RINGWORM) OR WITHIN TWO (2) WEEKS (FOR JOCK ITCH).</p> <p><b>KEEP OUT OF REACH OF CHILDREN.</b> IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.</p> <p>SEE OPPOSITE PANEL FOR MORE INFORMATION.</p>	<p style="text-align: center;">DISPENSED EXCLUSIVELY BY PHYSICIANS</p> <p style="text-align: right;">NDC 63347-600-01</p> <p style="text-align: center;"><b>BLAINE LABS</b></p> <p style="text-align: center;"><b>TERPENICOL™</b> ANTIFUNGAL SOLUTION</p> <p style="text-align: center;">10-UNDECENOIC ACID IN A SOLUTION CONTAINING CYMOPHENOL AND UREA</p> <p style="text-align: right;">37.5 mL (1.25 FL OZ)</p>
<p>★ <b>MADE IN THE U.S.A.</b></p> <p>♻️ <b>PLEASE RECYCLE!</b> THIS PACKAGE IS MADE FROM RECYCLABLE MATERIALS.</p> <p>TERPENICOL™ ANTIFUNGAL SOLUTION IS BACKED BY BLAINE LABS™ 100 PERCENT, PATIENT-DIRECT, MONEY-BACK GUARANTEE. CALL THE NUMBER BELOW FOR MORE INFORMATION.</p> <p><b>QUESTIONS OR COMMENTS?</b> CALL (800) 307-8818, M-F, 8:00 AM-5:00 PM (PST)</p> <p><b>MANUFACTURED BY:</b> BLAINE LABS, INC. 11037 LOCKPORT PLACE SANTA FE SPRINGS, CA 90670</p> <p>31000-P-BX01 REV20140217</p>	<p><b>DRUG FACTS (CONT)</b></p> <p><b>DIRECTIONS</b></p> <ul style="list-style-type: none"> <li>• WASH THE AFFECTED AREA WITH SOAP AND WATER. DRY THOROUGHLY, THEN APPLY A HEAVY LAYER OVER THE AFFECTED AREA. USE TWICE DAILY (MORNING AND NIGHT) OR AS DIRECTED BY A PHYSICIAN</li> <li>• SUPERVISE CHILDREN IN THE USE OF THIS PRODUCT</li> <li>• FOR ATHLETE'S FOOT: PAY SPECIAL ATTENTION TO SPACES BETWEEN THE TOES; WEAR WELL-FITTING, VENTILATED SHOES AND CHANGE SOCKS AT LEAST ONCE, DAILY</li> <li>• FOR ATHLETE'S FOOT AND RINGWORM, USE DAILY FOR FOUR (4) WEEKS. FOR JOCK ITCH, USE DAILY FOR TWO (2) WEEKS. IF CONDITION PERSISTS LONGER, CONSULT A PHYSICIAN</li> <li>• WASH HANDS AFTER EACH USE</li> </ul> <p><b>OTHER INFORMATION</b></p> <ul style="list-style-type: none"> <li>• STORE AT ROOM TEMPERATURE</li> </ul> <p><b>INACTIVE INGREDIENTS</b> AQUA (WATER), ORIGANUM VULGARE (WILD ORIGANO) ESSENTIAL OIL, VITIS VINIFERA (GRAPE) SEED OIL, POLYSORBATE 20, GLYCERYL STEARATE, PROPYLENE GLYCOL, UREA, GLYCERIN, CETYL ALCOHOL, POLYETHYLENE GLYCOL COCOATE, SORBITAN LAURATE, POLYETHYLENE GLYCOL DICOATE, POLYETHYLENE GLYCOL, FATTY ACIDS, COCO, LAURETH-4-HYDROXYETHYLCELLULOSE, PHENOXYETHANOL, CAPRYLYL ALCOHOL, ETHYLHEXYL GLYCERIN, HEXYLENE GLYCOL</p>

**TERPENICOL ANTIFUNGAL**

undecylenic acid liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63347-600
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>UNDECYLENIC ACID</b> (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	25 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>OREGANO LEAF OIL</b> (UNII: 7D0CGR40U1)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>PEG-7 GLYCERYL COCOATE</b> (UNII: VNX7251543)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>POLYETHYLENE GLYCOL</b> (UNII: 3WJQ0SDW1A)	
<b>COCONUT ACID</b> (UNII: 40U37V505D)	
<b>LAURETH-4</b> (UNII: 6HQ855798J)	
<b>HYDROXYETHYL CELLULOSE (140 MPA.S AT 5%)</b> (UNII: 8136Y38GY5)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLIC ALCOHOL</b> (UNII: NV1779205D)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63347-600-01	37.5 mL in 1 JAR; Type 0: Not a Combination Product	04/01/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	04/01/2014	

**Labeler** - Blaine Labs Inc. (017314571)

**Registrant** - Blaine Labs Inc. (017314571)

### Establishment

Name	Address	ID/FEI	Business Operations
Blaine Labs Inc.		017314571	manufacture(63347-600)

Revised: 12/2023

Blaine Labs Inc.