

CARDINAL HEALTH FIRST AID ANTIBIOTIC- bacitracin zinc ointment

Cardinal Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each gram)

Bacitracin Zinc (500 units)

Purpose

First Aid Antibiotic

Uses

First aid to help prevent infection in

- Minor cuts
- Scrapes
- Burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to the ingredients

Ask a doctor before use

- in case of deep or puncture wounds, animal bites or serious burns

When using this product

do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

the condition persists or gets worse. If a rash or other allergenic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of the finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Other information

- do not use if seal is punctured or damaged
- store at room temperature

Inactive ingredients

Hard Paraffin, Liquid Paraffin, White Soft Paraffin

Principal Display Panel

Bacitracin Zinc Ointment

first aid antibiotic

Cardinal Health

NDC 63517-220-02

Net Wt. 1.0 oz (28.3g)

Bacitracin Zinc Ointment

NDC: 63517-220-02

first aid antibiotic



Net Wt 1.0 oz (28.3g)

Drug Facts		Drug Facts (cont.)
Active ingredient (in each gram) Bacitracin Zinc (500 units)	Purpose First Aid Antibiotic	Directions • Clean the affected area • Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • May be covered with a sterile bandage
Use • First aid to help prevent infection in • minor cuts • scrapes • burns		Other information • do not use if seal is punctured or damaged • store at room temperature
Warnings For external use only. Do not use • in the eyes • over large areas of the body • if you are allergic to the ingredients Ask a doctor before use in case of deep or puncture wounds, animal bites or serious burns When using this product, do not use longer than 1 week unless directed by a doctor Stop use and ask a doctor if the condition persists or gets worse • if a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away		
		Inactive ingredients Hard Paraffin, Liquid Paraffin, White Soft Paraffin

For Individual, Professional, and Hospital Use
Not Made with Natural Rubber Latex

Cat. OINT-ANTS1

Dist. by: Cardinal Health
Waukegan, IL 60085 USA 05/15
cardinalhealth.com • Made in Israel
© 2015 Cardinal Health. All Rights Reserved.



CARDINAL HEALTH FIRST AID ANTIBIOTIC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63517-220
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 g

Inactive Ingredients

Ingredient Name			Strength	
PARAFFIN (UNII: I9O0E3H2ZE)				
MINERAL OIL (UNII: T5L8T28FGP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63517-220-01	12 in 1 CASE	08/27/2015	
1		144 in 1 BOX		
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:63517-220-02	100 in 1 CASE	08/27/2015	
2		28.3 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:63517-220-03	100 in 1 CASE	08/27/2015	
3		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part333B	08/27/2015	

Labeler - Cardinal Health (961027315)

Revised: 12/2022

Cardinal Health