ADVANCED ALCOHOL FOAMING HAND SANITIZER- alcohol soap Betco Corporation, Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Advanced Alcohol Foaming Hand Sanitizer

Active Ingredient

Active Ingredient

Ethyl Alcohol 70%

Uses

Uses

- Use hand sanitizer to reduce microorganisms on the skin.
- Use this product when soap and water are not available.

Warnings

Warnings

- For external use only. Do not ingest.
- FLAMMABLE. This product contains ethyl alcohol. Keep away from sources of ignition.
- Avoid contact with eyes. In case of eye contact, flush with large quantities of water, seek medical attention if irritation persists.
- If skin irritation develops, discontinue use. If irritation persists for more than 72 hours, seek medical attention.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away

Directions

Directions

Read the entire label before using this product.

Place enough product on your palm to thoroughly cover your hands.

Rub hands together briskly until dry.

Inactive Ingredients

Inactive Ingredients

Water, PEG-10 Dimethicone, PEG-10 Acrylate/Perfluorohexylethyl Acrylate

Copolymer, Perfluorohexylethyl Alcohol, Propylene Glycol, Fragrance, D&C

Green #5.

Purpose

Purpose


Antiseptic

Advanced Alcohol Foaming Hand Sanitizer

KEEP OUT OF REACH OF CHILDREN

Advanced Alcohol Foaming Hand Sanitizer





Ethanol Based Foaming Hand Sanitizer with Aloe Espuma sanitizadora para manos a base de etanol

55 gal. (208 L

Drug Facts

Active Ingredient

Ethyl Alcohol 70%

Purpose

...... Antiseptic

- · Hand sanitizer to reduce microorganisms on the skin.
- Use this product when soap and water are not available.

Warnings

- For external use only.
- · Avoid contact with eyes
- FLAMMABLE. This product contains ethyl alcohol. Keep away from sources of ignition.
- Use only plastic pail pumps or other non-sparking material when transferring product out of the drum.
- In case of eye contact, flush with large quantities of water, seek medical attention if irritation persists.
- If skin irritation develops, discontinue use. If irritation persists for more than 72 hours, seek medical attention.
- · KEEP OUT OF REACH OF CHILDREN.
- If swallowed, get medical help or contact a Poison Control Center right away.

- · Read the entire label before using this product.
- · Place enough product on your palm to thoroughly cover your hands.
- Rub hands together briskly until dry.

Inactive Ingredients

Water, PEG-10 Dimethicone, Propylene Glycol, Fluorinated Alcohol, Fluorinated Polymer, Aloe Barbadensis Leaf Juice, Fragrance, Acid Green 25.

Questions? 888-GO BETCO (888-462-3826)

Datos del Producto

Ingrediente Activo

Alcohol etilico 70%.....

- Desinfectante para las manos destinado a re microorganismos de la piel
- Utilice este producto cuando el jabón y el ag

Advertencias

- · Para uso externo únicamente.
- · Evite el contacto con los ojos.
- INFLAMABLE. Este producto contiene alcoh fuentes de ignición.
- Use solo bombas plásticas para cubos u o chispas cuando transfiera el producto fuer
- En caso de contacto con los ojos, enjuágues atención médica si persiste la irritación.
- Si desarrolla irritación de la piel, discontinúe durante más de 72 horas, solicite atención r
- MANTENER FUERA DEL ALCANCE DE LOS
- En caso de ingestión, obtenga asistencia mé toxicología de inmediato.

Instrucciones

- Lea toda la etiqueta antes de usar este
- Poner suficiente cantidad del producto en la manos completamente.
- Frotarse las manos vigorosamente hasta que

©2020 Betco Corporation 400 Van Camp Road | Bowling Green, Ohio 43402 Made In U.S.A. | All Rights Reserved. Betco.com



Drug Facts

Active Ingredient

Ethyl Alcohol 70%

Uses

- Hand sanitizer to reduce microorganisms on the
- Use this product when soap and water are not a

Warnings

- For external use only. * FLAMMABLE. This palcohol. Keep away from sources of ignition case of eye contact, flush with large quantities of irritation persists. * If skin irritation develops, disc for more than 72 hours, seek medical attention. * KB
- . If swallowed, get medical help or contact a Poisor

Directions

Read the entire label before using this prodution palm to thoroughly cover your hands.
 But

Inactive Ingredients

Water, PEG-10 Dimethicone, Propylene Glycol, Fluorinated Alcohol, Fluorinated Polymer, Aloe Barbadensis Leaf Juice, Fragrance, Acid Green 25.

r

Questioms? 888-60 BEFCO (888-462-3826) ©2020 Betco Corporation | 400 Van Camp Road Bowling Green, Ohio 43402 | Made In U.S.A. | Al

fDrug Facts	Datos del Producto
Active Ingredient Purpose Ethyl Alcohol 70% Antiseptic	Ingrediente Activo Propúsito Alcohol etílico 70% Antiséptico
Uses - Handsanitzer to reduce microorganisms on the ekin. Warmings	Usos • Desinfectante para las manos destinado a reducir la centidad de microorganismos de la piel. • Utiline este producto cuando el jabón y el agua no están disponibles.
• For exformal use only, Do not Ingest. • FLAM MARBLE. This product contains eithyl alcohol. Keep away from sources of lignificon, entitled eithyl alcohol. Keep away from sources of lignificon, entitled expenses of the second of the second entitled expenses. I may be a second expenses of the se	Advertencias Sidio para uso externo. No inglera este producto. INFLAMABLE. Este producto contiene alcohol etitico. Mantener alejado de las fuentes de lignición. Fuire el contacto con los ejos. En caso de contacto con los ejos, equiaguese con abundente agua, activa el control de control de las fuentes de las elementes de la e
Free tions Read the entire label before using this product. Place enough product on your paint to thoroughly cover your hands. Rub hands together briskle unit div. and tive. Furn red lieuts.	Sa acesaronia maccor de la più accomme el decusaria maccon parasse durante más de 12 horas, solicita alención médica. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS. En caso de ingestión, obtenga assistencia médica o dirijase a un Centro de toxicología de inmediato.
Inactive Ingredients Moter, PEG-10 Limsthoon, Propries Glycol, Floorinated Alcohol, Floorinated Polymer, Alco Barbandensis Last Juco, Floorinated, Rod Sirve 28. Questions 2883-600 BETCO (resets 2006) BETCO.com G2020 Betco Corporation 300 Van Camp Road Booking Green, Oho 43500 J. Blade In U.S.A. J. All Rights Reserved.	Instrucciones • Las la diqueta completa antes de usar este producto. • Porer suficiente cantidad del producto en la palma de la mano para cubrir las manos completamente • Frotarse las manos suprosamente hasta que ae sequen.



2.375''

SDS No. 795

Label faces wall

Ac vanced Alconol Foaming Hand San Ethanol Based Foaming Hand Sanitizer with Alce

Drug Facts

Active Ingredient

Pun

Ethyl Alcohol 70%

Ant

Uses

- . Hand sanitizer to reduce microorganisms on the skin.
- . Use this product when soap and water are not available.

Warnings

- For external use only. Do not ingest. FLANIMABLE. This product contains ethyl alcohol. Keep away from sources of ignition.
- Avoid contact with eyes. In case of eye contact, flush with large quantitiwater, seek medical attention if imitation persists.
- If skin irritation develops, discontinue use. If irritation persists for more:
 72 hours, seek medical attention.
 KEEP OUT OF REACH OF CHILDR
- If swallowed, get medical help or contact a Poison Control Center right a

Directions

- Read the entire label before using this product.
- Place enough product on your palm to thoroughly cover your hands.
- Rub hands together briskly until dry.

Imactive Impredients

Water, PEG-10 Dimethicone, Propylene Glycol, Fluorinated Alcohol, Fluorinated Polymer, Abe Barbadensis Leaf Juice, Fragrance, Acid Green



Questioms? 888-GO BETCO (888-462-3826) ©2020 Betco Corporation 400 Van Camp Road | Bowling Green, Ohio 43402 Made In U.S.A. | All Rights Reserved. Betco..com 750 (25.4 fl. c Item #7 SDS No. 7 RLB535/ 03796

Drug Facts Datos del Producto Ingrediente Activo Active Ingredient Purpose Hand sanitizer to reduce microorganisms on the skin Desinfectante para las manos destinado a re Use this product when soap and water are not available microorganismos de la piel. * Utilice este p no están disponibles: Advertencias For external use only. Do not ingest. Sólo para uso externo. No ingiera este prod • FLAMINIABLE. This product contains ethyl alcohol. Keep away from producto contiene alcohol efflico. Mantener sources of ignition. Avoid contact with eyes. In case of eye contact, flush with large quantities of Brite el contacto con los ojos. En caso de contac water, seek medical attention if irritation persists. abundante agua, solicite atención médica si pers If skin irritation develops, discontinue use. If irritation persists for more than 72 hours, seek medical attention. KEEP OUT OF REACH OF CHILDREN. Si desarrolla irritación de la piel, discontinúe el u de 72 horas, solicite atención médica. MANTENER FUERA DEL ALCANCE DE LOS NIÍ . If swallowed, get medical help or contact a Poison Control Center right away asistencia médica o diríjase a un Centro de toxic Directions · Read the entire label before using this product. Instrucciones Place enough product on your palm to thoroughly cover your hands. Rub hands together briskly until dry. Lea la etiqueta completa antes de usa canticlad del producto en la panha do la completamente. + Frotarse las man Imactive Ingredients Water, PEG-10 Dimethicone, Propylene Glycol, Fluorinated Alcoh-Fluorinated Polymer, Alde Barbadensis Leaf Juice, Fragrance, Acid Green 25. Questions? 888-60 BETCO (888-462-3826) ©2020 Betco Corporation Acyances Alcohol Tring Lane Santize 400 Yan Camp Boad | Bowling Green, Ohio 43402 Made In U.S.A. | All Rights Reserved. 688.250 688.000 688.000 Ethanol Based Foaming Hand Sanitizer with Alce Espuma sanitizadora para manos a base de etanol con Mercko In USA



ADVANCED ALCOHOL FOAMING HAND SANITIZER

alcohol soap

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65601-800
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.7 mL in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)			
TETRAHYDROLINALOOL (UNII: UM4XS5M134)			
ISOPROPYLPHENYLBUTANAL (UNII: Z92022479 Y)			
EBANOL (UNII: 28N247O58B)			
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)			
CYCLOMETHICONE 4 (UNII: CZ227117JE)			
BIS-PEG-12 DIMETHICONE (70 MPA.S) (UNII: 2JDK5W22H4)			
2-SEC-BUTYL CYCLOHEXANONE (UNII: 5WA6R1KL5J)			
WATER (UNII: 059QF0KO0R)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
D&C GREEN NO. 5 (UNII: 8J6RDU8L9X)			
TETRAHYDRO LINALYL ACETATE (UNII: 2NDV3959AX)			
HEXYL ACETATE (UNII: 7U7KU3MWT0)			

Product Characteristics			
Color	blue	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:65601-800- 04	3780 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020			
2	NDC:65601-800- 53	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/30/2020			
3	NDC:65601-800- 57	5601-800- 550 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product				
4	NDC:65601-800- 29	1000 mL in 1 BAG; Type 0: Not a Combination Product	03/30/2020			
5	NDC:65601-800- 03	750 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020			
6	NDC:65601-800- 05	1200 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	09/11/2020		
7	NDC:65601-800- 88	500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/30/2020			
8	NDC:65601-800- 55	208198 mL in 1 DRUM; Type 0: Not a Combination Product	06/01/2020			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	03/30/2020	

Labeler - Betco Corporation, Ltd. (024492831)

Registrant - Betco Corporation, Ltd. (024492831)

Establishment				
Name	Address	ID/FEI	Business Operations	
Betco Corporation, Ltd.		024492831	manufacture(65601-800), label(65601-800)	

Revised: 2/2021 Betco Corporation, Ltd.