

EXCEL HAND SANITIZER- alcohol soap
Superior Chemical Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Excel Hand Sanitizer

Active Ingredient

Active Ingredient

Ethyl Alcohol 70%

Uses

Uses

- Use hand sanitizer to reduce microorganisms on the skin.
- Use this product when soap and water are not available.

Warnings

Warnings

- For external use only. Do not ingest.
- **FLAMMABLE.** This product contains ethyl alcohol. Keep away from sources of ignition.
- Avoid contact with eyes. In case of eye contact, flush with large quantities of water, seek medical attention if irritation persists.
- If skin irritation develops, discontinue use. If irritation persists for more than 72 hours, seek medical attention.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away

Directions

Directions

Read the entire label before using this product.

Place enough product on your palm to thoroughly cover your hands.

Rub hands together briskly until dry.

Inactive Ingredients

Inactive Ingredients

Water, PEG-10 Dimethicone, Propylene Glycol, Fluorinated Alcohol, Fluorinated Polymer, Aloe Barbadensis Leaf Juice, Fragrance, Acid Green 25.

Purpose

Purpose

Antiseptic

North Woods DermaFoam Excel Hand Sanitizer

KEEP OUT OF REACH OF CHILDREN

North Woods DermaFoam Excel Hand Sanitizer

| | | | | | |
|--|--|--|--|--|--|
| Drug Facts Active Ingredient Ethyl Alcohol 70% Purpose Antiseptic Uses • Hand sanitizer to reduce microorganisms on the skin. • Use this product when soap and water are not available. Warnings • For external use only. • FLAMMABLE. This product contains ethyl alcohol. Keep away from sources of ignition. • Avoid contact with eyes. In case of eye contact, flush with large quantities of water, seek medical attention if irritation persists. • If skin irritation develops, discontinue use. If irritation persists for more than 72 hours, seek medical attention. • KEEP OUT OF REACH OF CHILDREN. • If swallowed, get medical help or contact a Poison Control Center right away. NET CONTENTS: 18.6 fl.oz. (550 mL) | | Drug Facts (continued) Directions • Read the entire label before using this product. • Place enough product on your palm to thoroughly cover your hands. • Rub hands together briskly until dry. Inactive Ingredients Water, PEG-10 Dimethicone, Propylene Glycol, Fluorinated Alcohol, Fluorinated Polymer, Aloe Barbardensis Leaf Juice, Fragrance, Acid Green 25. Questions/Comments: 800-242-7694 02/20 925A To learn more about our products: WWW.NORTHWOODSTM.COM TOLL FREE: 800-242-7694 Made in USA | |   |  |
|--|--|--|--|--|--|

EXCEL HAND SANITIZER

alcohol soap

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:53125-800 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| ALCOHOL (UNII: 3K9958 V90M) (ALCOHOL - UNII:3K9958 V90M) | ALCOHOL | 0.7 mL in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| 2-SEC-BUTYL CYCLOHEXANONE (UNII: 5WA6R1KL5J) | |
| HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR) | |
| ISOPROPYLPHENYLBUTANAL (UNII: Z92022479 Y) | |
| HEXYL ACETATE (UNII: 7U7KU3MWT0) | |
| CYCLOMETHICONE 4 (UNII: CZ227117JE) | |
| TETRAHYDROLINALYL ACETATE (UNII: 2NDV3959 AX) | |
| EBANOL (UNII: 28N247O58 B) | |
| TETRAHYDROLINALOOL (UNII: UM4XS5M134) | |
| BIS-PEG-12 DIMETHICONE (70 MPA.S) (UNII: 2JDK5W22H4) | |
| WATER (UNII: 059QF0KO0R) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0 X) | |
| D&C GREEN NO. 5 (UNII: 8J6RDU8L9 X) | |

Product Characteristics

| | | | |
|--------------|------|--------------|--|
| Color | blue | Score | |
|--------------|------|--------------|--|

| | | | |
|-----------------|--|---------------------|--|
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:53125-800-57 | 550 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 03/30/2020 | |
| 2 | NDC:53125-800-88 | 500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 03/30/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333E | 03/30/2020 | |

Labeler - Superior Chemical Corporation (023335086)

Registrant - Betco Corporation, Ltd. (024492831)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---|
| Betco Corporation, Ltd. | | 024492831 | manufacture(53125-800) , label(53125-800) |

Revised: 8/2020

Superior Chemical Corporation