# ALLERGY RELIEF- fexofenadine hydrochloride tablet YYBA CORP

-----

## YYBA (as PLD) - WELMATE ALLERGY RELIEF ANTIHISTAMINE (73581-103)

## Active ingredient (in each tablet)

Fexofenadine HCI 60 mg

## Purpose

**Antihistamine** 

#### Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

## Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product:

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

children under 12 years of age and ask a doctor consumers with kidney disease do not use

#### Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- each tablet contains: sodium 2.7 mg
- this product meets the requirements of USP Dissolution Test 2

## Inactive ingredients

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide.

#### **Questions?**

call toll-free 1-800-933-6337





DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

## Drug Facts

## Active ingredient (in each tablet)

Purpose

Fexofenadine HCI 60 mg.....Antihistamine

Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose sneezing itchy, watery eyes
- itching of the nose or throat

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product: ■ do not take more than directed onot take at the same time as aluminum or magnesium antacids

do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

PEEL FOR DIRECTIONS

67024-200-103-0

## Drug Facts (continued)

#### Directions

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

#### Other information

- store between 20' and 25'C (68° and 77°F)
- protect from excessive moisture
- each tablet contains: sodium 2.7 mg
- this product meets the requirements of USP Dissolution Test 2

#### Inactive ingredients

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide.

Questions? call toll-free 1-866-933-6337

\*This product is not manufactured or distributed by the owner of the registered trademark Allegra® Allergy 12 Hour Tablets





Why pay more?



### ALLERGY RELIEF

fexofenadine hydrochloride tablet

### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:73581-103

**Route of Administration ORAL** 

## **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
STARCH, CORN (UNII: O8232NY3SJ)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
CORN (UNII: 0N86727070)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
FERRIC OXIDE YELLOW (UNII: EX43802MRT)			

Product Characteristics					
Color	pink	Score	no score		
Shape	OVAL	Size	12mm		
Flavor		Imprint Code	SG;201		
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:73581-103- 10	1 in 1 BOX	06/30/2020				
1		100 in 1 BOTTLE; Type 0: Not a Combination Product					
2	NDC:73581-103- 20	200 in 1 BOTTLE; Type 0: Not a Combination Product	06/06/2023				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA204507	06/30/2020		

## **Labeler -** YYBA CORP (006339772)

Revised: 1/2024 YYBA CORP