

OXYGEN- oxygen gas
SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply

Oxygen

OXYGEN, COMPRESSED USP
UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.


GAS AND SUPPLY

GAS AND SUPPLY

P.O. BOX 568, 5500 EAST RITE ROAD

THEODORE, AL 36582

PHONE: 251-654-0080 FAX 251-654-0091



REFRIGERATED LIQUID
OXYGEN, REFRIGERATED LIQUID
USP
UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS:

WARNING: USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty.

Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-77


DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

P.O. BOX 568, 5500 EAST RITE ROAD

THEODORE, AL 36582

PHONE: 251-654-0080 FAX 251-654-0091



OXYGEN

oxygen gas

Product Information			
Product Type	PREScription ANIMAL DRUG	Item Code (Source)	NDC:71654-012
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99.5 L in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71654-012-01	198 L in 1 CYLINDER		
2	NDC:71654-012-02	424 L in 1 CYLINDER		
3	NDC:71654-012-03	707 L in 1 CYLINDER		
4	NDC:71654-012-04	3228 L in 1 CYLINDER		
5	NDC:71654-012-05	3539 L in 1 CYLINDER		
6	NDC:71654-012-06	6456 L in 1 CYLINDER		
7	NDC:71654-012-07	7107 L in 1 CYLINDER		
8	NDC:71654-012-08	7249 L in 1 CYLINDER		
9	NDC:71654-012-09	7957 L in 1 CYLINDER		
10	NDC:71654-012-10	8693 L in 1 CYLINDER		
11	NDC:71654-012-11	9542 L in 1 CYLINDER		
12	NDC:71654-012-12	180 L in 1 DEWAR		
13	NDC:71654-012-13	200 L in 1 DEWAR		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141365	08/30/2017	

Labeler - SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply (098277242)

Establishment

Name	Address	ID/FEI	Business Operations
SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply		098277242	manufacture

Revised: 8/2017

SOUTHERN GAS AND SUPPLY, INC. dba Gas and Supply