## HELIUM/OXYGEN MIX- helium/oxygen mix gas NexAir, LLC

-----

## Helium/Oxygen Mix Label

COMPRESSED GAS, N.O.S. (OXYGEN, HELIUM)

UN1956

20% OXYGEN USP

80% HELIUM USP

**MIXTURE** 

CAS: (7782-44-7) (7440-59-7)

**RX** Only

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Use and store only outdoors or in well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

**NET CONTENTS** 

Cylinder Size Cubic Feet Liters (Gaseous)

K 200.4 5675

E 22.0 625

D-puritan 13.5 382

DO NOT REMOVE THIS PRODICT LABEL.

Distributed by nexAir

nexAir, LLC www.nexAir.com

1350 Concourse Ave., Suite 103 Memphis, TN 38104

888-639-2474



COMPRESSED GAS, OXIDIZING, N.O.S. (HELIUM, OXYGEN)

UN3156

% OXYGEN USP

% HELIUM USP MIXTURE CAS: (7782-44-7) (7440-59-7)

RX Only.

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for oxygen service. Open valve slowly. In case of fire: stop leak if safe to do so. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODICT LABEL.

Net Contents

**Cubic Feet Liters** 

Distributed by nexAir

nexAir, LLC www.nexAir.com

1350 Concourse Ave., Suite 103 Memphis, TN 38104

888-639-2474



## **HELIUM/OXYGEN MIX**

helium/oxygen mix gas

Product Information				
Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:12213-832	
Route of Administration	RESPIRATORY (INHALATION)			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	200 mL in 1 L	

Inactive Ingredients			
Ingredient Name	Strength		
Helium (UNII: 206GF3GB41)	800 mL in 1 L		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12213-832-13	382 L in 1 CYLINDER		
2	NDC:12213-832-58	561 L in 1 CYLINDER		
3	NDC:12213-832-12	5663 L in 1 CYLINDER		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141387	06/01/1996	

## Labeler - NexAir, LLC (927024422)

Establishment				
Name	Address	ID/FEI	Business Operations	
NEXAIR, LLC		010263301	manufacture	

Establishment			
Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		927024422	manufacture

Revised: 10/2020 NexAir, LLC