

## **MED NAP - benzalkonium chloride liquid**

### **Med-Nap LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug facts Active Ingredient**

Benzalkonium Chloride 0.13% v/v

### **Purpose**

Antiseptic

### **Keep out of reach of children**

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control center right away.

### **Uses**

- First aid antiseptic to help prevent skin infection in:
- Minor Cuts
- Scrapes
- Burns
- Antiseptic Cleaning
- Perineal and maternity care

### **Warnings**

**For External Use Only.**

### **Do not use**

- As an antiseptic for more than 1 week
- In the eyes
- Over large areas of the body

### **Ask a doctor before use if you have**

- Deep or puncture wound
- Animal bites
- Serious burns

### **Stop use**

- If irritation and redness develop
- If condition persists more than 73 hours, consult a physician

### **Directions As a first aid antiseptic**

- Tear at notch

- Remove towelette
- Use only once
- Clean affected area
- Apply 1 to 3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

**Other information**

- Store at room temperature
- Avoid excessive heat

**Inactive Ingredients**

Water

**Product Label**

NDC # 59647-245-01

MED NAP

BENZALKONIUM CHLORIDE

ANTISEPTIC

TOWELETTE

100 Packets

Made by: MED-NAP LLC,

Brooksville, FL 34601

Reorder No. 3301

Made in the USA

Lot No.

<b>Drug Facts</b>	
<b>Active Ingredient</b> .....	<b>Purpose</b> .....
Benzalkonium Chloride, 0.13% w/v.....	Antiseptic
<b>Uses</b>	
• First aid antiseptic to help prevent skin infection in: • Minor Cuts • Scrapes • Burns	
• Antiseptic Cleansing • Perineal and maternity care	
<b>Warnings</b>	
<b>For External Use Only:</b>	
<b>Do not use</b> • As an antiseptic for more than 1 week • In the eyes • Over large areas of the body	
<b>Ask a doctor before use if you have</b> • Deep or puncture wounds • Animal bites • Serious burns	
<b>Stop use</b> • If irritation and redness develop • If condition persists more than 72 hours, consult a physician.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Tear at notch • Remove towelette • Use only once	
<b>As a first aid antiseptic</b> • Clean affected area • Apply 1 to 3 times daily • May be covered with a sterile bandage • If bandaged, let dry first	
<b>Other information</b>	
• Store at room temperature • Avoid excessive heat	
<b>Inactive Ingredients</b> Water	

Made in USA

Reorder No. 3303



**BENZALKONIUM CHLORIDE  
ANTISEPTIC  
TOWELETTE**

100 Packets

Made by:  
MED-NAP LLC,  
Brooksville, FL 34601

Reorder No. 3303

NDC # 59647-245-01



**BENZALKONIUM CHLORIDE  
ANTISEPTIC  
TOWELETTE**

100 Packets

Made by:  
MED-NAP LLC,  
Brooksville, FL 34601

Reorder No. 3303

Lot No. \_\_\_\_\_



**Product Label**

1K Packets 5"x7" (Bulk)

Reorder No. 3331

NDC # 59647-245-02

Lot No. \_\_\_\_\_

BZK Antiseptic Towelette      MED NAP  
For Professional And Hospital Use

Manufactured by:  
Med-Nap LLC,  
Brooksville, Fl 34601  
mednap@yahoo.com  
Made in the USA

<p><b>1K Packets</b> 5"x 7" (Bulk)</p>	<p>Reorder No. 3331 NDC # 59647-245-02</p>	<p><b>1K Packets</b> 5"x 7" (Bulk)</p>	<p>Reorder No. 3331</p>																																				
<p>Lot No. _____</p> <p><b>BZK Antiseptic Towelette</b> For Professional And Hospital Use</p>		<p><b>BZK Antiseptic Towelette</b> For Professional And Hospital Use</p>																																					
<p>Manufactured by: Med-Nap LLC Brooksville, FL 34601 mednap@yahoo.com Made in USA</p>																																							
		<table border="1"> <tr> <td><b>Drug Facts</b></td> <td><b>Purpose</b></td> </tr> <tr> <td><b>Active ingredient</b>.....</td> <td>Antiseptic</td> </tr> <tr> <td>Benzalkonium Chloride, 0.13% w/v.....</td> <td></td> </tr> <tr> <td colspan="2"><b>Uses</b></td> </tr> <tr> <td colspan="2">• First aid antiseptic to help prevent skin infection in: • Minor Cuts • Scrapes • Burns</td> </tr> <tr> <td colspan="2">• Antiseptic Cleansing • Perineal and maternity care</td> </tr> <tr> <td colspan="2"><b>Warnings</b></td> </tr> <tr> <td colspan="2"><b>For External Use Only:</b></td> </tr> <tr> <td colspan="2"><b>Do not use</b> • As an antiseptic for more than 1 week • In the eyes • Over large areas of the body</td> </tr> <tr> <td colspan="2"><b>Ask a doctor before use if you have</b> • Deep or puncture wounds • Animal bites • Serious burns</td> </tr> <tr> <td colspan="2"><b>Stop use</b> • If irritation and redness develop • If condition persists more than 72 hours, consult a physician.</td> </tr> <tr> <td colspan="2"><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2"><b>Directions</b></td> </tr> <tr> <td colspan="2">• Tear at notch • Remove towelette • Use only once</td> </tr> <tr> <td colspan="2"><b>As a first aid antiseptic</b> • Clean affected area • Apply 1 to 3 times daily • May be covered with a sterile bandage • If bandaged, let dry first</td> </tr> <tr> <td colspan="2"><b>Other information</b></td> </tr> <tr> <td colspan="2">• Store at room temperature • Avoid excessive heat</td> </tr> <tr> <td colspan="2"><b>Inactive Ingredients</b> Water</td> </tr> </table>		<b>Drug Facts</b>	<b>Purpose</b>	<b>Active ingredient</b> .....	Antiseptic	Benzalkonium Chloride, 0.13% w/v.....		<b>Uses</b>		• First aid antiseptic to help prevent skin infection in: • Minor Cuts • Scrapes • Burns		• Antiseptic Cleansing • Perineal and maternity care		<b>Warnings</b>		<b>For External Use Only:</b>		<b>Do not use</b> • As an antiseptic for more than 1 week • In the eyes • Over large areas of the body		<b>Ask a doctor before use if you have</b> • Deep or puncture wounds • Animal bites • Serious burns		<b>Stop use</b> • If irritation and redness develop • If condition persists more than 72 hours, consult a physician.		<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions</b>		• Tear at notch • Remove towelette • Use only once		<b>As a first aid antiseptic</b> • Clean affected area • Apply 1 to 3 times daily • May be covered with a sterile bandage • If bandaged, let dry first		<b>Other information</b>		• Store at room temperature • Avoid excessive heat		<b>Inactive Ingredients</b> Water	
<b>Drug Facts</b>	<b>Purpose</b>																																						
<b>Active ingredient</b> .....	Antiseptic																																						
Benzalkonium Chloride, 0.13% w/v.....																																							
<b>Uses</b>																																							
• First aid antiseptic to help prevent skin infection in: • Minor Cuts • Scrapes • Burns																																							
• Antiseptic Cleansing • Perineal and maternity care																																							
<b>Warnings</b>																																							
<b>For External Use Only:</b>																																							
<b>Do not use</b> • As an antiseptic for more than 1 week • In the eyes • Over large areas of the body																																							
<b>Ask a doctor before use if you have</b> • Deep or puncture wounds • Animal bites • Serious burns																																							
<b>Stop use</b> • If irritation and redness develop • If condition persists more than 72 hours, consult a physician.																																							
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.																																							
<b>Directions</b>																																							
• Tear at notch • Remove towelette • Use only once																																							
<b>As a first aid antiseptic</b> • Clean affected area • Apply 1 to 3 times daily • May be covered with a sterile bandage • If bandaged, let dry first																																							
<b>Other information</b>																																							
• Store at room temperature • Avoid excessive heat																																							
<b>Inactive Ingredients</b> Water																																							

benzalkonium chloride liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:59647-245
<b>Route of Administration</b>	TOPICAL	<b>DEA Schedule</b>	

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
BENZALKONIUM CHLORIDE (BENZALKONIUM)	BENZALKONIUM CHLORIDE	1.3 mg in 1.7 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
WATER	

### Packaging

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:59647-245-01	100 in 1 BOX		
1	NDC:59647-245-00	1.7 mL in 1 PACKET		
2	NDC:59647-245-02	1000 in 1 BOX		
2	NDC:59647-245-00	1.7 mL in 1 PACKET		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part333E	09/09/2013	

**Labeler** - Med-Nap LLC (079086400)

**Registrant** - Med-Nap LLC (079086400)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Med-Nap LLC		079086400	manufacture(59647-245)

Revised: 8/2013

Med-Nap LLC