

## **H-E-B ALLERGY RELIEF- cetirizine hydrochloride solution**

**H E B**

-----

**H-E-B®**

**Allergy Relief**

### ***Drug Facts***

#### **Active ingredient (in each 5 mL teaspoonful)**

Cetirizine HCl 5 mg

#### **Purpose**

Antihistamine

#### **Uses**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

#### **Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

#### **When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

#### **If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- use only with enclosed dosing cup

---

1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL)

adults and children 6 years and over	1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- store between 20° to 25°C (68° to 77°F)

### Inactive ingredients

artificial grape flavor, glacial acetic acid, glycerin, methylparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purified water, sodium acetate (anhydrous), sucrose

### Questions?

Call 1-866-923-4914

**DISTRIBUTED BY H-E-B, SAN ANTONIO, TX 78204**

### PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

Compare to Children's Zyrtec®  
active ingredient\*

**H-E-B®**

**ALLERGY RELIEF**

**Children's**

Cetirizine Hydrochloride  
Oral Solution  
1 mg/mL (Antihistamine)

**24 Hour Indoor &  
Outdoor Allergies**

**For Ages 2 & Over**

- Relieves:
  - Sneezing/Runny Nose
  - Itchy, Watery Eyes
  - Itchy Throat or Nose
- Dosing Cup  
Enclosed

**Grape Syrup**

4 FL OZ (120 mL)

Compare to Children's Zyrtec® active ingredient\*

**H·E·B**®

## ALLERGY RELIEF

### Children's

Cetirizine Hydrochloride  
Oral Solution  
1 mg/mL (Antihistamine)

Compare to Children's Zyrtec® active ingredient\*

**H·E·B**®

## ALLERGY RELIEF

### Children's

Cetirizine Hydrochloride  
Oral Solution  
1 mg/mL (Antihistamine)

### 24 Hour Indoor & Outdoor Allergies

### For Ages 2 & Over

- Relieves:  
Sneezing/Runny Nose  
Itchy, Watery Eyes  
Itchy Throat or Nose

- Dosing Cup Enclosed

**Grape Syrup**



4 FL OZ (120 mL)

Compare to Children's Zyrtec® active ingredient\*

**H·E·B**®

## ALLERGY RELIEF

### Children's

Cetirizine Hydrochloride  
Oral Solution  
1 mg/mL (Antihistamine)

### 24 Hour Indoor & Outdoor Allergies

### For Ages 2 & Over


- Relieves:  
Sneezing/Runny Nose  
Itchy, Watery Eyes  
Itchy Throat or Nose

- Dosing Cup Enclosed

**Grape Syrup**



4 FL OZ (120 mL)



603

20009-0611-1

**Drug Facts**

**Active Ingredient** **Purpose**  
(in each 5 mL teaspoonful)  
Cetirizine HCl 5 mg ..... Antihistamine

**Uses** Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
• runny nose • itchy, watery eyes  
• sneezing • itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

**When using this product**  
• drowsiness may occur • avoid alcoholic drinks  
• alcohol, sedatives, and tranquilizers may increase drowsiness  
• be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**  
• if breast-feeding: not recommended  
• if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** • use only with enclosed dosing cup

adults and children 12 to 17 years of age: 5 mL or 2 teaspoonfuls

**Drug Facts** (continued)

**Inactive Ingredients** artificial grape flavor, glacial acetic acid, glycerin, methylparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purified water, sodium acetate (anhydrous), sucrose

**Questions?** Call 1-866-923-4914

\*This product is not manufactured or distributed by UCB Pharma, S.A. CORPORATION BELGIUM, owner of the registered trademark Children's Zyrtec®.

Dosing cup should be washed and left to air dry after each use.

Do not use if carton is opened, or if imprinted safety seal is broken or missing. See bottom panel for expiration date.

adults and children 6 years and over	1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor
<b>Other Information</b>	
• store between 20° to 25°C (68° to 77°F)	

DISTRIBUTED BY H-E-B, SAN ANTONIO, TX 78204  
MADE IN ISRAEL



**GUARANTEE**

We believe the high quality of this H-E-B product makes it an outstanding value. We hope you'll agree. If not, we'll cheerfully refund your money.

Thanks for shopping with us.

## H-E-B ALLERGY RELIEF

cetirizine hydrochloride solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-208
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Cetirizine Hydrochloride (UNII: 64O047KTOA) (Cetirizine - UNII:YO7261ME24)	Cetirizine Hydrochloride	5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
acetic acid (UNII: Q40Q9N063P)	
glycerin (UNII: PDC6A3C00X)	
methylparaben (UNII: A2I8C7HI9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0K00R)	

sodium acetate (UNII: 4550K0SC9B)				
sucrose (UNII: C151H8M554)				
<b>Product Characteristics</b>				
Color	YELLOW (colorless to slightly yellow)	Score		
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-208-88	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA090182	04/22/2008		

**Labeler - HEB (007924756)**

**Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)**

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(37808-208)