

**SINUS PE PRESSURE PLUS PAIN MAXIMUM STRENGTH- acetaminophen,
phenylephrine hcl tablet
CVS Pharmacy**

CVS 44-502

Active ingredients (in each caplet)

Acetaminophen 325 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 - minor aches and pains
 - nasal congestion
 - headache
 - sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription

drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- diabetes
- liver disease
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal display panel

CVS

Health®

Compare to the active ingredients in
SUDAFED PE® PRESSURE + PAIN*

Non-Drowsy

Sinus PE Pressure + Pain

ACETAMINOPHEN - Pain reliever, Fever reducer

PHENYLEPHRINE HYDROCHLORIDE - Nasal decongestant

MAXIMUM STRENGTH

Relieves:

- Sinus pain & headache
- Sinus pressure
- Nasal & sinus congestion

24 CAPLETS UNCOATED

Actual Size

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark SUDAFED PE® PRESSURE + PAIN.

50844 REV0820C50208

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2021 CVS/pharmacy CVS.com®

1-800-SHOP CVS

CVS[®] Quality
Money Back Guarantee

Non-Drowsy

Sinus PE Pressure + Pain

ACETAMINOPHEN - Pain reliever, Fever reducer
PHENYLEPHRINE HYDROCHLORIDE - Nasal decongestant

MAXIMUM STRENGTH

Relieves:

- Sinus pain & headache
- Sinus pressure
- Nasal & sinus congestion

24 CAPLETS UNCOATED

Actual Size

Compare to the active ingredients in
SUDAFED PE® SINUS PRESSURE + PAIN†

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 325 mg Pain reliever/fever reducer

Phenylephrine HCl 5 mg Nasal decongestant

Uses

temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies and the common cold:

- sinus congestion and pressure
- sinus aches and pains
- nasal congestion
- headache

temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies and the common cold:

Warnings

This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours

with other drugs containing acetaminophen

3 or more alcoholic drinks every day while using this product

Alleged alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, blisters, rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Other information

TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS TORN OR BROKEN

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

see end flap for expiration date and lot number

Drug Facts (continued)

Questions or comments? 1-800-426-9391

FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Directions

do not use more than directed

- adults and children 12 years and over
- take 2 caplets every 4 hours
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Warnings

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

If pregnant or breast-feeding, ask a health professional before use. These could be signs of a serious condition:

- redness or swelling is present
- new symptoms occur
- fever gets worse or lasts more than 3 days
- pain or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur

Stop use and ask a doctor if

When using this product do not exceed recommended dosage.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Ask a doctor before use if you have

- diabetes
- liver disease
- heart disease
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains or acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued)

Other information

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

One CVS Drive, Worcester, MA 02095

© 2021 CVS/pharmacy CVS.com®

V-19849

SINUS PE PRESSURE PLUS PAIN MAXIMUM STRENGTH

acetaminophen, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-802
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	44;502
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-802-08	2 in 1 CARTON	06/23/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/23/2005	

Labeler - CVS Pharmacy (062312574)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(59779-802) , pack(59779-802)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(59779-802)