

**FAMILY CARE COUGH NIGHTTIME- dextromethorphan hydrobromide, and doxylamine succinate liquid**

**United Exchange Corp.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Active ingredients (in each 30 mL dose cup)	Purpose
Dextromethorphan HBr 30 mg.....	Cough suppressant
Doxylamine succinate 12.5 mg.....	Antihistamine

Uses temporarily relieves cold symptoms:

- cough due to minor throat and bronchial irritation
- runny nose and sneezing

**Warnings**

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- glaucoma
- cough that occurs with excessive phlegm (mucus)
- a breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take only as directed
- use dose cup or tablespoon (TBSP)
- do not exceed 4 doses per 24 hrs

adults & children 12 years over: 30 mL (2 TBSP) every 6 hrs

children 4 to under 12 years: ask a doctor

children under 4 years: do not use

Other information

- each 30 mL dose cup contains: sodium 7 mg
- store at room temperature

Inactive ingredients

alcohol, cherry essence, citric acid hydrate, FD&C Blue No. 1, FD&C Red No. 40, glycerin, high fructose corn syrup, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate hydrate, sodium saccharin, xanthan gum

Distributed by:

United Exchange Corp.

17211 Valley View Ave.

Cerritos, CA 90703

Made in Korea

**Drug Facts (continued)**  
drowsiness may occur • avoid alcoholic drinks • be careful when driving a motor vehicle or operating machinery • alcohol, sedatives, and tranquilizers may increase drowsiness  
**Stop use and ask a doctor if** • cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. A persistent cough may be a sign of a serious condition.  
**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** • take only as directed • use dose cup or tablespoon (TBSP) • do not exceed 4 doses per 24 hrs  
adults & children 12 yrs & over 30 mL (2 TBSP) every 6 hrs  
children 4 to under 12 yrs ask a doctor  
children under 4 yrs do not use  
**Other information** • each 30 mL dose cup contains: sodium 7 mg • store at room temperature  
**Inactive ingredients** alcohol, cherry essence, citric acid hydrate, FD&C Blue No. 1, FD&C Red No.40, glycerin, high fructose corn syrup, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate hydrate, sodium saccharin, xanthan gum

**TAMPER EVIDENT:** Do not use if printed shrinkband is missing or broken. Failure to follow these warnings could result in serious consequences.  
\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® NyQuil® Cough Cherry.  
\*Compare to the active ingredients in VICKS® NYQUIL® Cough Cherry

**Drug Facts**  
**Active ingredients (in each 30 mL dose cup) Purpose**  
Dextromethorphan HBr 30 mg.....Cough suppressant  
Doxylamine succinate 12.5 mg..... Antihistamine  
**Uses** temporarily relieves cold symptoms: • cough due to minor throat and bronchial irritation • runny nose and sneezing  
**Warnings Do not use** • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
**Ask a doctor before use if you have**  
• glaucoma • cough that occurs with excessive phlegm (mucus) • a breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema  
• trouble urinating due to enlarged prostate gland • a sodium-restricted diet  
**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**  
**When using this product** • excitability may occur, especially in children • marked

**PARENTS:** Learn about teen medicine abuse  
www.StopMedicineAbuse.org  
DEXTROMETHORPHAN HBr  
DOXYLAMINE SUCCINATE  
4 FL OZ (118 mL)

Dist. by: United Exchange Corp., Cerritos, CA 90703 USA  
Made in Korea  
7 80707 00625 2

**FAMILY CARE COUGH NIGHTTIME**

dextromethorphan hydrobromide, and doxylamine succinate liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:65923-625
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
XANTHAN GUM (UNII: TTV12P4NEE)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:65923-625-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part341	07/20/2015	

**Labeler** - United Exchange Corp. (840130579)