

**CAREALL TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hcl ointment**  
**New World Imports, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active Ingredients (in each gram)**

Bacitracin Zinc 500 units

Neomycin Sulfate 3.5 mg

Polymyxin B Sulfate 10,000 units

Pramoxine HCl 10mg

First aid antibiotic (Bacitracin Zinc 500 units, Neomycin Sulfate 3.5 mg, & Polymyxin B Sulfate 10,000 units)

External Analgesic (Pramoxine HCl 10mg)

**If swallowed, get medical help or contact a poison control center immediately**

First aid to help prevent infection and for temporary relief of pain in minor cuts, scrapes and burns

**For external use only**

**Do not use**

In the eyes

If you are allergic to any of the ingredients

Over large areas of the body

**Ask a doctor before use if you have**

Animal bites

Serious Burns

Deep or puncture wounds

**Stop use and ask a doctor if**

You need to use longer than 1 week

condition persists or gets worse

rash or other allergic reaction develops

symptoms persist for more than 1 week, or clear up and occur again within a few days

Adults and children 2 years of age and older:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface of the tip of a finger) on the area 1 to 3 times daily

- May be covered with a sterile bandage

Children under 2 years of age: ask a doctor

White Petrolatum

**\*COMPARE TO THE ACTIVE INGREDIENTS OF NEOSPORIN® + PAIN RELIEF**



# CAREALL®

**DUAL ACTION  
FIRST AID ANTIBIOTIC  
PLUS PAIN  
RELIEF**

NET WT.  
1 OZ. (28g)

**Triple Antibiotic  
Ointment**

**+ PAIN RELIEF**

*Helps Prevent Infection  
and Temporary Relief of Pain*

*Bacitracin, Neomycin Sulfate,  
Polymyxin-B Sulfate, Pramoxine HCl*



## Triple Antibiotic Ointment

*Bacitracin, Neomycin Sulfate, Polymyxin-B Sulfate, Pramoxine HCl*

+  
**PAIN  
RELIEF**

NET WT.  
1 OZ. (28g)



0 85317 00832 1

Distributed by: NWJ, Inc., 160 Athens Way, Nashville, TN 37228  
 Made in India. NDC # 51824-073-01 GUJ/DRUGS/G/28/1551  
 This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, Inc., owner of the Registered Trademark Neosporin®.

|  |   |
|--|---|
| <p style="text-align: center;"><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ in the eyes ■ if you are allergic to any of the ingredients</li> <li>■ over large areas of the body</li> </ul> <p style="text-align: center;"><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ animal bites ■ serious burns</li> <li>■ deep or puncture wounds</li> </ul> | <p style="text-align: center;"><b>Other Information</b></p> <ul style="list-style-type: none"> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> <li>■ children under 2 years of age: ask a doctor</li> </ul> <p style="text-align: center;"><b>Inactive Ingredient</b> White Petrolatum</p> |
| <p style="text-align: center;"><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ store at 15° to 30°C (59° to 86°F)</li> <li>■ Lot No. &amp; Exp. Date: See box or crimp of tube.</li> </ul>   | <p style="text-align: center;"><b>Inactive Ingredient</b> White Petrolatum</p>  |

|   |   |
|---|---|
| <b>Drug Facts</b>   | <b>Active ingredients (in each gram) Purpose</b><br>Bacitracin Zinc 500 units..... First aid antibiotic<br>Neomycin Sulfate 3.5mg..... First aid antibiotic<br>Polymyxin B Sulfate 10,000 units..... First aid antibiotic<br>Pramoxine HCl 10mg..... External analgesic |
| <b>Drug Facts</b> (continued)   | <b>Uses</b> first aid to help prevent infection and for temporary relief of pain in minor: ■ cuts ■ scrapes ■ burns   |
|   | <b>Warnings</b><br>For external use only.   |
| <b>Directions</b><br>■ adults and children 2 years of age and older<br>■ clean the affected area  |   |
| <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center immediately.  |   |
| <b>Stop use and ask a doctor if</b><br>■ you need to use longer than 1 week<br>■ symptoms persist for more than 1 week, or clear up and occur again within a few days. ■ rash or other allergic reaction develops<br>■ condition persists or gets worse |   |



## CAREALL TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hcl ointment

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:51824-073 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength        | Strength             |
|--|--------------------------|----------------------|
| <b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)           | BACITRACIN               | 500 [USP.U] in 1 g   |
| <b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)            | NEOMYCIN                 | 3.5 mg in 1 g        |
| <b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)      | POLYMYXIN B              | 10000 [USP.U] in 1 g |
| <b>PRAMO XINE HYDRO CHLORIDE</b> (UNII: 88AYB867L5) (PRAMO XINE - UNII:068X84E056) | PRAMO XINE HYDROCHLORIDE | 10 mg in 1 g         |

### Inactive Ingredients

| Ingredient Name                      | Strength |
|--------------------------------------|----------|
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U) |          |

### Product Characteristics

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | white | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:51824-073-01 | 28 g in 1 TUBE; Type 0: Not a Combination Product | 09/02/2019           |                    |

## Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333B                                 | 09/02/2019           |                    |

**Labeler** - New World Imports, Inc (075372276)

Revised: 8/2019

New World Imports, Inc