# HARRIS TEETER MAXIMUM STRENGTH ANTI-ITCH- hydrocortisone ointment Harris Teeter

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Active ingredients Purpose

Hydrocortisone 1%......Anti-itch

### **Uses**

- Itemporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema, psoriasis, poison ivy oak, sumac, insect bites, detergents, jewelry, cosmetics, soaps, seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

## **Warnings**

# For external use only $\!\mathbb{I}$

### Do not use

- In the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

# **When using this product**

- Davoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

# Stop use and ask a doctor if

• Condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other

hydrocortisone product unless you have asked a doctor

rectal bleeding occurs

**□Keep out of reach of children** □. If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- for itching of skin irritation,
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- Ifor external anal and genital itching, adults:
- Iwhen practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or soft cloth before applying
- apply to affected area not more 3 to 4 times daily
- chldren under 12 years of age: ask a doctor

### **Other information**

- Istore at room temperature 20°-25°C (68°-77°F)
- lot no. & exp. date: see box or crimp of tube

# **Inactive ingredients**

cetyl alcohol, methylparaben, petrolatum, propylparaben, sorbitan monostearate, stearly alcohol

# **Distributed by:**

 Image: Im

Matthews, NC 28105

Made in Korea



# **Anti-Itch Ointment**

# Drug Facts

Active ingredient
Hydrocortisone 1% .......

Purpose

Keep out of reach of children. If swallowed, get medical help or

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema ■ insect bites
- poison ivy, oak, sumac
- psoriasisdetergents
- jewelry seborrheic dermatitis ■ cosmetics ■ soaps
- temporarily relieves external anal and genital itching
   other uses of this product should only be under the advice and supervision of a doctor

### Warnings

### For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
   for the treatment of diaper rash. Consult a doctor.
- When using this product
- avoid contact with eyes
   do not use more than directed unless told to do so by a doctor do not put directly into the rectum by using fingers or any mechanical device or applicator

### Stop use and ask a doctor if

condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

### Drug Facts (continued)

contact a Poison Control Center right away.

### Directions

- for itching of skin irritation, inflammation, and rashes
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- for external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly

  gently dry by patting or blotting with toilet tissue or soft cloth
- before applying
  apply to affected area not more than 3 to 4 times daily
  children under 12 years of age: ask a doctor

### Other information

- store at room temperature 20°-25°C (68°-77°F)
   lot no. & exp. date: see box or crimp of tube

### Inactive ingredients

cetyl alcohol, methylparaben, petrolatum, propylparaben, sorbitan monostearate, stearyl alcohol


### Questions or comments? Call 1-800-814-8028

\*This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Cortizone•10® Ointment.



Support your local achools. Together in Education program details available at any Harris Teeter or harristeeter.com.

TOGETHER IN EDIICATION **EDUCATION** 



HARRIS TEETER, LLC Matthews, NC 28105 PROUDLY DISTRIBUTED BY:

1-800-432-6111 or harristeeter.com



NET WT 1 OZ (28 g)

Insect Bites, Poision ivy, Eczema & Psoriasis Skin Irritation & Rashes, Inflammation & Redness, Temporary Relief From:

Hydrocortisone 1%

# Anti-Itch Ointment



Skin Irritation & Rashes, Inflammation & Redness, Insect Bites, Poision ivy, Eczema & Psoriasis Temporary Relief From:

Hydrocortisone 1%

# Anti-Itch Ointment





NET WT 1 OZ (28 g)

Insect Bites, Poision ivy, Eczema & Psoriasis Skin Irritation & Rashes, Inflammation & Redness, Temporary Relief From:

Hydrocortisone 1%

# Anti-Itch Ointment



**Strength** Mumixpl



hydrocortisone ointment

| <b>Product Information</b> | Pro | duct | Infor | mation |
|----------------------------|-----|------|-------|--------|
|----------------------------|-----|------|-------|--------|

Product Type HUMAN OTC DRUG Item Code (Source) NDC:72036-406

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

| ı | 8                                       |                                |                   |              |
|---|---|--------------------------------|-------------------|--------------|
|   | Ingredien                               | t Name                         | Basis of Strength | Strength     |
|   | HYDROCORTISONE (UNII: WI4X0 X7BPJ) (HYD | ROCORTISONE - UNII:WI4X0X7BPJ) | HYDROCORTISONE    | 10 mg in 1 g |

| Inactive Ingredients                       |          |  |  |
|--|----------|--|--|
| Ingredient Name                            | Strength |  |  |
| CETYL ALCOHOL (UNII: 936JST6JCN)           |          |  |  |
| METHYLPARABEN (UNII: A2I8 C7HI9 T)         |          |  |  |
| PETROLATUM (UNII: 4T6 H12BN9 U)            |          |  |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)           |          |  |  |
| SORBITAN MONOSTEARATE (UNII: NVZ4I0 H58 X) |          |  |  |
| STEARYL ALCOHOL (UNII: 2KR89I4H1Y)         |          |  |  |

| Packaging          |   |                             |                    |  |
|--------------------|---|-----------------------------|--------------------|--|
| # Item Code        | Package Description                               | <b>Marketing Start Date</b> | Marketing End Date |  |
| 1 NDC:72036-406-28 | 1 in 1 CARTON                                     | 04/17/2017                  |                    |  |
| 1                  | 28 g in 1 TUBE; Type 0: Not a Combination Product |                             |                    |  |

| Marketing Information   |  |                      |                    |
|-------------------------|--|----------------------|--------------------|
| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part348                                  | 04/17/2017           |                    |
|                         |  |                      |                    |

# Labeler - Harris Teeter (047279351)

Revised: 4/2017 Harris Teeter