LORATADINE- loratadine tablet SUPERVALU INC.

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
concumora with liver or	

OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

INACTIVE INGREDIENTS

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS?

call 1-800-406-7984

Keep the carton. It contains important information.

See end panel for expiration date.

Distributed by

SUPERVALU INC.

Eden Prairie, MN 55344 USA

1-877-932-7948

www.supervalu-ourownbrands.com

PRINCIPAL DISPLAY PANEL

equaline[®]

NDC 41163-526-90

non-drowsy*

allergy relief

loratadine tablets USP, 10 mg/antihis tamine

indoor & outdoor allergies

24 hour relief of:

- sneezing
- itchy, watery eyes
- runny nose
- itchy throat or nose

original prescription strength

90 tablets

compare to Claritin® Tablets active ingredient**

^{*}When taken as directed. See drug facts panel.

 $^{^{**}}$ This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc.

CLARITIN® is a registered trademark of Schering Corporation.



LORATADINE loratadine tablet Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:41163-526

ORAL

Active Ingredient/Active Moiety

п			
l	Ingredient Name	Basis of Strength	Strength
ı	LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			

Product Characteristics			
Color	white (White to Off-White)	Score	no score
Shape	ROUND	Size	6 mm
Flavor		Imprint Code	RX526
Contains			

Packaging			
Package Description	Marketing Start Date	Marketing End Date	
10 in 1 BLISTER PACK			
20 in 1 BLISTER PACK			
30 in 1 BOTTLE			
60 in 1 BOTTLE			
90 in 1 BOTTLE			
	10 in 1 BLISTER PACK 20 in 1 BLISTER PACK 30 in 1 BOTTLE 60 in 1 BOTTLE	10 in 1 BLISTER PACK 20 in 1 BLISTER PACK 30 in 1 BOTTLE 60 in 1 BOTTLE	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076134	08/19/2003		

Labeler - SUPERVALU INC. (006961411)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		051565745	manufacture(41163-526)	

Revised: 9/2012 SUPERVALU INC.