# BOSLEY MD EXTRA STRENGTH FOR MEN- minoxidil 5% solution Scientific Hair Research, LLC

-----

### Bosley MD Extra Strength for Men Minoxidil Topical Solution 5%

Minoxidil 5% w/v

Hair regrowth treatment for men

#### USE

Use to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)
For external use only. For use by men only.

Flammable: Keep away from fire or flame

Do not use if

- You are a woman
- Your amount of hair loss is dierent than that shown on the side of this carton, or your hair loss is on the front of the scalp. 5% Minoxidil Topical Solution is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product

for at least 4 months before you see results.

■ The amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

■ Chest pain, rapid heartbeat, faintness, or dizziness occurs

- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs
- You do not see hair regrowth in 4 months

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

May be harmful if used when pregnant or breast-feeding.

#### **DIRECTIONS**

- Apply one mL with dropper 2 times a day directly onto the scalp in the area of hair loss
- Using more or more often will not improve results
- Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.
- See hair loss pictures on side of this carton
- Before use, read all information on carton and enclosed leaflet
- Keep this carton. It contains important information.
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies of mostly white men aged 18-19 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- Store at controlled room temperature between 68° 77°F (20°-25°C).

Alcohol, Propylene Glycol, Purified Water

Questions or comments? Call your health professional or BosleyMD at 1(800)BOSLEY1

MINOXIDIL LIQUID BOX FOR MEN 5% - 2- 2.0 FL OZ/60ML - BOX

10272 C Ocol Gray 11

PRINTER INSTRUCTIONS PLEASE NOT Printable area 7.6563 x 12.5



#### minoxidil 5% solution

# **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69113-003

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

realise mg. culcinquiette i loicty					
Ingredient Name	<b>Basis of Strength</b>	Strength			
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL			

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69113-003- 01	2 in 1 BOX	05/21/2020			
1		2 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA076239	05/21/2020			

# Labeler - Scientific Hair Research, LLC (961897647)

Revised: 4/2024 Scientific Hair Research, LLC