

METS SOFT KOTE TEAT SPRA- chlorhexidine solution
Surpass Chemical. Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Metz Soft Kote Teat Spray

SOFT KOTE TEAT SPRAY

*AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS* *PRODUCT #: 630950*

DIRECTIONS:

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Teat Spray. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Teat Spray for four days after the last milking. Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels.

PRECAUTIONARY STATEMENTS

Prevention

Obtain special instructions before use.

INGREDIENTS:

ACTIVE: Chlorhexidine digluconate 0.5%

3% Emollients

FIRST AID:

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF ON SKIN (or hair): Wash skin with soap and water.

IF INHALED: Remove to fresh air.

IF SWALLOWED: Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**BEFORE USING THIS MATERIAL, READ AND
UNDERSTAND THE CURRENT SAFETY DATA SHEET.**

Surpass Chemical Company, Inc. **Phone:** (518) 434-8101
24 HOUR EMERGENCY ASSISTANCE:
www.surpasschemical.com **Fax:** (518) 434-2798
CHEMTREC 1-800-424-9300
1254 Broadway Albany NY, 12204 **Email:** customerservice@surpasschemical.com
KEEP OUT OF REACH OF CHILDREN!

KEEP OUT OF REACH OF CHILDREN!



SOFT-KOTE TEAT SPRAY

KEEP OUT OF
REACH
OF CHILDREN!

PRODUCT #: 630950

**AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS**



DIRECTIONS

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Spray. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Spray for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels.

INGREDIENTS

ACTIVE: Chlorhexidine digluconate 0.5%
3% Emollients

PRECAUTIONARY STATEMENTS

Prevention Obtain special instructions before use

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF ON SKIN (or hair): Wash skin with soap and water

IF INHALED: Remove to fresh air

IF SWALLOWED: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

**NPE
FREE**

LOT NUMBER

NET CONTENTS



Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204

Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

**BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.**

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300



SOFT-KOTE TEAT SPRAY

**AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS**

DIRECTIONS

Immediately after each milking dip each teat in undiluted North Country Dairy Supply METZ Soft Kote Spray. Teats should be dipped to the base of the udder. If the dip becomes visibly dirty or contains sediment, replace with fresh solution. At the end of lactation, the teat should be dipped with North Country Dairy Supply METZ Soft Kote Spray for four days after the last milking.

Teat should be thoroughly washed and dried before milking using a North Country Dairy Supply Predip and individual towels.

INGREDIENTS

ACTIVE: Chlorhexidine digluconate 0.5%
3% Emollients

PRECAUTIONARY STATEMENTS

Prevention

Obtain special instructions before use

FIRST AID

IF SPLASHED IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF ON SKIN (or hair): Wash skin with soap and water.

IF INHALED: Remove to fresh air

IF SWALLOWED: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

LOT
NUMBER:

NET
CONTENTS:

KEEP OUT OF
REACH
OF CHILDREN!

**NPE
FREE**

PRODUCT #: 630950



Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204

Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300

**BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.**

METS SOFT KOTE TEAT SPRA
chlorhexidine solution

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86067-0028
Route of Administration	Topical		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE (UNII: R4KO0DY52L) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE	0.025 kg in 1 kg

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	0.9347 kg in 1 kg
C9-11 PARETH-8 (UNII: 80E6PSE1XL)	0.01 kg in 1 kg
GLYCERIN (UNII: PDC6A3C0OX)	0.03 kg in 1 kg
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	0.0002 kg in 1 kg
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	0.0001 kg in 1 kg

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86067-0028-1	19.05 kg in 1 PAIL		
2	NDC:86067-0028-2	57.15 kg in 1 DRUM		
3	NDC:86067-0028-3	114.76 kg in 1 DRUM		
4	NDC:86067-0028-4	210.01 kg in 1 DRUM		
5	NDC:86067-0028-5	1222.43 kg in 1 CONTAINER		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/17/2019	

Labeler - Surpass Chemical. Company, Inc. (002075133)

Establishment			
Name	Address	ID/FEI	Business Operations
Surpass Chemical. Company, Inc.		002075133	manufacture, api manufacture