

# **NIGHTTIME COLD AND COUGH CHILDRENS- diphenhydramine hcl, phenylephrine hcl solution**

**Kroger Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Kroger Co. Children's NightTime Cold & Cough Drug Facts**

### **Active ingredients (in each 5 mL)**

Diphenhydramine HCl 6.25 mg

Phenylephrine HCl 2.5 mg

### **Purposes**

Antihistamine/cough suppressant

Nasal decongestant

### **Uses**

- temporarily relieves:
- sneezing
- itchy nose or throat
- runny nose
- itchy, watery eyes due to hay fever
- nasal and sinus congestion
- cough due to minor throat and bronchial irritation as may occur with a cold

### **Warnings**

#### **Do not use**

- in a child under 4 years of age
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.
- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

#### **Ask a doctor before use if the child has**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma

- cough that occurs with too much phlegm (mucus)
- chronic cough that lasts or as occurs with asthma
- a breathing problem such as chronic bronchitis

**Ask a doctor or pharmacist before use if the child is**  
taking sedatives or tranquilizers

**When using this product**

- **do not exceed recommended dosage**
- may cause marked drowsiness
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever
- cough persists for more than 7 days, comes back, or occurs with fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- may be given every 4 hours. Do not give more than 6 doses in 24 hours unless directed by a doctor.
- use enclosed dosing cup only. Keep for use with this product only. Do not use any other dosing device.

Age	Dose
<b>children under 4 years of age</b>	<b>do not use</b>
children 4 to under 6 years of age	do not use unless directed by a doctor
children 6 to under 12 years of age	10 mL

**Other information**

- **each 5 mL contains:** sodium 3 mg
- store at 20-25°C (68-77°F)

**Inactive ingredients**

acesulfame potassium, anhydrous citric acid, edetate disodium, FD&C blue #1, FD&C red #40, flavor, maltitol solution, propylene glycol, purified water, sodium benzoate, sodium citrate

**Questions or comments?**

**1-800-632-6900**

**Principal Display Panel**

COMPARE TO the active ingredients of TRIAMINIC® NIGHT TIME COLD & COUGH

See side panel

OUR PHARMACIST RECOMMENDED

Ages 6 to 12 Years

children's

NightTime

Cold & Cough

Triacting Syrup

Diphenhydramine HCl

Antihistamine/Cough Suppressant

Phenylephrine HCl

Nasal Decongestant

Cough Relief

Runny, Stuffy Nose

Itchy Throat

Grape Flavor

4 FL OZ (118 mL)



## NIGHTTIME COLD AND COUGH CHILDRENS

diphenhydramine hcl, phenylephrine hcl solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30 142-021
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	6.25 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	

**Product Characteristics**

<b>Color</b>	PURPLE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-021-26	1 in 1 CARTON	08/29/2007	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/29/2007	

**Labeler** - Kroger Company (006999528)

Revised: 4/2020

Kroger Company