

**ALLERGY CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

age (yr)	dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- **each 5 mL contains:** sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate
- Protect from light. Store in outer carton until contents are used

Inactive ingredients

anhydrous citric acid, D&C red #33, RD&C red#40, flavors, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, and sucrose

Questions or comments?

Call toll free **1-866-4-REXALL**

Principal Display Panel

Children's

Allergy

DIPHENHYDRAMINE HYDROCHLORIDE 12.5 mg

ORAL SOLUTION ANTIHISTAMINE

Relief of

- Itchy, water eyes
- Itchy throat
- Sneezing
- Runny nose

ALCOHOL FREE

Bubble Gum FLAVOR

FOR AGES 6-11

Dosing Cup included

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

PACKAGED FOR DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072 USA

Visit us at: Rexall.com

Product Label

Drug Facts (continued)

Other information

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used.

Inactive ingredients citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?
Call toll free 1-866-4-REXALL

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Dosing Cup Included

Since 1903 Rexall® is a registered trademark of Rexall Sundown, Inc.

Visit us at: Rexall.com or call 1-866-4-REXALL

PACKAGED FOR DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072 USA

Children's
Since 1903
Rexall®

Allergy

DIPHENHYDRAMINE HYDROCHLORIDE 12.5 mg ORAL SOLUTION ANTIHISTAMINE

Relief of

- Itchy, watery eyes
- Itchy throat
- Sneezing
- Runny nose

ALCOHOL FREE



Bubble Gum

FLAVOR



FOR AGES 6-11
Dosing Cup Included

4 FL OZ (118 mL)

Children's
Since 1903
Rexall®

Allergy

DIPHENHYDRAMINE HYDROCHLORIDE 12.5 mg ORAL SOLUTION ANTIHISTAMINE

Relief of

- Itchy, watery eyes
- Itchy throat
- Sneezing
- Runny nose

ALCOHOL FREE



Bubble Gum

FLAVOR



FOR AGES 6-11
Dosing Cup Included

4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use



AO132
7 15256 70834 0

PLD-H240C FC004485

Lot No.:
Exp. Date:

REXALL Children's Allergy

ALLERGY CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-091
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
WATER (UNII: 059QF0K00R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCROSE (UNII: C151H8M554)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-091-04	1 in 1 BOX	06/30/2015	01/31/2025
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/30/2015	01/31/2025

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 10/2022

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)