EPSOM SALT- magnesium sulfate granule, for solution Old East Main, CO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Epsom Salt 602.002-602AA

Active ingredient

Magnesium sulfate USP (heptahydrate) 100%

Purpose

Saline Laxative

Use

- for relief of occasional constipation (irregularity)
- for this product generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if

you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Directions

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste

adults and children 12 years and over - 2 to 6 level teaspoons (10 to 30 grams) daily children 6 to under 12 years - 1 to 2 level teaspoons (5 to 10 grams) daily children under 6 years - consult a doctor

Inactive Ingredients

None

Other information

• magnesium content 495 mg per teaspoon (5 grams)

Tamper Evident Packaging

Caution this package has been sealed for your protection. Do not use if package is open, torn or mulitated.

DIRECTIONS: Dissolve 2 cupfuls of this product per gallon of water. Apply with bandages or toweling for 30 minutes up to three times a day or use as a soak or in bath. Use warm water for best results.

Caution: if prompt relief is not obtained or there is evidence of infection, discontinue use and consult your phyusician. Hot or warm soaks should not be used by individuals with diabetes except on the advice of a physician. Keep out of reach of children.

Since 1903

Rexall

Visit us at Rexall.com or call 1-866-4-REXALL

PACKAGED FOR OLD RAST MAIN CO

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072 USA

principal panel display

ZIPPER PLACEMENT

Since 1903 Rexall

Epsom Salt

Magnesium Sulfate U.S.P.MgSO₄ - 7H₂O

- Saline Laxative
- Soaking Aid for minor sprains and bruises

NET WT 16 OZ

(1 LB) 454 g



EPSOM SALT

magnesium sulfate granule, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-038
--------------	----------------	--------------------	---------------

Route of Administration ORAL, TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838) MAGNESIUM SULFATE HEPTAHYDRATE 1 g in 1 g

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:55910-038- 43	453 g in 1 POUCH; Type 0: Not a Combination Product	10/21/1993			
2	NDC:55910-038- 07	1814 g in 1 POUCH; Type 0: Not a Combination Product	10/21/1993			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part334	10/21/1993			
iiiidi					

Labeler - Old East Main, CO (068331990)

Registrant - Vi-Jon, LLC (790752542)

EstablishmentNameAddressID/FEIBusiness OperationsVi-Jon, LLC790752542manufacture(55910-038)

Establishment						
Name	Address	ID/FEI	Business Operations			
Vi-lon, LLC		088520668	manufacture(55910-038)			

Revised: 12/2022 Old East Main, CO