WALGREENS MEDICATED PAIN RELIEVING- camphor, menthol, methyl salicylate patch WALGREENS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens Medicated Pain Relieving Patch 40ct (171612, 2019)

Active ingredients	Purpose
Camphor 1.2%	Topical Analgesic
Menthol 5.7%	Topical Analgesic
Methyl Salicylate 6.3%	Topical Analgesic

Uses

For temporary relief of minor aches and pains of muscles and joints associated with

- arthritis
- simple backache
- strains
- bruises
- sprains

Warnings

For external use only

Allergy alert: If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

Do not use

- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have redness over the affected area.

When using this product

- do not use otherwise than directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly
- discontinue use at least 1 hour before a bath or shower
- do not use immediately after a bath or shower

Stop use and ask a doctor if

- redness is present or irritation or rash develops
- conditions worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Adults and children 12 years of age and over:

- clean and dry affected area
- remove patch from film
- apply to affected area no more than 3 to 4 times daily
- do not wear patch for more than 8 hours
- **Children under 12 years of age:** Consult a doctor

Other information

- store at room temperature 20-25°C (68-77°F)
- avoid storing product in direct sunlight
- protect product from excessive moisture

Inactive ingredients

Butylated Hydroxytoluene, Glyceryl Rosinate, Natural Rubber, Polybutene, Polyisobutylene, Precipitated Calcium Carbonate, Quinton, Sorbitan Stearate, Tocopherol Acetate, YS Resin, Zinc Oxide

Questions or comments?

Call 1-888-645-8204 Monday-Friday 9AM-5PM (PST)

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

MADE IN SOUTH KOREA





171612-SS-BX-R1 PR-MD-SS110-R1





DISTRIBUTED BY: WALGREEN CO. TOOM SATISFACTION WEIGHEND. IL 60015 Weighen Co. Walgreen Co. Walgr

Call 1-888-645-8204 Monday-Friday 9AM-5PM (PST) Questions or comments?

calcium carbonate, quinton, sorbitan stearate, tocopherol acetate, ys resin, zinc oxide Inactive ingredients butylated hydroxytoluene, glyceryl rosinate, natural rubber, polybutene, polyisobutylene, precipitated

- avoid storing product in direct sunlight
 protect product from excessive moisture ■ store at room temperature 20-25°C (68-77°F) Other information
- children under 12 years of age: consult a doctor
- do not wear patch for more than 8 hours ■ apply to affected area no more than 3 to 4 times daily
 - remove patch from film ■ clean and dry affected area

Drug Facts (continued)

■ adults and children 12 years of age and older: Directions

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. If pregnant or breast-feeding, ask a health professional before

■ do not use immediately after a bath or shower ■ discontinue use at least 1 hour before a bath or shower Avoid contact with eyes, mucous membranes or rashes
 do not bandage tightly When using this product a directed than as directed Ask a doctor before use if you have redness over the affected ■ ou a child under 12 years of age with arthritis-like conditions ■ if you are allergic to any ingredients of this product ■ on wounds or damaged skin ■ with a heating pad Do not use

■ symptoms clear up and occur again within a few days ■ condition worsens or symptoms persist for more than 7 days ■ redness is present or irritation or rash develops Stop use and ask a doctor if

Allergy alert: If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

For external use only Warnings

arthritis ■ strains ■ bruises Joints associated with: ■ sprains ■ simple dackache

■ temporarily relieves the minor aches and pains of muscles and səsn

Methyl salicylate 6.3%. iobicsi susidesic Topical analgesic Menthol 5.7%. Topical analgesic Сатрьог 1.2%. Purposes

Active ingredients Drug Facts

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

WALGREENS MEDICATED PAIN RELIEVING

camphor, menthol, methyl salicylate patch

Product Information

HUMAN OTC DRUG NDC:0363-0149 Product Type Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	7.1 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	33 mg
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	36 mg

Ingredient Name

Strength

BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z 171K)	
NATURAL LATEX RUBBER (UNII: 2LQ0 UUW8 IN)	
CALCIUM CARBO NATE (UNII: H0 G9 379 FGK)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:0363-0149-40	2 in 1 CARTON	01/09/2019		
1	20 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	02/28/2013		

Labeler - WALGREENS (008965063)

Revised: 1/2019 WALGREENS