

**ADAPALENE- adapalene gel**  
**Safeway, Inc.**

-----  
**Adapalene Gel USP 0.1 percent ENE 0.5**

**Active ingredient**

Adapalene, USP 0.1% (retinoid)\*

\*read consumer information leaflet

**Purpose**

Acne treatment

**Use**

- For the treatment of acne

**Warnings**

**For external use only**

**Do not use**

- on damaged skin (cuts, abrasions eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

**If Pregnant or breast-feeding,**

ask a doctor before use.

**When using this product**

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors.
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that become severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs immediately flush the area with water.
- wash hands after use

**Stop use and ask a doctor if**

- you become pregnant, or planning to become pregnant while using this product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

**Adults and children 12 years of age and older:**

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

**Children under 12 years of age:** ask a doctor

**Other information**

- store at room temperature 68° to 77°F
- protect from freezing

**Inactive ingredients**

carbomer homopolymer type C, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water

May contain hydrochloric acid and/or sodium hydroxide to adjust pH.

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

COMPARE TO Differin® Gel active ingredient\*\*

ADAPALENE GEL USP 0.1%

ACNE TREATMENT

- Previously available only by prescription
- Once daily topical retinoid\*
- Oil free
- fragrance free

NET WT OZ (g)

\*Read consumer information leaflet before use

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

\*\*This product is not manufactured or distributed by Galderma Laboratories, L.P., distributor of Differin<sup>®</sup> Gel.

DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99

PLEASANTON, CA 94566-0009

**Product Label**

### Drug Facts

#### Active ingredient

Adapalene, USP 0.1% (retinoid)\* ..... Acne treatment  
\*Read consumer information leaflet

#### Purpose

**Use** ■ For the treatment of acne

#### Warnings

For external use only

#### Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

If pregnant or breast-feeding, ask a doctor before use.

#### When using this product

- limit sun exposure, including tanning beds, and use sunscreen when going outdoors.
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

#### Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

#### Other information

- store at room temperature 68° to 77°F
- protect from freezing

#### Inactive ingredients

carbomer homopolymer type C, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water  
May contain hydrochloric acid and/or sodium hydroxide to adjust pH.

#### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*\*This product is not manufactured or distributed by Galderma Laboratories, L.P., distributor of Differin® Gel.

#### COMPARE TO

Differin® Gel active ingredient\*\*

NDC 21130-754-05

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.



## ADAPALENE GEL USP 0.1% ACNE TREATMENT

- Previously available only by prescription
- Once daily topical retinoid\*
- Oil free
- Fragrance free

\*Read consumer information leaflet before use

NET WT 0.5 OZ (15 g)

DISTRIBUTED BY:  
BETTER LIVING BRANDS LLC  
P.O. BOX 99  
PLEASANTON, CA 94566-0099  
†1-888-723-3929  
PRODUCT OF ITALY



Scan here  
for more  
information



how2recycle.info

S2801 RD 24068



3 21130 12931 8

PLD-A796A FCO08853

Lot No.:

Exp. Date:

**SIGNATURE SELECT Acne Treatment**

## ADAPALENE

adapalene gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-754
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ADAPALENE (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF)			ADAPALENE	1 mg in 1 g
Inactive Ingredients				
Ingredient Name				Strength
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLOXAMER 182 (UNII: JX0HIX6OAG)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
HYDROCHLORIC ACID (UNII: QTT17582CB)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-754-05	1 in 1 CARTON	01/31/2024	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA		ANDA090962	01/31/2024	

**Labeler** - Safeway, Inc. (009137209)

Revised: 3/2024

Safeway, Inc.