

XIAO ZHONG GAO- camphor, menthol, methyl salicylate plaster
Inner Mongolia Horqin Pharmaceutical Co., Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Inner Mongolia Horqin Pharmaceutical Co., Ltd

ACTIVE INGREDIENTS

Camphor 1.22%
Menthol 2.44%
Methyl Salicylate 2.44%

PURPOSE

Camphor External Analgesic
Menthol External Analgesic
Methyl Salicylate External Analgesic

USES

For the temporary relief of minor aches and pains of muscles and joints due to:
simple backache
arthritis
sprains
bruises
strains

Warnings

For External Use only.
Allergy Alert: This product contains natural rubber latex which may cause allergic reactions.

Do not use

on wounds
on irritated or damaged skin
if the appearance of this product has changed
in excess of 12 hours
if you have known hypersensitive to this product
otherwise than as directed

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

pregnant

taking other medications

When using this product

avoid contact with the eye or mucous membranes

do not bandage tightly

supervise use by children

use caution if prone to allergic reactions

STOP USE AND ASK A DOCTOR IF

condition worsens

symptoms persist for more than 7 days

symptoms clear up and occur again within a few days

excessive irritation of the skin develops

when using for pain of arthritis

pain persists for more than 10 days

redness is present

in conditions affecting children under 12 years of age

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Adults and children 12 years of age and older: Apply one or two plasters to affected area once a day. Remove after 12 hours.

Children 2 to 12 years of age and adults with compromised health: Use only under the guidance of a doctor.

Children under 2 years of age: Do not use, consult a doctor.

Refer to the above warnings: use otherwise than as directed may be dangerous.

Other Information

Keep container tightly closed.

Store below 20°C (68°F) in a dry area.

Inactive Ingredients

RHEUM OFFICINALE ROOT, EUPHORBIA PEKINENSIS ROOT, POTENTILLA DISCOLOR WHOLE, TURMERIC, ACORUS CALAMUS ROOT, ASPARAGUS COCHINCHINENSIS TUBER, POLYGONATUM ODORATUM ROOT, BORNEOL, NATURAL LATEX RUBBER, ROSIN, ZINC OXIDE, PETROLATUM, LANOLIN, PARAFFIN, COCONUT OIL

Questions or Comments?


E-mail: info@magicwandbj.com

Exclusive Overseas Sales

Magic Wand (Beijing) Trading Company Limited

Drug Facts

162*112*10mm



Xiao Zhong Gao
消肿膏

5cm x 6cm
2Packets/box

蒙药
OTC

NDC No. 72963-002-02
国药准字 Z15020910

Drug Facts 藥品資料

ACTIVE INGREDIENTS 有效成份 **PURPOSE 用途**
 Camphor 1.22% 樟腦 External Analgesic
 Menthol 2.44% 薄荷腦 External Analgesic
 Methyl Salicylate 2.44% 水楊酸甲酯 External Analgesic

USES 作用
 For the temporary relief of minor aches and pains of muscles and joints due to: 暫時緩解由以下原因引起的肌肉和關節疼痛:
 ■ simple backache 一般腰背痛 ■ arthritis 關節炎
 ■ strains 扭傷 ■ bruises 瘀傷 ■ sprain 扭傷

Warnings 警告
 For external use only 只供外部使用

Allergy alert: This product contains natural rubber latex which may cause allergic reactions
 過敏警告: 本產品含有天然膠乳, 可能導致過敏反應

Do not use 不能用於
 ■ on wounds 傷口
 ■ on irritated or damaged skin 受刺激或受傷的皮膚
 ■ if the appearance of this product has changed 如果產品的外觀有改變
 ■ in excess of 12 hours 超過12小時
 ■ if you have known hypersensitivities to this product 如果你對本產品有已知的超敏感
 ■ otherwise than as directed 醫囑以外的情況

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE
 請在使用之前詢問醫生或藥劑師, 如果你
 ■ pregnant 已懷孕
 ■ taking other medications 正在服用其他藥物

When using this product 在使用本產品時
 ■ avoid contact with the eyes or mucous membranes 避免接觸眼睛或黏膜
 ■ do not bandage tightly 避免包紮過緊
 ■ supervise use by children 指導兒童使用
 ■ use caution if prone to allergic reactions 過敏反應體質慎用

STOP USE AND ASK A DOCTOR IF
 出現以下症狀應停止使用或向醫生諮詢
 ■ condition worsens 病情加重
 ■ symptoms persist for more than 7 days 症狀持續超過7天
 ■ symptoms clear up and occur again within a few days 症狀消失但幾天後復發
 ■ excessive irritation of the skin develops 皮膚出現過度刺激

Drug Facts (cont.) 藥品資料(續)

■ when using for pain of arthritis: 用於治療關節炎引起的疼痛時,
 ■ pain persists for more than 10 days: 疼痛持續超過10天
 ■ redness is present 發紅
 ■ in conditions affecting children under 12 years of age 影響12歲以下兒童的症狀

Keep out of reach of children. 放置在兒童夠不到的地方。If swallowed, get medical help or contact a Poison Control Center right away. 如果兒童意外吞食, 請立即送醫或聯絡毒物控制中心。

DIRECTIONS 使用說明
 adults and children 12 years of age and older 成人及12歲以上兒童: Apply one or two plasters to affected area once a day. 每天貼一至兩貼於患處。12小時後取下。
 children 2 to 12 years of age 2歲以下兒童: Use only under the guidance of a doctor 在醫生指導下使用。
 children under 2 years of age 2歲以下兒童: Do not use, consult a doctor 不可使用, 或向醫生諮詢
 Refer to above warnings; use otherwise than as directed may be dangerous. 參考以上警告, 不按說明使用會導致危險。

Other information 其它資訊
 ■ keep container tightly closed 將容器密封
 ■ store below 20°C (68°F) in a dry area 在乾燥處於攝氏20度(華氏68度)下儲藏

Inactive ingredients 輔助成份
 RHEUM OFFICINALE ROOT, EUPHORBIA PEKINENSIS ROOT, POTENTILLA DISCOLOR WHOLE, TURMERIC, ACORUS CALAMUS ROOT, ASPARAGUS COCHINCHINENSIS TUBER, POLYGONATUM ODORATUM ROOT, BORNEOL, NATURAL LATEX RUBBER, ROSIN, ZINC OXIDE, PETROLATUM, LANOLIN, PARAFFIN, COCONUT OIL
 大戟, 大戟, 翻白草, 薯蕷, 水蘊藻, 天門冬, 玉竹, 冰片, 天然橡膠, 松香, 氧化鋅, 凡士林, 羊毛脂, 液體石蠟, 椰子油

Questions or comments? 問題或意見?
 E-mail: info@magicwandbj.com

XIAO ZHONG GAO			
camphor, menthol, methyl salicylate plaster			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72963-002
Route of Administration	TRANSDERMAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	1.22 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2.44 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	2.44 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M)	
EUPHORBIA PEKINENSIS ROOT (UNII: 09S6R05TRN)	
POTENTILLA DISCOLOR WHOLE (UNII: T560PLD2E7)	
TURMERIC (UNII: 856YO1Z64F)	
ACORUS CALAMUS ROOT (UNII: XY1K7KIQ0F)	
ASPARAGUS COCHINCHINENSIS TUBER (UNII: IZW9WN28HW)	
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ)	
BORNEOL (UNII: M89NIB437X)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	
ROSIN (UNII: 88S87KL877)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
PETROLATUM (UNII: 4T6H12BN9U)	
LANOLIN (UNII: 7EV65EAW6H)	
PARAFFIN (UNII: I9O0E3H2ZE)	
COCONUT OIL (UNII: Q9L0O73W7L)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72963-002-02	10 in 1 BOX	02/19/2019	
1		1.30 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/19/2019	

Labeler - Inner Mongolia Horqin Pharmaceutical Co., Ltd (548635483)

Registrant - Inner Mongolia Horqin Pharmaceutical Co., Ltd (548635483)

Establishment

Name	Address	ID/FEI	Business Operations
Inner Mongolia Horqin Pharmaceutical Co., Ltd		548635483	manufacture(72963-002)