

SEASONAL ITCHY AND RED EYE RELIEF- tetrahydrozoline hcl, zinc sulfate liquid
Kareway Product, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pure-Aid Seasonal Itchy and red eye relief eye drop

Active Ingredient

Tetrahydrozoline HCl 0.05%

Zinc sulfate 0.25%

Purpose

Redness reliever

Astringent

Use

- for temporary relief of discomfort and redness of the eye due to minor eye irritations

Warnings

Ask a doctor before use if you have narrow angle glaucoma.

When using this product

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or become cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- put 1 to 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

Other information

- store at 15° to 25°C (59° to 77°F)

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium chloride, sodium citrate

package label

• Fast red eye relief formula
• Redness & Irritation relief

Caution: Do not use if the tamper-resistant bottle cap is broken or opened.

Pure-Aid™ Maximum Strength
Eye Drops
STERILE
Seasonal itchy & Red eye relief

Drug Facts

Active ingredients **Purpose**
Tetrahydrozoline HCl 0.05%...Redness reliever
Zinc sulfate 0.25%.....Astringent

Use ■ for temporary relief of discomfort and redness of the eye due to minor eye irritations

Warnings
Ask a doctor before use if you have narrow angle glaucoma.

When using this product

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

If pregnant or breast-feeding, ask a health professional before use. ▶

Drug Facts (continued)

Keep out reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- put 1 to 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

Other information

- store at 15° to 25°C (59° to 77°F)

Inactive ingredients
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium chloride, sodium citrate



Pure-Aid™ NDC No. 67510-0665-5
Compare to Visine® A.C.*

Eye Drops
Maximum Strength
STERILE

Seasonal itchy & Red eye relief

RELIEVES ITCHING, BURNING, WATERY AND RED EYES DUE TO:

- Pollen
- Dust
- Ragweed

Astringent/Redness reliever eye drop

1/2 FL OZ (15mL)

Pure-Aid™

Eye Drops
Maximum Strength
STERILE

Seasonal itchy & Red eye relief

Astringent/Redness reliever eye drop

KAREWAY

Exclusively distributed by:
Kareway Product Inc.
Compton, CA 90220
Made in Korea

*This product is not manufactured or distributed by Johnson & Johnson Healthcare Products Division of McNEIL-PPC, Inc.

LOT:
EXP.

SEASONAL ITCHY AND RED EYE RELIEF
tetrahydrozoline hcl, zinc sulfate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0665
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TETRAHYDROZOLINE HYDROCHLORIDE (UNII: 0YZT43HS7D) (TETRAHYDROZOLINE - UNII:S9U025Y077)	TETRAHYDROZOLINE HYDROCHLORIDE	0.05 mg in 1 mL
ZINC SULFATE (UNII: 89DS0H96TB) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	0.25 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0665-5	1 in 1 CARTON	11/12/2013	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:67510-0665-1	1 in 1 CARTON	11/12/2013	
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	11/12/2013	

Labeler - Kareway Product, Inc. (121840057)