

SAFETUSSIN DM - dextromethorphan guaifenesin liquid

Kramer Laboratories

Drug Facts

Active ingredients (in each 5ml tsp)	Purpose
Dextromethorphan HBr, USP 10 mg	Cough Suppressant
Guaifenesin, USP 100 mg	Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation
- loosens phlegm (mucus)
- helps rid bronchial passages of phlegm (mucus)

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
 - this adult product is not intended for use in children under 12 years of age
-

age	dose
adults and children 12 years and over	2 teaspoons every 4 hours
children under 12 years	do not use

Other information:

- Protect from excessive heat and freezing.
Store at 15° - 30° C (59° - 86° F)
- Phenylketonurics: each teaspoon contains
phenylalanine 4.2 mg

Save this package for complete information

Inactive ingredients: aspartame, benzoic acid, citric acid, glycerin, menthol, methylparaben, natural peppermint flavor, propylene glycol, propylparaben, purified water

PRINCIPAL DISPLAY PANEL

**Safetussin DM
NON-DROWSY
COUGH & CHEST CONGESTION**

Safe for adults with

High Blood Pressure
Diabetes

Controls Cough
Loosens Mucus
Relieves Chest Congestion

Sugar & Alcohol Free

4 FL. OZ (118 ml.)

Safetussin DM

TOS + CONGESTION EN EL PECHO

Dextromethorphan HBr / Antitusivo
Guaifenesin / Expectorante

SEGURO para adultos con

Presión alta
Diabetes

Controla la tos
Afloja la mucosidad
Alivia la congestión en el pecho

SIN AZÚCAR Y SIN ALCOHOL

4 FL. OZ (118 ml.)

**NON-DROWSY
COUGH + CHEST CONGESTION**

Safetussin contains:

No decongestants
No acetaminophen
No sugar
No alcohol
No sorbitol
No fructose
No gluten
No dyes

Pharmacist Recommended

Always read and follow label directions. Ask a doctor if you have individual health questions.

Questions? Comments?

Call 1-800-824-4894

©2020 Kramer Laboratories, Inc.
Bridgewater, NJ 08807

K0820

**Cough+ Chest
Congestion**

**Safe
tussin®**

DM

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

TAPE IS EVIDENCE - DO NOT USE IF PRINTING
IS BROKEN OR MISSING

Drug Facts

Active ingredients **Purpose**
(in each 5mL teaspoon)
Dextromethorphan HBr,
USP 10mg Cough Suppressant
Guaifenesin, USP 100mg Expectorant

Uses
■ temporarily relieves cough due to minor
throat and bronchial irritation
■ loosens phlegm (mucus)
■ helps rid bronchial passages of phlegm (mucus)

Warnings
Do not use if you are now taking a prescription
monoamine oxidase inhibitor (MAOI) (certain
drugs for depression, psychiatric or emotional
conditions, or Parkinson's disease), or for 2 weeks
after stopping the MAOI drug. If you do not know
if your prescription drug contains an MAOI, ask a
doctor or pharmacist before taking this product.

Ask a doctor before use if you have
■ cough that occurs with too much phlegm
(mucus)
■ cough that lasts or is chronic such as occurs
with smoking, asthma, chronic bronchitis, or
emphysema

Stop use and ask a doctor if cough lasts more
than 7 days, comes back, or is accompanied by
fever, rash, or persistent headache. These could
be signs of a serious condition.

If pregnant or breast-feeding, ask a health
professional before use.

Keep out of reach of children. In case of
overdose, get medical help or contact a Poison
Control Center right away.

Directions
■ do not take more than 6 doses in any
24-hour period
■ this adult product is not intended for use in
children under 12 years of age

age	dose
adults and children 12 years and over	2 teaspoons every 4 hours
children under 12 years	do not use

Other information
■ Protect from excessive heat and freezing.
Store at 15° - 30°C (59° - 86°F)
■ Phenylketonurics: each teaspoon contains
phenylalanine 4.2 mg
Save this package for complete information

Inactive ingredients aspartame, benzoic
acid, citric acid, glycerin, menthol,
methylparaben, natural peppermint flavor,
propylene glycol, propylparaben, purified water.

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

**Safe
tussin®**

DM

NON-DROWSY
**Cough+ Chest
Congestion**

Safetussin® contains:

- ✓ No decongestants
- ✓ No acetaminophen
- ✓ No sugar
- ✓ No alcohol
- ✓ No sorbitol
- ✓ No fructose
- ✓ No gluten
- ✓ No dyes

Pharmacist Recommended

Always read and follow label
directions. Ask a doctor if you
have individual health questions.

Questions? Comments?
Call 1-800-824-4894

©2020 Kramer Laboratories, Inc.
Bedgewater, NJ 08807

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

**Safe
tussin®**

DM

NON-DROWSY
**Cough+ Chest
Congestion**

Dextromethorphan HBr / Cough Suppressant
Guaifenesin / Expectorant

Safe for adults with

**High Blood
Pressure**

Diabetes

- ✓ Controls cough
- ✓ Loosens mucus
- ✓ Relieves chest
congestion

SUGAR & ALCOHOL FREE

4.0 FL OZ (118mL)

SEGURO PARA ADULTOS CON
PRESIÓN ALTA Y DIABETES

**Safe
tussin®**

DM

NO SOMNOLIENTO
**Tos+ Congestión
en el Pecho**

Dextromethorphan HBr / Antitusivo
Guaifenesin / Expectorante

Seguro para adultos con

**Presión
Alta**

Diabetes

- ✓ Controla la tos
- ✓ Afloja la mucosidad
- ✓ Alivia la congestión
en el pecho

SIN AZÚCAR Y SIN ALCOHOL

4.0 FL OZ (118mL)



K0820

Safetussin® DM
NON-DROWSY
COUGH & CHEST CONGESTION

Dextromethorphan HBr / Cough Suppressant
Guaifenesin / Expectorant

Safe for adults with

High Blood Pressure
Diabetes

Controls Cough
Loosens Mucus
Relieves Chest Congestion

4 FL. OZ. (118 mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON BOTTLE IS BROKEN OR MISSING.

K0820

Questions? Comments? Call 1-800-824-4894

©2020 Kramer Laboratories, Inc. Bridgewater, NJ 08807

Safetussin® DM
NON-DROWSY
Cough + Chest Congestion

Dextromethorphan HBr / Cough Suppressant
Guaifenesin / Expectorant

Safe for adults with
High Blood Pressure **Diabetes**

✓ Controls cough ✓ Relieves chest congestion
✓ Loosens mucus

4.0 FL OZ (118mL)

Drug Facts
Active ingredients (in each 5mL teaspoon) **Purpose**
Dextromethorphan HBr, USP 10mg Cough Suppressant
Guaifenesin, USP 100mg Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation ■ loosens phlegm (mucus) ■ helps rid bronchial passages of phlegm (mucus)

Warnings **Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ do not take more than 6 doses in any 24-hour period
■ this adult product is not intended for use in children under 12 years of age

age	dose
adults & children 12 years & over	2 teaspoons every 4 hours
children under 12 years	do not use

Other information
■ Protect from excessive heat and freezing. Store at 15° - 30°C (59° - 86°F) ■ Phenylketonurics: each teaspoon contains phenylalanine 4.2mg **Save package for complete information**

Inactive ingredients aspartame, benzoic acid, citric acid, glycerin, menthol, methylparaben, natural peppermint flavor, propylene glycol, propylparaben, purified water.

Always read and follow label directions. Ask a doctor if you have individual health questions.
Questions? Comments? Call 1-800-824-4894
© 2020 Kramer Laboratories, Inc. Bridgewater, NJ 08807

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON BOTTLE IS BROKEN OR MISSING.

SAFETUSSIN DM

dextromethorpan guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-111
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS)	Dextromethorphan Hydrobromide	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
Aspartame (UNII: Z0H242BBR1)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
Citric Acid Monohydrate (UNII: 2968PHW8QP)	
glycerin (UNII: PDC6A3C0OX)	
methylparaben (UNII: A2I8C7HI9T)	
MINT (UNII: FV98Z8GITP)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
Menthol (UNII: L7T10EIP3A)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-111-33	1 in 1 CARTON	02/10/2017	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/29/2010	

Labeler - Kramer Laboratories (122720675)

Revised: 12/2023

Kramer Laboratories